



COMPLETE METALWORKING SOLUTIONS

(800) 991-4225 ISO Certified www.ahbinc.com customerservice@ahbinc.com

ZBMT Series

25° Insert Profiling Tools



25° Insert Tip with Greater Maneuverability Shortens Machining Processes and Reduces Costs

Large lineup of toolholders from external turning and boring bars that support a wide range of applications, including copying, undercutting, tapering, V slotting, etc.

Improved dimensional accuracy with unique clamp structure and firm insert clamping results in high precision and stable machining

GF chipbreaker for ZBMT inserts reduces chip control issues when machining at minute depths of cut

15° insert tip angle also available









ZBMT Series

25° Insert Profiling Tools

Unique clamping structure and a wide lineup of external toolholders and boring bars.

High precision and stable machining in a wide range of applications including copying, undercutting, tapering, V-slotting, spherical machining, and more.

New 25° Inserts Achieve Excellent Results with a Wide Variety of Toolholders


Challenges

Workpiece geometries are becoming increasingly more complex and can be difficult to machine with typical 35° V-style inserts.

Specialized tools focusing on shape often sacrifice rigidity, accuracy, or chip control.

Solution

The 25° ZBMT insert adopts a strong and unique clamp mechanism for added rigidity. This rigidity adds precision and stability in a variety of machining applications for shorter cycle times and lower machining costs.







Newly Developed Self-Clamping Mechanism Achieves a Higher Rigidity

Side Lock Mechanism
Unique design holds insert at 2 points
Safe even for insert with small tip angle that is difficult to mount

Indentations for screw clamp are designed



Insert Displacement During Facing Comparison (Internal Evaluation)



Insert Design

By controlling insert displacement,


- Machining precision is stabilized and long tool life is enable
- Reduces defect rate due to sudden dimensional deviation

Cutting Conditions : Vc = 750 sfm, D.O.C. = 0.012", f = 0.006, Wet Workpiece 4137

Provides High Quality and Stable Machining in Various Machining Applications

Excellent Performance in Various Machining Applications including Copying, Undercutting, Tapering, V-Slotting, Spherical Machining, etc.








CG image


^{*}Please check **Page 10** for how to attach and detach insert using the new insert clamp


^{*}The above figures are not guaranteed and will depend on cutting conditions.

Unique Holder Design to Meet Customers' Needs

Both boring bars and external toolholders are compatible with internal coolant.







Chip control comparison (Internal evaluation)




GF Chipbreaker




Competitor A (25° Type)




15° inserts are also available upon request





To avoid holder interference, additional modifications are required as shown in the figure below. Also, as shown in the figure below, special order for holders may be required depending on machining application.

How to Modify Toolholder when Using 15° Insert



Kyocera's high-performance insert grades

PVD Coated Carbide


PR1725

First recommendation for steel machining Excellent surface finish and long tool life

MEGACOAT NANO PLUS

AlTiN/AlCrN Nano laminated film with superior wear resistance and adhesion resistance

<Reduces cracking>
Reduces abnormal damages such
as chipping because of increased
lamination layer with a thinner gap
than conventional coatings.



Wear Coefficient Comparison (Internal evaluation) 0.8 10.7 0.06 0.04 0.05 0.04 0.03 0.01

Superior Wear and Chipping Resistance

High hardness with nano laminated film layer. Internal stress optimization reduces chipping

Applicable to various workpiece materials

Excellent oxidation resistance. Superior high temperature properties maintains good performance in steel, stainless steel and free-cutting steel

Excellent Surface Finish

PR1725 Conventional A Conventional B

Special surface layer with great lubricity reduces adhesion

High machining stability

Tough micro-grain carbide substrate provides stable machining

PVD Coated Carbide


PR1535

The combination of a tough substrate and a special nano coating layer creates long tool life and stable machining in stainless steel machining

MEGACOAT NANO


- An increase in cobalt content yields a substrate with greater toughness
 - *In comparison to our conventional material grade
- 23% Fracture Toughness *
- Improved stability by optimization and homogenization of grains in the base material
- MEGACOAT NANO coating technology for long tool life and stable machining

Cracking Comparison by Diamond Indenter (Internal evaluation)



PR1535 Base Material





MEGACOAT Base Layer Structure

Point

PR1535 also shows superior performance in steel machining under unstable conditions

Enlarged view

Long Cracks

Short Cracks



PV720 / PV730 New cermet for high quality surface finish machining



Uncoated CERMET

Three attributes of the hybrid technology contributes to excellent fracture and wear resistance

Kyocera's Leading Cermet Technology

General Use PV720

1st Recommendation Excellent wear resistance

Stability Oriented PV730

Tough Cermet High stability

Fracture resistance: 2X more than competitors (Internal evaluation)

TN620

Non-coated Cost-efficient

High Quality Surface Finish

Surface finish comparison (Internal evaluation)

Cutting Conditions: Vc=590 ~ 0 sfm (Constant rate) D.O.C. = 0.020", f = 0.004 ipr, Wet CNMG431 type Workpiece: 1010 ø1.929" → ø0 High speed

> Low Speed Surface roughness (Ø0.158" ~ Ø0.591") $(Vc = 50 \sim 180 \text{ sfm})$

PV720 **Excellent Surface Finish** Surface Roughness 0.020 0.039 0.059 0.079 0.098 0.118 0.138 0.158 0.177 0.197 0.213 Measured Distance (in)

Surface Roughness (µm) Measured Distance (in)

Competitor C

Clouded Surface Finish

Case Studies (ZBMT)

Shaft 1045

Vc = 380 sfmD.O.C. = 0.002" f = 0.003 iprWet ZBMT13T304GF SZLBR16-3D-C



Number of products

ZBMT

135 pcs/edge

Tool Life

Competitor D 55 pcs/edge

Side Lock Mechanism in ZMBT reduces the displacement in the Z-direction. Improves work efficiency with no dimension correction. Excellent surface finish with PV720.

(User evaluation)


Surface finish of

Conventional PCD Tool

1 Good Surface Finish (image) Super Micro-Grain of KPD001 (under 0.5µm) Conventional PCD's Grain (10µm)


Excellent surface finish of Super Micro-Grain KPD001

Surface Finish Comparison (Internal evaluation)



2 Improved Wear Resistance

Wear Resistance Comparison (Internal evaluation)



Cutting conditions: Vc = 1,770 sfm, D.O.C. = 0.006", f= 0.009 ipr, Wet Workpiece 413.0

*Cutting Length = Cutting Length that cutting edge runs on Workpiece Periphery

Case Studies (ZBMT)

Spacer 5052/7175

Vc = 1,770 sfm ap = 0.004" (Facing) / 0.008" (Internal) f = 0.002 ipr, Wet ZBMT13T304NE A25S-SZQBR13-32AE



Number of products

Wear (

ZBMT (KPD001) 200 pcs/edge

Dimensional accuracy,
Stable

Good
Dimentional
accuracy,
Cutting Edge

Competitor F

200 pcs/edge

Dimentional accuracy Unstable

Competitor's products had dimensional fluctuations, but ZBMT has excellent stability even with more than 200 pcs. Good cutting edge condition and high dimensional accuracy with H6 tolerance.

(User evaluation)

Insert Description

Carbide, Cermet, PCD

											·W	NEW	NEW
Shape			Description		Dimen	sions (ir	n)	MEGACOAT NANO PLUS	MEGACOAT NANO	PVD Coated Cermet		Unoated Cermet	PCD
			·	IC	S	D1	RE	PR1725	PR1535	PV720	PV730	TN620	KPD001*1
	6	ZBMT	13T302GF				0.008	•	•				
	25°		13T304GF	1/4 0.	0.156	0.209	1/64	•	•	•	•	•	
Tip Angle 25 °	*25°		13T308GF				1/32	•	•	•	•	•	
	_	ZBMT	13T301NE				0.004						•
	25°		13T302NE	1/4	0.156	0.209	0.008						•
Tip Angle 25 ° 1-edge			13T304NE				1/64						•
Tip Angle 15° (Right-Hand R)	15	ZBMT	13T304R-GF-15D	1/4	0.156	0.209	1/64	•	•				

- \cdot Because insert has a molded shape, the tip angle may be 24° depending on the measurement location.
- \cdot A PCD insert (KPD001) cannot be reground.
- When a PCD insert (KPD001) enters a workpiece or contacts a wall, keep the feed rate below 50% of normal use to prevent damage to the insert. If feed is not reduced, the edge may defect.

• : Standard Stock Inserts are sold in 10 piece boxes

*1.PCD Insert (KPD001) is sold in 1 piece boxes

Recommended Cutting Conditions

Workpiece	Insert Tip Angle	Corner-R (RE) (in)	Insert Grade	Vc (sfm)	D.O.C. (in)	f (ipr)
		0.008	PR1725	200 - 490 - 660	0.008 - 0.012 - 0.059	0.002 - 0.004 - 0.006
		0.008	PR1535	200 - 390 - 590	0.008 - 0.012 - 0.059	0.002 - 0.004 - 0.006
			PR1725	200 - 490 - 660	0.008 - 0.012 - 0.079	0.002 - 0.006 - 0.010
	25°		PR1535	200 - 390 - 590	0.008 - 0.012 - 0.079	0.002 - 0.006 - 0.010
Carbon Steel / Alloy Steel		1/64 1/32	PV720	460 - 590 - 790	0.008 - 0.012 - 0.059	0.002 - 0.005 - 0.008
			PV730	460 - 590 - 790	0.008 - 0.012 - 0.059	0.002 - 0.005 - 0.008
			TN620	460 - 590 - 790	0.008 - 0.012 - 0.059	0.002 - 0.005 - 0.008
	15°	1/64	PR1725	200 - 490 - 660	0.008 - 0.012 - 0.039	0.002 - 0.004 - 0.006
	15	1/04	PR1535	200 - 390 - 590	0.008 - 0.012 - 0.039	0.002 - 0.004 - 0.006
		0.008	PR1725	200 - 490 - 590	0.008 - 0.012 - 0.039	0.002 - 0.004 - 0.006
	25°	0.008	PR1535	200 - 390 - 490	0.008 - 0.012 - 0.039	0.002 - 0.004 - 0.006
Stainless Steel	25	1/64 1/32	PR1725	200 - 490 - 590	0.008 - 0.012 - 0.039	0.002 - 0.006 - 0.010
Stairiless Steel		1/64 1/32	PR1535	200 - 390 - 490	0.008 - 0.012 - 0.039	0.002 - 0.006 - 0.010
	15°	1/64	PR1725	200 - 490 - 590	0.008 - 0.012 - 0.039	0.002 - 0.004 - 0.006
	15	1/64	PR1535	200 - 390 - 490	0.008 - 0.012 - 0.039	0.002 - 0.004 - 0.006
	25°	0.008	PR1725	200 - 490 - 590	0.008 - 0.012 - 0.059	0.002 - 0.004 - 0.006
Cast Iron	25	1/64 / 1/32	PR1725	200 - 490 - 590	0.008 - 0.012 - 0.079	0.002 - 0.006 - 0.010
	15°	1/64	PR1725	200 - 490 - 590	0.008 - 0.012 - 0.039	0.002 - 0.004 - 0.006
Non-ferrous Metals (Aluminum alloys)	25°	0.004 0.008 1/64	KPD001	660 - 1,640 - 2,620	0.004 - 0.008 - 0.020	0.001 - 0.002 - 0.003

When machining at D.O.C. 0.059" or more, reduce the feed by about 50%.

A PCD insert (KPD001) can not be reground.

When a PCD insert (KPD01) enters a workpiece or contacts a wall, keep the feed rate below 50% of normal use to prevent damage to the insert.

Insert Mounting Instructions

When mounting the insert (Tightening torque: 1.2 Nm) 1. Tighten the main screw with the insert pressed against the contact surface with fingertips. 2. Tighten the side screw to complete the installation.





Remove the two screws and put the wrench into the gap at the back end of the insert. It can be easily removed by pushing out the insert as shown above.


External Turning

SZLB (External/Copying)

Pressure Resistance : ~ 435 psi









SZPB (External/Facing/Copying/Undercutting)

Pressure Resistance : ~ 435 psi

Side Rake Angle : 0 ° Angle of Inclination : 0 °








SZVBN (External/Copying)

Pressure Resistance : ~ 435 psi

Side Rake Angle : 0 ° Angle of Inclination : 0 °








Toolholder Dimensions


	Stock					Dimensions									Parts					
Description		Stock				Nillielizionz R.							r-R (R	ole	Coolant Block	Clamp Screw	Insert Screw	Wrench		
		R N L		L	Unit	Н	HF	В	LF	LH	WF	MHD	Standard Corner-R (RE)	Coolant Hole						
SZLB [™] 12-3C-C	-	•		•		0.750	0.750	0.750	5.039	1.378	0.905	3.760	1/64	V						
16-3D-C	-	•		•		1.000	1.000	1.000	6.039	1.575	1.110	4.779	1/04	Yes	760.13		SB-3079TR Recommended tig 1.2 N			
SZPB [™] 12-3C-C		•		•	inch	0.750	0.750	0.750	5.039	1.378	1.071	3.858	1/64	Yes		BH2X6		FT-8		
16-3D-C		•		•	inch	1.000	1.000	1.000	6.039	1.378	1.334	5.023	1/04	ies	ZCP-13	ВПZЛО		tightening torque		
SZVBN 12-3C-C			•			0.750	0.750	0.750	5.039	1.574	0.373	3.645	1/64	Yes						
16-3D-C			•			1.000	1.000	1.000	6.039	1.574	0.498	4.645	1/04	ies						
SZLB% 2020K-130	: (•		•		20	20	20	125	40	23	92.6	0.4	Yes						
2525M-13	c (•		•		25	25	25	150	40	28.2	118	0.4	ies						
SZPB% 2020K-130	: (•		•		20	20	20	125	37	27.2	95	0.4	Yes	ZCP-13	BH2X6	SB-3079TR	FT-8		
2525M-13	c (•		•	mm	25	25	25	150	36	33.9	124.2	0.4		ZCP-13	рп2Χδ				
SZVBN 2020K-130			•			20	20	20	125	40	10	89.6	0.4	Yes				ightening torque Nm		
2525M-13	С		•			25	25	25	150	40	12.5	114.6	0.4	ies						

●: Standard Item


A-SZJB-AE Excellent Bar (Internal Spherical Machining/Internal Facing/Copying)




A-SZXB-AE Excellent Bar (Internal Facing/Copying/Undercutting)




A-SZQB-AE Excellent Bar (Copying/Undercutting)



A-SZLB-AE Excellent Bar (Copying)



A-SZZB-AE Excellent Bar (Back Boring)



Boring Bars


Toolholder Dimensions

Stock Min. Dimensions (mm)									(i)		Parts										
Part Number		St	OCK	Bore Dia.	Dimensions (mm)							0	ner-R (F	Hole	Clamp Screw	Wrench	Plug				
		R L		DMIN	DCON	Н	LPR	LF	LU	LH	WF	WF2	GAN	GAMO Standard Corner-R (RE)	Coolant Hole						
	A20R-SZJB%13-28AE	•	•	28	20	19		200	37.5	48	3.0	-						SB-3079TR	FT-8	HS3X3	
	A25S-SZJB% 13-30AE	•	•	30	25	24	-	250	47	58	3.5	-	5°	0.4	Yes	Recommende					
	A32S-SZJB № 13-40AE	•	•	40	32	31		250	61.5	72	3.5	-				torque	torque 1.2 Nm				
	A20R-SZXB%13-25AE	•	•	25	20	19		200	37.5	48	7.5	-		0.4					SB-3079TR	FT-8	HS3X3
	A25S-SZXB% 13-30AE	•	•	30	25	24	-	250	45.2	58	7	-	5°		Yes	Recommended tightening		1133713			
	A32S-SZXB [®] 13-40AE	•	•	40	32	31		250	60.2	74	7	-				torque		HS4X4			
Bar	A20R-SZQB [®] 13-27AE	•	•	27	20	19		200	-	41	15.5	5.5		0.4		SB-3079TR	FT-8	HS3X3			
Excellent Bar	A25S-SZQB [®] 13-32AE	•	•	32	25	24	-	250	-	51	18	5.5	5°		0.4	Yes	Recommende				
Exce	A32S-SZQB [®] 13-40AE	•	•	40	32	31		250	-	54	22.5	6.5				torque		HS4X4			
	A20R-SZLB % 13-30AE	•	•	30	20	19		200	-	42	23	13				SB-3079TR	FT-8	HS3X3			
	A25S-SZLB [®] 13-34AE	•	•	34	25	24	-	250	-	64	25.5	13	7°	0.4	Yes	Recommended tightening					
	A32S-SZLB [®] L13-40AE	•	•	40	32	31		250	-	86	29	13				torque	1.2 NM	HS4X4			
	A20R-SZZB [®] 13-30AE	•	•	30	20	19	200	187	-	42	23	13				SB-3079TR	FT-8	HS3X3			
	A25S-SZZB % 13-34AE A32S-SZZB % 13-40AE	•	•	34	25 32	24	250 250	237	-	58 74	25.5	13	7°	0.4	Yes	Recommended tightening torque 1.2 Nm		HS4X4			

Minimum bore dia. is when installing with standard corner-R (RE) insert

When machining with an insert other than the standard corner-R (RE), check for interference.

Identification System



Unique Cutting Angle A-SZXB-AE (Internal Facing/Copying/Undercutting)

Features

· Chatter-resistant shape

The insert is placed near the center of the shank to ensure the thickness of the lower jaw of the insert.

· User-friendly design

The holder width (WF + Neck radius) is small, and it is easy to apply to the narrow gap of the workpiece (Minimum cutting dia. DMIN: Determined by R near the holder edge).







Piping Parts for External Toolholders

JCT series piping parts can be used for machining with internal coolant (sold separately).

For details, please refer to the Kyocera General Catalog.





Hose

Pressure Resistance: ~ 4,350 psi Dimensions (mm) Shape Part Number Stock Thread Standard L HS-ST-ST-200 Straight/Straight • 200 UNF3/8 UNF3/8 HS-ST-ST-250 250 HS-ST-AN-200 200 • Straight/Angle UNF3/8 HS-ST-AN-250 (Banjo Bolt) 250 HS-AN-AN-200 200 Angle/Angle (Banjo Bolt) (Banjo Bolt) HS-AN-AN-250 250


Boring/Facing Available Cutting Dia. and Max. D.O.C.

SZPB Type Cutting Diameter for Undercutting



Standard Corner-R 1/64" (RE)

Cutting Dia.	Depth (in)
Ø1.181	0.020
Ø1.969	0.059
Ø2.559	0.118
Ø3.150	0.236
Ø3.937	0.394
Ø5.906	0.551




Corner-R (RE)	D.O.C. (in)	DCN (Min)
0.008"	0.020	Ø1.181
0.008	0.039	Ø1.378
1/64"	0.020	Ø1.181
1/04	0.039	Ø1.378
1/32"	0.020	Ø4.331
1/32	0.039	Ø5.906

: Standard Item


Internal Spherical Machining/Internal Facing/Copying (A-SZJB-AE)

Application Range




DMIN: Ø28mm - Ø40mm

Applications




^{*} f should be 0.002 ipr or less during internal facing.

Finishing







Machining Process

- 1. Finish the internal face first.
- 2. Next, finish the internal surface.

Caution

