



CERAMIQ™ Range

CUTS FASTER.
LASTS LONGER.
MAXIMIZES PRODUCTIVITY.



FOR MAXIMUM MATERIAL REMOVAL

Garryson® CERAMIQ™ range of discs and wheels feature best in class ceramic abrasives for use on steel, stainless steel, carbon steel, high nickel alloys and titanium.

CERAMIQ™ abrasives are ideal for aggressive metal finishing.

The range includes the following:

- CERAMIQ™ Flap Disc, designed for efficient grinding and finishing in one operation.
- CERAMIQ™ Quick Change Minidisc used for material removal and blending where accessibility is a problem.
- CERAMIQ™ Flexidisc® and Mini-Flexidisc® which ensures high performance for blending and finishing on concave and convex surfaces.
- CERAMIQ™ Flap Wheel for efficient stock removal and finishing.

For a complete grinding solution, ATA can also offer you premium Industrial Air Tools to suit all your application needs. The combination of the right tool and consumable at the right speed guarantees optimum performance and results.

Scan to visit
our website



Ordering Information

For more information and / or to place an order, please contact ATA Customer Service at:

International Offices: +353 (0) 49 432 6178 or by email sales@atagroup.ie

UK Offices: +44 (0) 1530 261 145 or by email sales@atagroupuk.com


US Offices: +1 330-928-7744 or by email sales@atatools.com

Website: www.atagroup.co



CERAMIQ™ RANGE

Quick stock removal and clean finish



New ceramic grain stays sharper for longer, helping to reduce operator fatigue

High performance ceramic cloth vastly improves tool life, reducing tool down time and increasing productivity

Top coat additives provide a cool cutting action, offering improved surface finish and reducing the need for re-work polishing



Wear Eye Protection!



Wear Hearing Protection!



Observe the recommended rotational speed!



Wear Protective Gloves!



FLAP DISC

FOR AGGRESSIVE SINGLE OPERATION GRINDING AND FINISHING

An innovative semi jumbo disc which exploits the unique characteristics of CERAMIQ™ abrasives to achieve greater productivity when grinding and finishing high performance ferrous and non-ferrous materials.

CUTS FASTER

Removes up to 22% more stock over 50 minutes. In tests, CERAMIQ™ flap discs removed 22% more stock than a zirconium disc.

LASTS LONGER

40% longer life. 55% more total stock removed. A competitive ceramic disc lasted 50 minutes in tests. CERAMIQ™ abrasives lasted 70 minutes.

WASTES LESS. SAVES MONEY

Greater amount of usable abrasive cloth. The unique design of Garryson® CERAMIQ™ semi jumbo flap disc, utilizes the full surface area of the disc, giving even wear and reducing abrasive cloth wastage.

**All tests were carried out in-house against a leading competitor's products*



The CERAMIQ™ Flap Disc Range				
Part Nr. (Metric)	EDP (Imperial)	Grit	Max RPM	Pack Qty
Ø 100mm / 4"				
-	G41415	24	15,300	10
GFBCIQ100036	G41416	36	15,300	10
GFBCIQ100040	G41417	40	15,300	10
GFBCIQ100060	G41418	60	15,300	10
GFBCIQ100080	G41419	80	15,300	10
Ø 115mm / 4½"				
-	G41400	24	13,300	10
GFBCIQ115036	G41401	36	13,300	10
GFBCIQ115040	G41402	40	13,300	10
GFBCIQ115060	G41403	60	13,300	10
GFBCIQ115080	G41404	80	13,300	10
Ø 125mm / 5"				
-	G41405	24	12,000	10
GFBCIQ125036	G41406	36	12,000	10
GFBCIQ125040	G41407	40	12,000	10
GFBCIQ125060	G41408	60	12,000	10
GFBCIQ125080	G41409	80	12,000	10
Ø 180mm / 7"				
-	G41410	24	8,600	10
GFBCIQ180036	G41411	36	8,600	10
GFBCIQ180040	G41412	40	8,600	10
GFBCIQ180060	G41413	60	8,600	10
GFBCIQ180080	G41414	80	8,600	10
JUMBO DISC				
STANDARD DISC				

Ordering Information

For more information and / or to place an order, please contact ATA Customer Service at:

International Offices: +353 (0) 49 432 6178 or by email sales@atagroup.ie

UK Offices: +44 (0) 1530 261 145 or by email sales@atagroupuk.com

US Offices: +1 330-928-7744 or by email sales@atatools.com

Website: www.atagroup.co



QUICK CHANGE MINIDISC

FOR MAXIMUM MATERIAL REMOVAL AND BLENDING WHERE ACCESSIBILITY IS A PROBLEM

A small diameter disc designed for aggressive grinding and is ideal for use in hard to access and awkward areas.

The CERAMIQ™ abrasive offers exceptional productivity and lasts significantly longer compared to traditional coated abrasive discs of the same diameter.

Top coat additives:




- Improves stock removal
- Prevents clogging
- Allows cooler grinding




Quick Change locking system provides efficient changeover of discs to maintain operational efficiency.


The CERAMIQ™ Quick Change MiniDisc Range

Part Nr. (Metric)	EDP (Imperial)	Grit	Max RPM	Pack Qty
Ø 50mm / 2"				
GMRCIQ050036-R	G48040	36	30,000	10
GMRCIQ050040-R	G48041	40	30,000	10
GMRCIQ050060-R	G48042	60	30,000	10
GMRCIQ050080-R	G48043	80	30,000	10
Ø 75mm / 3"				
GMRCIQ075036-R	G48060	36	20,000	10
GMRCIQ075040-R	G48061	40	20,000	10
GMRCIQ075060-R	G48062	60	20,000	10
GMRCIQ075080-R	G48063	80	20,000	10

Rubber Holder Pads

		Part Nr. (mm)	EDP (inches)	
50mm / 2"	6mm / 1/4"	GQR050	G47995	25,000
75mm / 3"	6mm / 1/4"	GQR075	G47994	20,000





CERAMIQ™ Smarter Abrasives

MINI-FLEXIDISC®

FOR BLENDING AND FINISHING ON AWKWARD CURVED AND CONTOURED SURFACES

A small diameter disc designed for aggressive grinding and improved access at awkward areas. It offers flexibility for blending and finishing on concave and convex surfaces, contours and profiles.

Top coat additives:

- Improves stock removal
- Prevents clogging
- Allows cooler grinding

Quick Change locking system provides efficient changeover of discs to maintain operational efficiency.

The CERAMIQ™ Mini-Flexidisc® Range				
Part Nr. (Metric)	EDP (Imperial)	Grit	Max RPM	Pack Qty
Ø 50mm / 2"				
GFLXCIQ050040-R	G48561	40	30,000	10
GFLXCIQ050060-R	G48562	60	30,000	10
GFLXCIQ050080-R	G48563	80	30,000	10
Ø75mm / 3"				
GFLXCIQ075040-R	G48581	40	20,000	10
GFLXCIQ075060-R	G48582	60	20,000	10
GFLXCIQ075080-R	G48583	80	20,000	10
Rubber Holder Pads				
		Part Nr. (mm)	EDP (inches)	
50mm / 2"	6mm / 1/4"	GQR050	G47995	25,000
75mm / 3"	6mm / 1/4"	GQR075	G47994	20,000



CERAMIQ™ Smarter Abrasives

FLEXIDISC®

FOR BLENDING AND FINISHING ON CURVED AND CONTOURED SURFACES

CERAMIQ™ Flexidisc is designed for aggressive grinding with maximum stock removal. It offers flexibility for blending and finishing on concave and convex surfaces, contours and profiles.

Its flexible construction reduces the risk of undercutting and gouging.

Top coat additives improve stock removal, prevent clogging and allow cooler grinding.

It gives significantly longer life than resin fiber discs.

The CERAMIQ™ Flexidisc® Range				
Part Nr. (Metric)	EDP (Imperial)	Grit	Max RPM	Pack Qty
Ø 115mm / 4½"				
GFLXCIQ115036	G48750	36	13,300	10
GFLXCIQ115040	G48751	40	13,300	10
GFLXCIQ115060	G48752	60	13,300	10
GFLXCIQ115080	G48753	80	13,300	10
Ø 127mm / 5"				
GFLXCIQ127036	G48755	36	12,000	10
GFLXCIQ127040	G48756	40	12,000	10
GFLXCIQ127060	G48757	60	12,000	10
GFLXCIQ127080	G48758	80	12,000	10



Ordering Information

For more information and / or to place an order, please contact ATA Customer Service at:

International Offices: +353 (0) 49 432 6178 or by email sales@atagroup.ie

UK Offices: +44 (0) 1530 261 145 or by email sales@atagroupuk.com

US Offices: +1 330-928-7744 or by email sales@atatools.com

Website: www.atagroup.co

CERAMIQ™ Smarter Abrasives

FLAP WHEEL


FOR AGGRESSIVE GRINDING WITH MAXIMUM STOCK REMOVAL

This premium flap wheel exploits the CERAMIQ™ abrasive to achieve maximum stock removal and deliver efficient deburring, cleaning, blending and finishing.

Top coat additives:

- Improves stock removal
- Prevents clogging
- Allows cooler grinding

It has a long service life due to excellent adhesion to its cotton backing cloth.



The CERAMIQ™ Flap Wheel Range

Part Nr. (Metric)	Diameter	Width	Shank	Grit	Max RPM	Pack Qty
GSCIQ3010L040	30mm	10mm	6mm	40	25,000	10
GSCIQ3010L060	30mm	10mm	6mm	60	25,000	10
GSCIQ3010L080	30mm	10mm	6mm	80	25,000	10
GSCIQ3015L040	30mm	15mm	6mm	40	25,000	10
GSCIQ3015L060	30mm	15mm	6mm	60	25,000	10
GSCIQ3015L080	30mm	15mm	6mm	80	25,000	10
GSCIQ4020040	40mm	20mm	6mm	40	19,000	10
GSCIQ4020060	40mm	20mm	6mm	60	19,000	10
GSCIQ4020080	40mm	20mm	6mm	80	19,000	10
GSCIQ5015040	50mm	15mm	6mm	40	15,000	10
GSCIQ5015060	50mm	15mm	6mm	60	15,000	10
GSCIQ5015080	50mm	15mm	6mm	80	15,000	10
GSCIQ5030040	50mm	30mm	6mm	40	15,000	10
GSCIQ5030060	50mm	30mm	6mm	60	15,000	10
GSCIQ5030080	50mm	30mm	6mm	80	15,000	10
GSCIQ6015040	60mm	15mm	6mm	40	12,600	10
GSCIQ6015060	60mm	15mm	6mm	60	12,600	10
GSCIQ6015080	60mm	15mm	6mm	80	12,600	10
GSCIQ6030040	60mm	30mm	6mm	40	12,600	10
GSCIQ6030060	60mm	30mm	6mm	60	12,600	10
GSCIQ6030080	60mm	30mm	6mm	80	12,600	10

The CERAMIQ™ Flap Wheel Range

EDP (Imperial)	Diameter	Width	Shank	Grit	Max RPM	Pack Qty
G18001	1"	1"	1/4"	60	30,000	10
G18002	1"	1"	1/4"	80	30,000	10
G18023	2"	1"	1/4"	60	25,000	10
G18024	2"	1"	1/4"	80	25,000	10
G18040	3"	1"	1/4"	60	23,000	10
G18041	3"	1"	1/4"	80	23,000	10



Wear Eye Protection!



Wear Hearing Protection!



Observe the recommended rotational speed!



Wear Protective Gloves!

International Offices

t: +353 (0) 49 432 6178
f: +353 (0) 49 432 6298

e: sales@atagroup.ie
w: www.atagroup.co

ATA Burs Ltd., IDA Business & Technology Park,
Killygarry, Cavan, Co. Cavan, H12 DK46, Ireland

UK Offices

t: +44 (0) 1530 261 145
f: +44 (0) 1530 262 801

e: sales@atagroupuk.com
w: www.atagroup.co

ATA Garryson Ltd., Spring Road, Ibstock,
Leicestershire, LE67 6LR, United Kingdom

US Offices

t: +1 330-928-7744
f: +1 330-849-2977

e: sales@atatools.com
w: www.atagroup.co

ATA Tools Inc., 238 Marc Drive
Cuyahoga Falls, Ohio 44223

