Innovative Thread Mill Solutions

NEW THREADS-ALL[™] Solid Carbide Thread Mills EXPANDED PROGRAM

THREADS-ALL. Quality, Security, Versatility and Economy

Emuge is proud to introduce Threads-All, a new expanded line of solid carbide thread mills. In the dynamic world of metal cutting, Emuge recognizes the need to continually deliver the latest technology to help manufacturers reduce costs, improve delivery times, and produce world-class products.

This new series of thread mills will set the standard for versatility, performance, process security, and value. The Emuge Threads-All program is specially designed for a wide range of threading applications and requires minimal tooling. Threads-All is ideal for demanding industries using difficult materials such as stainless steels, titanium, and inconel. For manufacturers, tool crib stock and carrying costs are minimized, delivery times are improved, finished threads will pass all QC requirements, and profitability is maximized.



THREADS-ALL[™] *Miniature* Solid Carbide Thread Mills

As the demand in today's market increases for smaller parts and more efficient machining solutions, so do the threading solutions from Emuge. Miniature size thread mills provide a high-quality and dependable threading solution for a variety of difficult materials.

Precision ground rake and relief angles allow Threads-All tools to be used in all material groups up to 58 Rc with a simple modification of the operating parameters based on the metals' chemical properties and hardness range.



- Easy machining of difficult materials
- One tool for through and blind holes
- Pitch diameter can be easily controlled
- Full bottom threading to within 1 pitch
- Precise thread depth control
- Thread depths up to 2xD

- STI threads can be easily produced
- Produces excellent thread finish & gaging

#1 Miniature tool size

compared to a pencil tip

Sizes 0 *8

- Eliminates the possibility and consequences of tap breakage
- Eliminates the need for hand tapping
- Eliminates the need for thread cutting oil

Z-GF MINIATURE - THREAD MILLS without internal coolant (All sizes TICN coated)

	EDP No.	Tool				Th	read Si	ze —			Cutter	Cut	No.	Overall	Shank	Shank	
		Size	UNC	UNF	STI UNC	STI UNF	UNEF	UNJC	UNJF	М	MJ	Dia.	Length	Flutes	Length	Dia.	Туре
	GFS137065033	0	-	0-80	-	-	-	-	0-80	1.6 x .35	1.6 x .35	0.045	0.125	1	1 5/8"	1/8"	HA
IEW	GX8820015000	1	1-64	1-72	-	-	-	1-64	1-72	2 x .4	2 x .4	0.056	0.146	3	1 5/8"	1/8″	HA
	GX8820015001	2	2-56	2-64	1-64	-	-	2-56	2-64	2.5 x .45	2.5 x .45	0.064	0.172	3	1 5/8"	1/8"	HA
	GX8820025003	4	4-40	4-48	2-56	-	-	4-40	4-48	-	-	0.081	0.224	3	1 5/8"	1/8"	HA
-	GX8820045611	STI 4	-	-	4-40	4-48	-	-	-	-	-	0.117	0.295	3	1 5/8"	1/8"	HA
	GX8820015004	5	5-40	5-44	-	-	-	5-40	5-44	3 x .5	3 x .5	0.095	0.250	3	1 5/8"	1/8"	HA
	GX8820025005	6	6-32	6-40	-	-	-	6-32	6-40	-	-	0.100	0.276	3	1 5/8"	1/8"	HA
	GX8820015613	STI 6	-	-	6-32	6-40	-	-	-	5 x .8	5 x .8	0.143	0.364	3	2 1/2 "	1/4 "	HB
	GX8820015006	8	8-32	8-36	-	-	-	8-32	8-36	4x.7	4 x .7	0.124	0.328	3	1 5/8"	1/8"	HA
140	GX8820045614	STI 8	-	-	8-32	8-36	1/4-32	-	-	-	-	0.167	0.415	3	2 1/2 "	1/4"	HB

THREADS-ALL[™] Expanded Sizes Solid Carbide Thread Mills

The new Expanded Program gives manufacturers a ready tooling solution which allows for quick adaptation to a variety of threading requirements, in a wide range of materials.

Threads-All tools easily and safely machine with unsurpassed thread quality and tool life, while eliminating the possibility and consequences of tap breakage. Requiring only 8 stock standard tool sizes, #10 • 1/4 • 5/16 • 3/8 • 7/16 • 1/2 • 5/8 • 3/4, it is now possible to produce 100+ commonly produced screw thread designations: Sites # 10 111 319-

UNC • UNF • STI UNC • STI UNF • UNEF • UNS • UNJC • UNJF • M • MJ

 In addition, Threads-All tools provide <u>total control</u> <u>over pitch diameter limits</u> including 2B • 3B • 3BG • and all oversize variants.

Z-GF EXPANDED SIZES - THREAD MILLS (All sizes TICN coated)

EDP No.	Tool		Thread Size									Cut	No.	Overall	Shank	Shank
ALL NEW	Size	UNC	UNF	STI UNC	STI UNF	UNEF	UNJC	UNJF	М	MJ	Dia.	Length	Flutes	Length	Dia.	Туре
GX8820035007*	10	10-24	10-32	10-24	10-32	-	10-24	10-32	-	-	0.136	0.380	3	2 1/2"	1/4"	HB
GX8820085009*	1/4	1/4-20	1/4-28	1/4-20	1/4-28	5/16-32	1/4-20	1/4-28	6 x 1	6 x 1	0.185	0.500	3	2 1/2"	1/4″	HB
GFS331065010**	5/16	5/16-18	5/16-24	5/16-18	5/16-24	3/8-32	5/16-18	5/16-24	8 x 1.25	8 x 1.25	0.242	0.625	4	2 1/2 "	1/4 "	HB
GFS331065011**	3/8	3/8-16	3/8-24	3/8-16	3/8-24	7/16-28	3/8-16	3/8-24	10 x 1.5	10 x 1.5	0.301	0.750	5	2 1/2"	5/16"	HB
GFS331065012**	7/16	7/16-14	7/16-20	7/16-14	7/16-20	1/2-28	7/16-14	7/16-20	12 x 1.75	12 x 1.75	0.354	0.875	5	3.00"	3/8"	HB
GFS331065013**	1/2	1/2-13	1/2-20	1/2-13	1/2-20	5/8-24	1/2-13	1/2-20	14 x 2	14 x 2	0.407	1.00	5	3 3/4"	1/2 "	HB
GFS331065015**	5/8	5/8-11	5/8-18	5/8-11	5/8-18	3/4-20	5/8-11	5/8-18	16 x 2	16 x 2	0.512	1.25	5	3 3/4"	1/2 "	HB
GFS331065016**	3/4	3/4-10	3/4-16	3/4-10	3/4-16	7/8-20	3/4-10	3/4-16	20 x 2.5	20 x 2.5	0.630	1.50	6	4 1/4"	5/8 "	HB

4 <

* External flood coolant only ** External flood coolant or axial internal coolant hole

Shank Types: HA-Straight shank without clamping flat, HB-Straight shank with Weldon clamping flat



EXTRAORDINARY NEW RANGE OF INNOVATIVE THREAD MILLS

Emuge applies in-depth analysis of thread dimensions and tolerances with advanced profile geometry correction in the finish grind, for true-togage threads. Emuge's new thread mill range will meet today's most demanding quality standards.

Emuge – The Leader in Thread Cutting Technology For More Than 90 Years.



From unmatched application engineering expertise to the world's most extensive line of highperformance taps, thread mills, tool holders and accessories, only Emuge offers a complete threading program. So you can obtain the best production solution for your application.

Ask for a FREE full line catalog at www.emuge.com where you can also view products online.

Contact Emuge today for a FREE analysis of your application.







Emuge Corp. Technology Center

Emuge's state-of-the-art North American headquarters where machining demonstrations, training, manufacturing and applications solutions are managed and over 10,000 types of tools are stocked for prompt shipment.

HIGH PERFORMANCE TOOLS

1800 Century Drive West Boylston, MA 01583 800-323-3013 A fax: 800-393-1302