


**SLOKY**<sup>®</sup>



*Reduce insert screw usage and costs by 80%*



# Torque Screwdriver

**AHB** Tooling & Machinery, Inc.  
 ISO Certified  
 (800) 991-4225  
 www.ahbinc.com  
 customerservice@ahbinc.com  
 Complete Metalworking Solutions  
 Roseville Saginaw & Jackson, MI

# About Us

"SLOKY®" comes from the meaning of "SOLO KEY" in the Taiwanese dialect. It refers to the patented torque adapter, the most significant feature in the SLOKY Preset Torque Screwdriver system.


Based on the unique feature of the torque adapters, a complete line of the SLOKY preset torque screwdriver is born, which provides the precision machining industry a fine tool to ensure all the screws are secured properly with the manufacturer defined torque. The torque adapters are color coded with all the sizes of the Torx and Torx Plus bits and are interchangeable with three (3) different types of handles. It provides machine shop technicians a convenient way of tightening up cutting tool screws, protects screws from being damaged, and guarantees precision part tolerances are reached.

▶▶▶ To view awesome demo video or browse inventory ▶▶▶ [www.slokyusa.com](http://www.slokyusa.com)

Precision

Simplicity

Innovation



- ✓ 1. Spinning shaft for quick screw setting
- ✓ 2. Ergonomically refined design
- ✓ 3. Torque accuracy tolerance  $\pm 10\%$
- ✓ 4. Color coded for pair matching



## LT Single Set

- 1 Case
- 1 Handle w/Adapter
- 2 Bits(1")
- 2 Bits(2")
- Total 5 pcs



### TORX®

Part Number	Size
STS-TX-LT-06	TX6
STS-TX-LT-07	TX7
STS-TX-LT-08	TX8
STS-TX-LT-09	TX9
STS-TX-LT-10	TX10
STS-TX-LT-15	TX15

### TORX PLUS®

Part Number	Size
STS-IP-LT-06	6IP
STS-IP-LT-07	7IP
STS-IP-LT-08	8IP
STS-IP-LT-09	9IP
STS-IP-LT-10	10IP
STS-IP-LT-15	15IP



## ST Single Set

- 1 Case
- 1 Handle w/Adapter
- 4 Bits(2")
- Total 5 pcs

### TORX®

Part Number	Size
STS-TX-ST-10	TX10
STS-TX-ST-15	TX15
STS-TX-ST-20	TX20
STS-TX-ST-25	TX25

### TORX PLUS®

Part Number	Size
STS-IP-ST-10	10IP
STS-IP-ST-15	15IP
STS-IP-ST-20	20IP
STS-IP-ST-25	25IP

TORX® and TORX PLUS® are registered trademarks of Acument global technologies LLC.

TX= TORX® IP= TORX PLUS®

# TX / IP



## HD Single Set

- 1 Case
- 1 Handle w/Adapter
- 1 Bits(1")
- 1 Bits(2")
- Total 3 pcs



TORX®

Part Number	Size
STS-TX-HD-06	TX6
STS-TX-HD-07	TX7
STS-TX-HD-08	TX8
STS-TX-HD-09	TX9
STS-TX-HD-10	TX10
STS-TX-HD-15	TX15



TORX PLUS®

Part Number	Size
STS-IP-HD-06	6IP
STS-IP-HD-07	7IP
STS-IP-HD-08	8IP
STS-IP-HD-09	9IP
STS-IP-HD-10	10IP
STS-IP-HD-15	15IP



## Twin Combo Set

- 1 Case
- 2 Handles
- 6 Adapters
- 6 Bits(1")
- 6 Bits(2")
- Total 20 pcs

TORX®

Part Number	Screw Range Covered
STS-TX-TW-S1	TX6 ~ 15

TORX PLUS®

Part Number	Screw Range Covered
STS-IP-TW-S1	6 ~ 15IP



TORX® and TORX PLUS® are registered trademarks of Acument global technologies LLC.

TX= TORX® IP= TORX PLUS®





## LT Combo Set

- 1 Case
- 1 Handle
- 6 Adapters
- 6 Bits(1")
- Total 13 pcs



TORX®

Part Number	Screw Range Covered
STS-TX-LT-S1	TX6 ~ 15

TORX PLUS®

Part Number	Screw Range Covered
STS-IP-LT-S1	6 ~ 15IP



**SMART KIT**



## LT Display Set

- 1 Stand
- 6 Handles w/Adapters
- 6 Bits(1")
- 6 Bits(2")
- Total 18 pcs

TORX®

Part Number	Screw Range Covered
STS-TX-LT-S4	TX6 ~ 15

TORX PLUS®

Part Number	Screw Range Covered
STS-IP-LT-S4	6 ~ 15IP

TORX® and TORX PLUS® are registered trademarks of Acument global technologies LLC.

TX= TORX® IP= TORX PLUS®



## Bits

### TORX®



Part Number	Size
STS-TX-B1-06	TX6
STS-TX-B1-07	TX7
STS-TX-B1-08	TX8
STS-TX-B1-09	TX9
STS-TX-B1-10	TX10
STS-TX-B1-15	TX15
STS-TX-B1-20	TX20
STS-TX-B1-S	TX6 ~ 15




STS-TX-B2-06	TX6
STS-TX-B2-07	TX7
STS-TX-B2-08	TX8
STS-TX-B2-09	TX9
STS-TX-B2-10	TX10
STS-TX-B2-15	TX15
STS-TX-B2-20	TX20
STS-TX-B2-25	TX25
STS-TX-B2-S	TX6 ~ 15



STS-TX-B3-08	TX8
STS-TX-B3-09	TX9
STS-TX-B3-10	TX10
STS-TX-B3-15	TX15
STS-TX-B3-20	TX20
STS-TX-B3-25	TX25
STS-TX-B3-S	TX8 ~ 25

### TORX PLUS®



Part Number	Size
STS-IP-B1-06	6IP
STS-IP-B1-07	7IP
STS-IP-B1-08	8IP
STS-IP-B1-09	9IP
STS-IP-B1-10	10IP
STS-IP-B1-15	15IP
STS-IP-B1-20	20IP
STS-IP-B1-S	6 ~ 15IP



STS-IP-B2-06	6IP
STS-IP-B2-07	7IP
STS-IP-B2-08	8IP
STS-IP-B2-09	9IP
STS-IP-B2-10	10IP
STS-IP-B2-15	15IP
STS-IP-B2-20	20IP
STS-IP-B2-25	25IP
STS-IP-B2-S	6 ~ 15IP



STS-IP-B3-08	8IP
STS-IP-B3-09	9IP
STS-IP-B3-10	10IP
STS-IP-B3-15	15IP
STS-IP-B3-20	20IP
STS-IP-B3-25	25IP
STS-IP-B3-S	8 ~ 25IP

TORX® and TORX PLUS® are registered trademarks of Acument global technologies LLC.

TX= TORX® IP= TORX PLUS®

# TX / IP



## Handles

· 1 Handle



### TORX®

Part Number
STS-TX-LT
STS-TX-HD-S (3.75")
STS-TX-HD-L (4.5")
STS-TX-ST



### TORX PLUS®

Part Number
STS-IP-LT
STS-IP-HD-S (3.75")
STS-IP-HD-L (4.5")
STS-IP-ST



## Adapter

- 1 Case
- 3 Adapters (same size)

Part Number	Description	TX	IP
STS-ADT-06-06	0.6Nm / 5.3 In-Lbs	TX6	6IP
STS-ADT-07-09	0.9Nm / 8.0 In-Lbs	TX7	7IP
STS-ADT-08-12	1.2Nm / 10.6 In-Lbs	TX8	8IP
STS-ADT-09-14	1.4Nm / 12.4 In-Lbs	TX9	9IP
STS-ADT-10-20	2.0Nm / 17.7 In-Lbs	TX10	10IP
STS-ADT-15-30	3.0Nm / 26.6 In-Lbs	TX15	15IP
STS-ADT-20-50	5.0Nm / 44.3 In-Lbs	TX20	20IP
STS-ADT-25-55	5.5Nm / 48.7 In-Lbs	TX25	25IP

TORX® and TORX PLUS® are registered trademarks of Acument global technologies LLC.

TX= TORX® IP= TORX PLUS®

## LT Single Set

- 1 Case
- 1 Handle w/Adapter
- 2 Bits(1")
- 2 Bits(2")
- Total 5 pcs

**NEW**



HEX<sup>®</sup>

Part Number	Size (mm)
STS-HX-LT-1.5	1.5
STS-HX-LT-2.0	2.0
STS-HX-LT-2.5	2.5
STS-HX-LT-3.0	3.0

Part Number	Size (Inch)
STS-HX-LT-01/16	1/16
STS-HX-LT-05/64	5/64
STS-HX-LT-03/32	3/32
STS-HX-LT-07/64	7/64
STS-HX-LT-01/08	1/8

**NEW**



## ST Single Set

- 1 Case
- 1 Handle w/Adapter
- 4 Bits(2")
- Total 5 pcs

HEX<sup>®</sup>

Part Number	Size (mm)
STS-HX-ST-4.0	4.0
STS-HX-ST-5.0	5.0

Part Number	Size (Inch)
STS-HX-ST-09/64	9/64
STS-HX-ST-05/32	5/32
STS-HX-ST-03/16	3/16



**NEW**



## HD Single Set

- 1 Case
- 1 Handle w/Adapter
- 1 Bits(1")
- 1 Bits(2")
- Total 3 pcs

HEX<sup>®</sup>

Part Number	Size (mm)
STS-HX-HD-1.5	1.5
STS-HX-HD-2.0	2.0
STS-HX-HD-2.5	2.5
STS-HX-HD-3.0	3.0

Part Number	Size (Inch)
STS-HX-HD-01/16	1/16
STS-HX-HD-05/64	5/64
STS-HX-HD-03/32	3/32
STS-HX-HD-07/64	7/64
STS-HX-HD-01/08	1/8

HEX<sup>®</sup>

Part Number	Size (mm)
STS-HX-B1-1.5	1.5
STS-HX-B1-2.0	2.0
STS-HX-B1-2.5	2.5
STS-HX-B1-3.0	3.0
STS-HX-B1-4.0	4.0
STS-HX-B1-5.0	5.0

Part Number	Size (Inch)
STS-HX-B1-01/16	1/16
STS-HX-B1-05/64	5/64
STS-HX-B1-03/32	3/32
STS-HX-B1-07/64	7/64
STS-HX-B1-01/08	1/8
STS-HX-B1-09/64	9/64
STS-HX-B1-05/32	5/32
STS-HX-B1-03/16	3/16

**NEW**



## Bits

• 6 Bits(1")

Part Number	Size (mm)
STS-HX-B2-1.5	1.5
STS-HX-B2-2.0	2.0
STS-HX-B2-2.5	2.5
STS-HX-B2-3.0	3.0
STS-HX-B2-4.0	4.0
STS-HX-B2-5.0	5.0

Part Number	Size (Inch)
STS-HX-B2-01/16	1/16
STS-HX-B2-05/64	5/64
STS-HX-B2-03/32	3/32
STS-HX-B2-07/64	7/64
STS-HX-B2-01/08	1/8
STS-HX-B2-09/64	9/64
STS-HX-B2-05/32	5/32
STS-HX-B2-03/16	3/16

**NEW**



## Bits

• 6 Bits(2")

## Handles

• 1 Handle



HEX<sup>®</sup>

### Part Number

STS-TX-LT

STS-TX-HD-S (3.75")

STS-TX-HD-L (4.5")

STS-TX-ST

**NOTE!** Hex torque control setting is for inserted tooling applications

HEX<sup>®</sup>

Part Number	Description	HEX	
		mm	Inch
STS-ADT-07-09	0.9Nm / 8.0In-Lbs	1.5	1/16
STS-ADT-08-12	1.2Nm / 10.6In-Lbs	2.0	n/a
STS-ADT-09-14	1.4Nm / 12.4In-Lbs	n/a	5/64
STS-ADT-09-14	1.4Nm / 12.4In-Lbs	n/a	3/32
STS-ADT-10-20	2.0Nm / 17.7In-Lbs	2.5	7/64
STS-ADT-15-30	3.0Nm / 26.6In-Lbs	3.0	1/8
STS-ADT-20-50	5.0Nm / 44.3In-Lbs	4.0	9/64
STS-ADT-20-50	5.0Nm / 44.3In-Lbs	4.0	5/32
STS-ADT-25-55	5.5Nm / 48.7In-Lbs	5.0	3/16



## Adapter

• 1 Case  
• 3 Adapters

**NEW** For other Torx - Torx Plus and Hex torque requirements, view stocked adapters below

### Available torque adapters for special torque requirements

Part Number	Description	Part Number	Description
STS-ADT-C-05	0.5Nm / 4.4In-Lbs	STS-ADT-C-38	3.8Nm / 33.6In-Lbs
STS-ADT-C-06	0.6Nm / 5.3In-Lbs	STS-ADT-C-40	4.0Nm / 35.4In-Lbs
STS-ADT-C-11	1.1Nm / 9.7In-Lbs	STS-ADT-C-45	4.5Nm / 39.8In-Lbs
STS-ADT-C-25	2.5Nm / 22.1In-Lbs	STS-ADT-C-60	6.0Nm / 53.1In-Lbs

# User Guide

• Ergonomically refined design

• Spinning shaft for quick screw setting

Click




**Patented in multi-country :**  
 TW / M439546  
 CN / ZL201220320077.3  
 US / 13/310,766  
 DE / 102012005885.3  
 JP / 3174153

**EXCHANGE BITS SYSTEM WITH COLOUR CODING**

• Torque accuracy tolerance  $\pm 10\%$



• Color coded for pair matching



TORX® and TORX PLUS® are registered trademarks of Acument global technologies LLC.






Spec	TX6	TX7	TX8	TX9	TX10	TX15	TX20	TX25
Nm	0.6	0.9	1.2	1.4	2.0	3.0	5.0	5.5
In-lb	5.3	8.0	10.6	12.4	17.7	26.6	44.3	48.7





I can't believe my little brother got the front cover!



Distributor

**AHB** Tooling & Machinery, Inc.  
Complete Metalworking Solutions  
Roseville Saginaw & Jackson, MI

ISO Certified  
(800) 991-4225  
[www.ahbinc.com](http://www.ahbinc.com)  
[customerservice@ahbinc.com](mailto:customerservice@ahbinc.com)