

Product: HYDRA PURE(R) AW 46 - US

1. Identification

Product identifier HYDRA PURE(R) AW 46 - US

Other means of identification

Product code NC01251

Recommended use See Technical Data Sheet.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name CONDAT CORPORATION
Address 250 South Industrial
Saline, MI 48176

United States

Telephone Tel: +1 734-944-4994

Websitewww.condatcorp.comE-mailarp-cco@condat.fr

Contact person ARP Dpt.

Emergency phone Emergency Telephone

number Number:

24H/24H [US/Canada] : +1 734-944-4994 24H/24H [Mexico] : +52 55 41696225

Access code: 333637

2. Hazard(s) identification

Classification according to the OSHA 29 CFR 1910.1200 (HCS 2012) and the Canadian Hazardous Products Regulations (WHMIS 2015)

Physical hazardsNot classified.Health hazardsNot classified.

OSHA/HPR defined

hazards

Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------------|--------------------------|------------|----------|
| Distillates (petroleum), | | 64742-65-0 | 2.5 - 10 |
| solvent-dewaxed heavy paraffinio | | | |



HYDRA PURE(R) AW 46 - US Product:

Code: NC01251 Version: 1.1 Revision: 01-20-2021

% **Chemical name** Common name and synonyms **CAS** number 64742-56-9 2.5 - 10Distillates (petroleum), solvent-dewaxed light paraffinic

Composition comments Occupational Exposure Limits for constituents are listed in Section 8.

- Contains : Mineral oil

DMSO Extract < 3% according to IP 346 Method.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water, Get medical attention if irritation develops and persists,

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth thoroughly. If swallowed, do NOT induce vomiting. Get medical attention if symptoms

occur.

Most important

symptoms/effects, acute and

delayed

Indication of immediate

medical attention and special treatment needed

Treat symptomatically.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Foam. Dry chemicals. Carbon dioxide (CO2). Use extinguishing measures that are appropriate to

local circumstances and the surrounding environment.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

See also section 10.

Special protective equipment

and precautions for

firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

spray and remove container, if no risk is involved. In the event of fire and/or explosion do not breathe fumes.

Specific methods General fire hazards

Will burn if involved in a fire. No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during

In case of fire and/or explosion do not breathe fumes. Cool containers exposed to heat with water

Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

clean-up. For personal protection, see section 8 of the SDS.



Product: HYDRA PURE(R) AW 46 - US

Methods and materials for containment and cleaning up

The product is immiscible with water and will spread on the water surface.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is

possible. Absorb in vermiculite, dry sand or earth and place into containers.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions Local authorities should be advised if significant spillages cannot be contained. Avoid discharge into

drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Wash hands after

handling. Handle in accordance with good industrial hygiene and safety practice. Adequate

ventilation should be provided so that exposure limits are not exceeded.

Conditions for safe storage, including any incompatibilities

Keep away from heat and sources of ignition. Store in closed original container in a dry place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

| Additional components | ir Contaminants (29 CFR 191 Type | Value | Form |
|---|--|--|---------------------|
| OIL MIST, MINERAL | PEL | 5 mg/m3 | Mist. |
| US. ACGIH Threshold Limit Value Additional components | es Type | Value | Form |
| OIL MIST, MINERAL | TWA | 5 mg/m3 | Inhalable fraction. |
| US. NIOSH: Pocket Guide to Che Additional components | mical Hazards Type | Value | Form |
| OIL MIST, MINERAL | STEL | 10 mg/m3 | Mist. |
| | TWA | 5 mg/m3 | Mist. |
| Canada, Alberta OELs (Occupation Additional components | onal Health & Safety Code, S Type | Schedule 1, Table 2) Value | Form |
| OIL MIST, MINERAL | CTEL | 10 mg/m3 | NAC-1 |
| OIL MIST, MINERAL | STEL | 10 1119/1113 | Mist. |
| OIL MIST, MINERAL | TWA | 5 mg/m3 | Mist. Mist. |
| OIL MIST, MINERAL Canada. Manitoba OELs (Reg. 2: Additional components | TWA | 5 mg/m3 | |
| Canada. Manitoba OELs (Reg. 21 Additional components | TWA L7/2006, The Workplace Saf | 5 mg/m3 ety And Health Act) | Mist. |
| Canada. Manitoba OELs (Reg. 21 | TWA L7/2006, The Workplace Safe Type TWA | 5 mg/m3 Fety And Health Act) Value 5 mg/m3 | Mist. |



HYDRA PURE(R) AW 46 - US Product:

Code: NC01251 Version: 1.1 Revision: 01-20-2021

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety) **Additional components** Value **Form**

Type OIL MIST, MINERAL **STEL** 10 mg/m3 Mist. TWA 5 mg/m3 Mist.

No biological exposure limits noted for the ingredient(s).

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)

Additional components Value Type

OIL MIST, MINERAL 15 minute 10 mg/m3 8 hour 5 mg/m3

Biological limit values

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Ensure adequate ventilation, especially

in confined areas.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Use protective gloves made of: Nitrile, Polyvinyl chloride (PVC), **Hand protection**

Other Normal work clothing (long sleeved shirts and long pants) is recommended.

In case of insufficient ventilation, wear suitable respiratory equipment. In case of inadequate Respiratory protection

ventilation, use respiratory protection.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Wash hands after handling. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Appearance See below. Physical state Liquid. Form Liquid.

> Color Yellow, to Amber.

Odor Oilv.

Odor threshold Not available. рН Not applicable. Melting point/freezing point Not available. Initial boiling point and Not available.

boiling range

Flash point 469.4 °F (243.0 °C) **Evaporation rate** Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit -

upper (%)

Not available.



HYDRA PURE(R) AW 46 - US Product:

Code: NC01251 Version: 1.1 Revision: 01-20-2021

Explosive limit - lower

(%)

Not available.

Explosive limit - upper

(%)

Not available.

Not available. Vapor pressure Vapor density Not available. Relative density 0.872

Relative density temperature

Solubility(ies)

68 °F (20 °C)

Solubility (water)

Insoluble. Not available.

Partition coefficient (n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. **Viscosity** 40 mm2/s Viscosity temperature 104 °F (40 °C)

Other information

Not available.

Combustible IIIB estimated Flammability class

Oxidizing properties Not oxidizing. pH in aqueous solution Not applicable.

10. Stability and reactivity

Explosive properties

The product is stable and non-reactive under normal conditions of use, storage and transport, Reactivity

Chemical stability

Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use. Hazardous polymerization does not

Conditions to avoid Avoid temperatures exceeding the decomposition temperature, Avoid temperatures exceeding the

flash point, Contact with incompatible materials,

Incompatible materials

Hazardous decomposition

products

Strong oxidizing agents.

Nitrogen compounds. Carbon oxides. Sulfur compounds. Irritating and/or toxic fumes and gases

may be emitted upon the product's decomposition.

11. Toxicological information

Information on toxicological effects

Acute toxicity Elevated temperatures or mechanical action may form vapors, mist, or fumes which may be

irritating to the eyes, nose, throat, or lungs.

Ingestion of large amounts may produce gastrointestinal disturbances including irritation, nausea,

and diarrhea.

Skin corrosion/irritation

Serious eye damage/eye

Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

irritation

Not classified.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.



Product: HYDRA PURE(R) AW 46 - US

Carcinogenicity Not classified.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful. When workers are facing concentrations above the exposure

imit,

Due to the presence of mineral oil, Frequent or prolonged contact may defat and dry the skin,

leading to discomfort and dermatitis.

12. Ecological information

EcotoxicityThe product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potentialNo data available. **Mobility in soil**No data available.

Mobility in general The product is immiscible with water and will spread on the water surface.

Other adverse effectsNo other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not discharge

into drains, water courses or onto the ground.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues /

unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions),

Contaminated packagingSince emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.



Product: HYDRA PURE(R) AW 46 - US

TGD

Not regulated as dangerous goods.

15, Regulatory information

US federal regulationsThis product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazarc

Communication Standard, 29 CFR 1910.1200.

All the components of this product comply with the U.S. EPA TSCA inventory requirements.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No

Hazardous chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0) Distillates (petroleum), solvent-dewaxed light paraffinic (CAS 64742-56-9)

OIL MIST, MINERAL (CAS SEQ100910)

16. Other information, including date of preparation or last revision

 Issue date
 01-20-2021

 Revision date
 01-20-2021

Version # 1.1

Further information According to the "HMIS implementation manual (third edition)", "each employer is responsible for

determining the appropriate protective equipment that employees are to wear when handling

chemicals in the workplace."



Product : HYDRA PURE(R) AW 46 - US

Disclaimer

CONDAT CORPORATION cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. This document complements the technical sheets but does not replace them. The information contained herein is based on our knowledge of the concerned product on the date indicated. It is offered in good faith. Furthermore, the regulatory requirements referred to must not be considered as exhaustive. They do not exempt in any form the user from knowing and applying all regulations related to the possession and use of the product. The user takes as their sole responsibility the implementation of precautions relating to storage and their use of the product.

CONDAT CORPORATION cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. This document complements the technical sheets but does not replace them. The information contained herein is based on our knowledge of the concerned product on the date indicated. It is offered in good faith. Furthermore, the regulatory requirements referred to must not be considered as exhaustive. They do not exempt in any form the user from knowing and applying all regulations related to the possession and use of the product. The user takes as their sole responsibility the implementation of precautions relating to storage and their use of the product.