



# **Mist-Fit MF-1050 Oil Mist Collector**

Small Footprint Simple to install

## Multi-Stage

Progressive Separation

**Fibre Bed Filter** High efficiency

Modular Design Add options as required

### Direct Mount

Clean factory look

Long filter life

Low operating costs

Low maintenance

Clean air

## Compact and big on performance !

Mist-Fit is a compact mist collector with a fibre bed filter at an affordable price. Fibre bed filtration has proven to be superior to other filter technologies. Ideal for high pressure coolant and oil applications. Oil drains back to cnc machine. With a footprint of 20" x 20", it is easily machine mounted. Eliminates mist, smoke and fine particles. Modular design, add options as required. Direct mount without suction hose for that clean factory look **Separation Stages:** Optional Pre-Filter Box, (#5 on exploded view). For oil and heavy mist. Recommended for Swiss screw machines. Extends filter life many times. The innovative 1st stage Mechanical Element separates up to 90% of the oil mist and swarf. The smooth metal surfaces quickly drains fluid back to the sump. The 2<sup>nd</sup> stage Demister Element supports the 1<sup>st</sup> stage to ensure up to 95% of the mist and swarf are removed with washable filters. The 3<sup>rd</sup> stage Fibre Bed mist filter is depth loading that capture small mist particles. With a filter rating of MERV 15, it can be used without a HEPA filter on most applications. Typical life 1 - 3 years. Optional 4th stage HEPA Filter captures sub-micron mist, smoke and bacteria.

Optional 4<sup>m</sup> **stage** HEPA Filter captures sub-micron mist, smoke and bacteria. Efficiency 95% @ 0.3 μm is standard, optional 99.9% @ 0.3 μm. Typical life 2 – 4 years HEPA filter is made with exclusive heavy duty filter media, no other product holds as much or lasts as long.

#### **Technical Data:**

Air Flow Machine tool enclosure Motor Voltage (amps)

Temperature (max) pH limits Weight

Width Height

Inlet connection Mounting options Sound Optional 4<sup>th</sup> stage filters

#### **Mist-Fit Models**

MF-350 MF-550 MF-560 for Swiss type machines and demanding applications MF-1050 MF-1950 for coolant, for oil applications use ARO-2000

900 - 1100 cfm Up to 350 ft<sup>3</sup> 1.5 hp 230/3/60 (2.7) 460/3/60 (1.6) 125°F / 50°C 5.8 - 9.8 98 lbs 124 lbs with HEPA filter 95% 20" 28" 33" with HEPA filter 95% 41" with HEPA filter 99%

8" Ø See options page 2 69 dB(A) HEPA filter 95% @ 0.3µm HEPA filter 99.9% @ 0.3µm Odor-Rid filter





Base Plate

## (800) 991-4225 www.ahbinc.com • customerservice@ahbinc.com ISO Certified

Rev 1050 0321



# **Mist-Fit MF-1050 Options**

Small Footprint Simple to install

*Multi-Stage Progressive Separation* 

Fibre Bed Filter High efficiency

Modular Design Add options as required

**Direct Mount** Clean factory look

Long filter life

Low operating costs

Low maintenance

Clean air

	Item	Description	Part #
	Mit-Fit MF-1050	Mist-Fit 1050 3 filter stages Base plate, 12" Ø inlet Voltage 230/460/3/60	MF10-0460
	R	Stand Height 13" Suction hose required.	MF10-B002
Hard-Fr		Side Mount	MF10-B003
	P	Pedestal Height 8"	MF10-B004
		Wall Mount Suction hose required.	MF10-B006
	Mist-Fit MF-1050	Suspension Kit Suction hose required.	MF10-B007
	Example of custom inlet cut.	Blank Base Plate For custom inlet cut on site	MF10-B008
		Optional Base Plates (a) 6" Ø inlet (b) 6" Ø inlet with oil drain (c) 2 x 6" Ø inlets with oil drain (d) 8" Ø inlet with oil drain (e) Tsugami flange mount	MF10-B010 MF10-BD10 MF10-BD13 MF10-BD01 MF10-B016
		Floor stand Adjustable 6 - 8 ft Galvanized steel Suction hose required	MF10-B219

(800) 991-4225 www.ahbinc.com • customerservice@ahbinc.com ISO Certified

Rev 1050 0321



# **Mist-Fit MF-1050 Options**

Description Part # Item MF10-P001 Pre-Filter Box For oil and heavy mist. Recommended on Swiss machines HEPA Filter Kit 4" MF10-A020 c/w HEPA filter 95% @ 0.3 µm For absolutely clean air HEPA Filter Kit 8" c/w HEPA filter (a) 99.9% @ 0.3 µm MF10-A021 For smoke or absolutely clean air (b) Odor-Rid filter Kit MF10-A022 Combo HEPA 95% & carbon Motor Starter Voltage 230/3/60 MF10-E230 Voltage 460/3/60 MF10-E460 VFD Motor Starter, NEMA 1 Voltage 115/1/60 input, 230/3/60 out MF10-V115 Voltage 220/1/60 input, 230/3/60 out MF10-V220 Voltage 230/3/60 MF10-V230 Voltage 460/3/60 MF10-V460 Wire kit, 25 ft, strain reliefs MF10-E001 MF10-A011 Chip Strainer 8' x 10" x 4" ht Mount inside cnc machine over suction MF10-A012 Suction Hose 8" Ø sold by foot MF10-A013 Hose Clamp Set of 2 8" Ø Machine Adaptor MF10-A014 8" Ø For hose connection to cnc machine Spare 4<sup>th</sup> Stage MF10-F004 HEPA Filter 4" 95% @ 0.3 µm Spare 4th Stage HEPA Filter 8" (a) 99.9% @ 0.3 µm MF10-F005 (b) Odor-Rid Filter MF10-F009 Spare 3<sup>rd</sup> Stage MF10-F007 Fibre Bed Filter Spare 2<sup>nd</sup> Stage MF10-F002 **Demister Element** Spare 1<sup>st</sup> Stage MF10-F001 Mechanical Element Hood MF10-H001 2 ft x 6 ft Optional: Curtain MF10-HC01

## (800) 991-4225 www.ahbinc.com • customerservice@ahbinc.com **ISO** Certified

Small Footprint Simple to install

Multi-Stage Progressive Separation

Fibre Bed Filter High efficiency

Modular Design Add options as required

Direct Mount Clean factory look

Long filter life


Low operating costs

Low maintenance

Clean air







## (800) 991-4225

www.ahbinc.com • customerservice@ahbinc.com **ISO** Certified

Rev 1050 0321