



COMPLETE METALWORKING SOLUTIONS

(800) 991-4225 www.ahbinc.com ISO Certified customerservice@ahbinc.com

Mist-Fit MF-560 Oil Mist Collector

Small Footprint

Simple to install

Multi-Stage

Progressive Separation

Fibre Bed **Filter**

High efficiency

Modular Design

Add options as required

Direct Mount

Clean factory look

Long filter life

Low operating costs

Low maintenance

Clean air

Compact and big on performance!

for Swiss type machines and demanding applications

Engineered for high pressure coolant, oil, smoke and demanding applications

Mist-Fit is a compact mist collector with a fibre bed filter at an affordable price.

Fibre bed filtration has proven to be superior to other filter technologies.

Oil drains back to cnc machine.

With a footprint of 20" x 20", it is easily machine mounted.

Eliminates mist, smoke and fine particles.

Modular design, add options as required.

Direct mount without suction hose for that clean factory look.

Separation Stages:

Optional Pre-Filter Box, (#5 on exploded view).

For oil and heavy mist.

Recommended for Swiss screw machines. Extends filter life many times.

The innovative 1st stage Mechanical Element separates up to 90% of the oil mist and swarf. The smooth metal surfaces quickly drains fluid back to the sump.

The 2nd stage Demister Element supports the 1st stage to ensure up to 95% of the mist and swarf are removed with washable filters.

The 3rd stage Fibre Bed mist filter is depth loading that capture small mist particles. With a filter rating of MERV 15, it can be used without a HEPA filter on most applications. Typical life 1 - 3 years.

Optional 4th stage HEPA Filter captures sub-micron mist, smoke and bacteria. Efficiency 95% @ 0.3 μm is standard, optional 99.9% @ 0.3 μm.

Typical life 2 - 4 years

HEPA filter is made with exclusive heavy duty filter media, no other product holds as much or lasts as long

Technical Data:

Air Flow 500 - 600 cfmMachine tool enclosure Up to 300 ft³ Motor 0.75 hp 115/1/60 (4.9) Voltage (amps) 220/1/60 (2.5) 230/3/60 (1.57) 460/3/60 (0.95) Temperature (max) 125°F / 50°C

5.8 - 9.8Weight 96 lbs

122 lbs with HEPA filter 95% 150 lbs with HEPA filter 99.9%

Length x Width 20" x 20" Height

33" with 95% HEPA filter 41" with 99.9% HEPA filter

6" Ø Inlet connection

See options page 2 & 4 Mounting options

68 dB(A) Sound

HEPA filter 95% @ 0.3µm Optional 4th stage filters HEPA filter 99.9% @ 0.3μm

Odor-Rid filter

Mist-Fit Models

MF-350

MF-550

MF-560 for Swiss type machines and demanding applications

MF-1050

MF-1950 for coolant, for oil applications use ARO-2000





(800) 991-4225

Rev MF 560 0321

Base Plate



Mist-Fit MF-560 Options

Small Footprint

Simple to install

Multi-Stage

Progressive Separation

Fibre Bed Filter

High efficiency

Modular Design

Add options as required

Direct Mount

Clean factory look

Long filter life

Low operating costs

Low maintenance

Clean air

	Τ.		1 =
	Item	Description	Part #
The same of the sa	Mist-Fit MF-540	Mist-Fit MF-560 3 filter stages Base plate, 6" Ø inlet (a) Voltage 115/1/60 (b) Voltage 220/1/60 (c) Voltage 230/460/3/60	MF56-0115 MF56-0220 MF56-0460
	M	Stand Height 13" Suction hose required.	MF10-B002
and-FF ur-30		Side Mount	MF10-B003
Sent you		Pedestal	MF10-B004
		Wall Mount Suction hose required.	MF10-B006
	Mist-Fit MF-560	Suspension Kit Suction hose required.	MF10-B007
	Example of custom inlet cut.	Blank Base Plate For custom inlet cut on site	MF10-B008
		Optional Base Plates (a) 4" Ø inlet (b) 4" Ø inlet with oil drain nipple (c) 6" Ø inlets with oil drain nipple (d) 2 x 4" Ø inlet with oil drain nipple (e) Tsugami flange mount	MF10-B009 MF10-BD09 MF10-BD10 MF10-BD11 MF10-B016
		Floor stand Adjustable 6 – 8 ft Galvanized steel Suction hose required	MF10-B219



Mist-Fit MF-560 Options

Small Footprint

Simple to install

Multi-Stage

Progressive Separation

Fibre Bed Filter

High efficiency

Modular Design

Add options as required

Direct Mount

Clean factory look

Long filter life

Low operating costs

Low maintenance

Clean air

Item	Description	Part #
	Pre-Filter Box	MF10-P001
1000	For oil and heavy mist.	10 1 00 1
	Recommended on Swiss machines	
	HEPA Filter Kit 4"	MF10-A020
	c/w HEPA filter 95% @ 0.3 µm	
	For absolutely clean air	
	HEPA Filter Kit 8"	
	c/w HEPA filter	
	(a) 99.9% @ 0.3 µm For smoke or absolutely clean air	MF10-A021
	(b) Odor-Rid filter Kit	MF10-A022
	Combo HEPA 95% & carbon	WIF 10-AU22
0 1	Motor Starter	
==-		MEEE E115
	Voltage 115/1/60 Voltage 220/1/60	MF55-E115 MF55-E220
•	Voltage 220/1/00	
	Voltage 230/3/60	MF55-E230
	Voltage 460/3/60	MF55-E460
A	VFD Motor Starter, NEMA 1	MESSALAS
	Voltage 115/1/60	MF55-V115
	Voltage 220/1/60	MF55-V220
200	Voltage 230/3/60	MF55-V230
à troin à	Voltage 460/3/60	MF55-V460
	Wire kit, 25 ft + strain reliefs	MF55-E001
500	Chip Strainer	MF55-A011
P	Flat 6" Ø	
	Mount inside cnc machine over suction	
Millian	Suction Hose	MF55-A012
	6" Ø	
(((())))))))))))	sold by foot	
	Hose Clamp	MF55-A013
No.	Set of 2	
	6" Ø	
	Machine Adaptor	MF55-A014
	6" Ø	
	For hose connection to cnc machine	
	Spare 4 th Stage	MF10-F004
	HEPA Filter 4"	
	95% @ 0.3 μm	
	Spare 4 th Stage	
FEEL	HEPA Filter 8"	
	(a) 99.9% @ 0.3 μm	MF10-F005
	(b) Odor-Rid filter Kit	MF10-F009
	Spare 3 rd Stage	MF10-F007
a	Fibre Bed Filter	
	Spare 2 nd Stage	MF10-F002
	Demister Element	
all all and a second	Spare 1 st Stage	MF10-F001
dilliann	Mechanical Element	
	Hood	ME10 H001
The state of the s	2' x 6'	MF10-H001
	Optional: Curtain	ME10 UC01
	Орионаі. Ситані	MF10-HC01



Mist-Fit MF-560 Oil Mist Collector

Small Footprint

Simple to install

Multi-Stage

Progressive Separation

Fibre Bed **Filter**

High efficiency

Modular Design

Add options as required

Direct Mount

Clean factory look

Long filter life

Low operating costs

Low maintenance

Clean air

