Rank	Catalog Section	Model Number	Model Number Suffix	Total Sku's Available	Digital Image	Competitor #1	Competitor #2	Product Description	Quick Ship	Vestil Domestic Import	Vestil Stock Position
1	Fork Truck Attachments	D-200-MD	<u>D-</u>		No.	Wright McCullough Ind.	Modern Equipment (MECO)	This Medium Duty Self-Dumping Steel Hopper with Bumper Release automatically dumps when bumper release contacts the front of the dumpster. Hopper returns to an upright and locked position automatically after it dumps. Also includes a cable that may be operated from the seat of the fork truck to manually dump the hopper. The included safety restraint should be properly secured to a fork truck before dumping. (Length Dimension is measured at top of chute.)	Yes	Vestil	Stocked
2	Fork Truck Attachments	D-200-LD	<u>D-</u>			Wright McCullough Ind.	Modern Equipment (MECO)	This Light Duty Self-Dumping Steel Hopper with Bumper Release is ideal for the manufacturing and distributing facilities. The Hopper returns to an upright and locked position automatically after it dumps. Also includes a cable that may be operated from the seat of the fork truck to manually dump the hopper. (Length Dimension is measured at top of chute.) Hopper is stackable if you stack the top hopper turned ninety (90) degrees from the bottom.	Yes	Vestil	Stocked
3	Fork Truck Attachments	D-300-HD	<u>D-</u>			Wright McCullough Ind.	Modern Equipment (MECO)	This Heavy Duty Self-Dumping Steel Hopper with Bumper Release automatically dumps when bumper release contacts the front of the dumpster. Hopper returns to an upright and locked position automatically after it dumps. Also includes a cable that may be operated from the seat of the fork truck to manually dump the hopper. The included safety restraint should be properly secured to a fork truck before dumping. (Length Dimension is measured at top of chute.)	Yes	Vestil	Stocked
4	Fork Truck Attachments	D-200-HD	D <u>.</u>		K	Wright McCullough Ind.	Modern Equipment (MECO)	This Heavy Duty Self-Dumping Steel Hopper with Bumper Release automatically dumps when bumper release contacts the front of the dumpster. Hopper returns to an upright and locked position automatically after it dumps. Also includes a cable that may be operated from the seat of the fork truck to manually dump the hopper. The included safety restraint should be properly secured to a fork truck before dumping. (Length Dimension is measured at top of chute.)	Yes	Vestil	Stocked
5	Fork Truck Attachments	D-100-LD	<u>D-</u>			Wright McCullough Ind.	Modern Equipment (MECO)	This Light Duty Self-Dumping Steel Hopper with Bumper Release is ideal for the manufacturing and distributing facilities. The Hopper returns to an upright and locked position automatically after it dumps. Also includes a cable that may be operated from the seat of the fork truck to manually dump the hopper. (Length Dimension is measured at top of chute.) Hopper is stackable if you stack the top hopper turned ninety (90) degrees from the bottom.	Yes	Vestil	Stocked
6	Fork Truck Attachments	D-100-HD	<u>D-</u>			Wright McCullough Ind.	Modern Equipment (MECO)	This Heavy Duty Self-Dumping Steel Hopper with Bumper Release automatically dumps when bumper release contacts the front of the dumpster. Hopper returns to an upright and locked position automatically after it dumps. Also includes a cable that may be operated from the seat of the fork truck to manually dump the hopper. The included safety restraint should be properly secured to a fork truck before dumping. (Length Dimension is measured at top of chute.)	Yes	Vestil	Stocked
7	Drum Handling Equipment	HDC-905-IDC/460V	HDC-905					The Hydraulic Drum Crusher/Compactor crushes steel drums and resets automatically to crush another drum. The included drum compacting feature allows you to compact contents inside the drum by simply removing the drum crushing platen. Crushing feature will work with any drum size up to fifty-five (55) gallon drums. This convenient design gives you two pieces of equipment in one. Safety features include a pressure relief valve, which prevents overload, and a door interlock system that will prevent the motor from unpring unless the droue is cheed. Builtin for brokents aid in	No	Vestil	Build to order
8	Loading Dock Equipment	CJ-BEAM-SN	<u>C1-</u>		J			Trailer Stabilizing Jacks are used to prevent up-ending semi-trailers when they are not connected to a tractor during loading and unloading operations. Also used to level trailers parked on sloped ground and to prevent landing gear from sinking into a soft surface. Flush-type zerk fitting for lubricating ACME screw. Powder coat safety yellow finish. Includes reflective collar for visibility at night.	Yes	Vestil	Stocked

9	Loading Dock Equipment	EALUM-7-H	EALUM-			The Aluminum Wheel Chock is ideal for the maintenance and industrial facilities. The chock is constructed of extruded lightweight aluminum that is easy to handle. The unit features a serrated top to grip the tire and a triple edged bottom to grip the ground. An extended handle for simple maneuvering is included. D-Ring provided for attaching security chain. Chain not included.	Yes	Vestil	Stocked
10	Loading Dock Equipment	SP-TOP	SP-			Trailer Stabilizing Jacks are used to prevent up-ending semi-trailers when they are not connected to a tractor during loading and unloading operations. Also used to level trailers parked on sloped ground and to prevent landing gear from sinking into a soft surface. Flush-type zerk fitting for lubricating ACME screw. Powder coat safety yellow finish. Includes reflective collar for visibility at night.	Yes	Vestil	Stocked
11	Ergonomic Solutions	CART-1500-D-TS	CART-			The Hydraulic Elevating Cart minimizes worker bending and lifting through its ergonomic design and portability. Material can be easily loaded onto a cart from a table, lowered to a safe transporting height, and raised to unload at destination. The foot pump includes a soft-lowering down valve. The unit moves easily on four polyurethane casters; two swivel with brakes and two rigid. Features a two-speed foot pump. Features an internal safety velocity fuse in each cylinder.	Yes	Import	Stocked
12	Ergonomic Solutions	TMS-20-DC	<u>TMS-</u>			The Tilt Master Straddle lifts and positions filled tote boxes or baskets without the need of a fork truck or lift table using the newly designed heavy-duty tilt master. The tilter will function as transporters by moving completed products from work station to work station without waiting for a fork truck. It features a folding ergonomic handle for quick and easy maneuverability. This Lift has a thin profila to allow the user to get as close to the load as possible. It also has a standard floor lock and rolls easily on the phenolic steering wheels. Lift is designed to be used with virtually pay lide d constituence and and the user to get as close to the Calectie	No	Vestil	Build to order
13	Fork Truck Attachments	D-100-MD	D.			This Medium Duty Self-Dumping Steel Hopper with Bumper Release automatically dumps when bumper release contacts the front of the dumpster. Hopper returns to an upright and locked position automatically after it dumps. Also includes a cable that may be operated from the seat of the fork truck to manually dump the hopper. The included safety restraint should be properly secured to a fork truck before dumping. (Length Dimension is measured at top of chute.)	Yes	Vestil	Stocked
14	Industrial Carts & Dollies	ECSPT-2448	ECSPT-			Steel Platform Truck with solid, smooth steel deck is all welded and features structural reinforcement underneath for extra strength. Includes one (1) removable high-polished steel handle and rolls smoothly casters. Comes standard with a floor lock.	Yes	Import	Stocked
15	Protective Barriers	BOL-36-4.5	BOL-	Eagle	Wildeck	A Steel Pipe Safety Bollard can be used both indoors and outdoors to protect work areas, racking and personnel. Molded plastic caps are removable and bollard may be filled with concrete. Base plate includes pre-drilled mounting holes. The unit has a yellow powder coat finish and a heavy-duty welded steel construction.	Yes	Vestil	Stocked
16	Drum Handling Equipment	PAIL-STL-RI	PAIL-STL-			The Pail is ideal for the construction and distribution facilities. The unit can be utilized in harsh conditions to transfer goods from workstation to workstation. The product is lined with a rust inhibitor to keep a supportive coating for long life use.	Yes	Domestic	Stocked

17	Loading Dock Equipment	WL-100-5-68	<u>WL-</u>				Save time and reduce man-hours where there are no docks with a Truck Scissor Dock Lift. Engineered and designed for maximum safety and efficiency. The diamond plate deck is made of heavy gauge steel for years of use. Hydraulic cylinders feature safety velocity fuse if line breaks. It comes complete with upper travel limit switch and overload relief valve. The push-button control is on a long coil cord. Pre-wired control box includes magnetic starter and overload fuse. High visibility safety yellow removable handrails with fixed toe boards are standard. Includes beveled toe-guards and electic too cuards are standard. Includes beveled toe-guards	No	Vestil	Build to order
18	Loading Dock Equipment	LO-J-BEAM	<u>10-1-</u>				The Trailer Stabilizing Jack is used to prevent up-ending semi- trailers when they are not connected to a tractor during loading and unloading operations. It is also used to level trailers parked on sloped ground and to prevent landing gear from sinking into a soft surface. This Jack is made of high strength steel construction with a flush-type zerk fitting for lubricating ACME screw. Meets OSHA regulations when used with wheel chocks. Contains a powder coat safety yellow finish that includes a reflective collar for visibility at night.	Yes	Vestil	Stocked
19	Fork Truck Attachments	D-500-HD	<u>D-</u>		Wright McCullough Ind.	Modern Equipment (MECO)	This Heavy Duty Self-Dumping Steel Hopper with Bumper Release automatically dumps when bumper release contacts the front of the dumpster. Hopper returns to an upright and locked position automatically after it dumps. Also includes a cable that may be operated from the seat of the fork truck to manually dump the hopper. The included safety restraint should be properly secured to a fork truck before dumping. (Length Dimension is measured at top of chute.)	No	Vestil	Build to order
20	Ergonomic Solutions	EHLT-4848-3-43	EHLT-	X			The Electric Hydraulic Scissor Lift Table is used by all types of manufacturing and warehouse facilities. Safety features include: patented pinch point perimeter toe guard to protect pinch points while lowering of the table, fused push button control, internal safety velocity fuse to maintain platform height in an event of hose or fitting failure, integral maintenance prop, adjustable upper travel limit switch to stop table at maximum height, and a displacement- style hydraulic cylinders for maximum strength. It also features a pressure plated pump, manifold system, displacement style hydraulic outloder, and a state of the art lifetime likericeted.	No	Vestil	Build to order
21	Electric Powered Floor Cranes	EPFC-25	EPFC-				The Fully Powered Electric Floor Crane has an easy and quick operation. The unit raises and lowers loads with a push of a button. It can maneuver loads in warehouses and trailers. The Heavy duty rigid hook with safety latch provides long service. The high-torque DC drive and lift motors handle heavy-duty jobs. Floor crane includes integral battery charger, battery level gauge, and emergency battery disconnect. The truck rolls smoothly on poly-on- steel, steer and load wheels. Ergonomic handle features easy to operate throttle with infinite adjustment of forward and reverse speeds, controlled lift/lower controls, adjustable length legs, proprietary safety-enhancing emergency reverse function, and horn. When the Proprietary Safety-enhancing Emergency Reverse function is actuated, the emergency reverse bally switch instantly reverses direction and moves the unit forward (away from the operator) until the switch is released or after 1.5 seconds have eleased. The built-in safety circuit will automatically disable the	Yes	Vestil	Stocked
22	Fork Truck Attachments	D-50-HD	<u>D-</u>		Wright McCullough Ind.	Modern Equipment (MECO)	This Heavy Duty Self-Dumping Steel Hopper with Bumper Release automatically dumps when bumper release contacts the front of the dumpster. Hopper returns to an upright and locked position automatically after it dumps. Also includes a cable that may be operated from the seat of the fork truck to manually dump the hopper. The included safety restraint should be properly secured to a fork truck before dumping. (Length Dimension is measured at top of chute.)	Yes	Vestil	Stocked
23	Drum Handling Equipment	DGS-55-D	DGS-				The Drum Gripper makes it easy to pick up one open head (with lid installed and secured) and closed head steel drum without leaving the seat of the fork truck. Simply slip the forks into the fork pocket, fasten the safety restraint and the Drum Gripper is ready to go. The knuckle gripping system is lowered around the drum, gripped tightly, and then lifted into the air. Drum is automatically released by lowering the forks. Features hinged folding design for storage and adjustable-width arms for use with steel drums. Safety restraint included. Welded steel construction. Powder coat finish.	Yes	Import	Stocked

24	Storage Solutions	CASE-1814	<u>CASE-1814</u>			Rugged textured Carrying Case with rounded corners. Lid interior includes removable panel with storage pouches and sleeves. Lower storage area includes segmented walls and adjustable panels in one quarter (1/4) inch increments. Molded plastic carrying handle. Includes removable shoulder strap. Quality locking latches included with two (2) keys.	Yes	Import	Stocked
25	Fork Truck Attachments	D-50-LD	<u>D-</u>	Wright McCullough Ind.	Modern Equipment (MECO)	This Light Duty Self-Dumping Steel Hopper with Bumper Release is ideal for the manufacturing and distributing facilities. The Hopper returns to an upright and locked position automatically after it dumps. Also includes a cable that may be operated from the seat of the fork truck to manually dump the hopper. (Length Dimension is measured at top of chute.) Hopper is stackable if you stack the top hopper turned ninety (90) degrees from the bottom.	Yes	Vestil	Stocked
26	Loading Dock Equipment	LO-J	<u>104</u>			The Trailer Stabilizing Jack is used to prevent up-ending semi- trailers when they are not connected to a tractor during loading and unloading operations. It is also used to level trailers parked on sloped ground and to prevent landing gear from sinking into a soft surface. This Jack is made of high strength steel construction with a flush-type zerk fitting for lubricating ACME screw. Meets OSHA regulations when used with wheel chocks. Contains a powder coat safety yellow finish that includes a reflective collar for visibility at night.	Yes	Vestil	Stocked
27	Fork Truck Attachments	D-200-HD-SR	<u>D-</u>	Wright McCullough Ind.	Modern Equipment (MECO)	This Heavy Duty Self-Dumping Steel Hopper with Bumper Release automatically dumps when bumper release contacts the front of the dumpster. Hopper returns to an upright and locked position automatically after it dumps. Also includes a cable that may be operated from the seat of the fork truck to manually dump the hopper. The included safety restraint should be properly secured to a fork truck before dumping. (Length Dimension is measured at top of chute.)	No	Vestil	Build to order
28	Fork Truck Attachments	D-200-LD-SR	<u>D-</u>	Wright McCullough Ind.	Modern Equipment (MECO)	This Light Duty Self-Dumping Steel Hopper with Bumper Release automatically dumps when bumper release contacts the front of the dumpster. Hopper returns to an upright and locked position automatically after it dumps. Also includes a cable that may be operated from the seat of the fork truck to manually dump the hopper. The included safety restraint should be properly secured to a fork truck before dumping. (Length Dimension is measured at top of chute.)	No	Vestil	Build to order
29	Protective Barriers	EXGATE-30-C	EXGATE-			Expand-A-Gate is designed to set up quickly and easily wherever and whenever they are needed. Ideal for preventing potential accidents. Lightweight design allows personnel to quickly retrieve the gate and limit access to unsafe areas. Smooth operating scissor action. Interlocking and nestable.	Yes	Import	Stocked
30	Ergonomic Solutions	S-CB-118	<u>S-CB-</u>			The Counter-Balanced Power Drive Lift is ideal for die loading, machine feeding, and for loading and unloading trucks. The high torque drive and lift motor handles heavy-duty jobs. The ergonomic handle features an easy-to-operate throttle with infinite adjustment of forward and reverse speeds, lift/lower controls, proprietary safety-enhancing emergency reverse function, and horn. When the Proprietary Safety-enhancing Emergency Reverse function is actuated, the emergency reverse belly switch instantly reverses direction and moves the unit forward (away from the operator) until the suitch is released or after film (5) seconds have alapsed. The	Yes	Import	Stocked

31	Ergonomic Solutions	ALL-T-2	<u>ALL-</u>	The All Terrain Pallet Truck is lightweight yet the strong tubular frame design handles evenly distributed loads. The large wheels allow for movement over most surfaces. Unit is great for use at construction sites, gravel pits, and nurseries. It's easy to operate with three position handle, UP, DOWN, and NEUTRAL. Unit rolls on pneumatic front tires and pneumatic steering wheels.	Yes	Import	Stocked
32	Loading Dock Equipment	WL-100-6-88-P50	WL-				
33	Industrial Carts & Dollies	FWD-1824-3R	FWD-	The Fiberwood Dolly features a rubber padded surface and two (2) hand holes to carry the unit. The PVC edge strip protects walls from scrapes. The dolly rolls on wheels which are non-marring and oil-resistant.	Yes	Import	Stocked
34	Ergonomic Solutions	PM5-2748	<u>PM5-</u>	I the Full Featured Failet I truck is an economical way toro ne person to move heavy pallet loads without the use of a fork truck I loudes two (2) articulating steering wheels and two (2) front load rollers. The ergonomic design requires only seventy-five (75) pounds of pulling force when fully loaded. Steering wheels include bearing dust covers for added life. Nose wheels are located on the front edge of each fork to assist in clean pallet entrance and exit. Reinforced triple-formed steel forks provide twice the strength of standard single-formed forks. The unit is equipped with internally mounted eoff tend adjustable public due. The engine loaded baroling	Yes	Import	Stocked
35	Fork Truck Attachments	LM-EBT-4-24	LM-EBT-	The Master Lift Boom is ideal for the manufacturing and warehouse facilities. Unique performance, convenience, and safety features are built into every Lift Master Boom. Fabricated from structural steel to meet AVVS creates a rugged and durable boom that will provide long term service. This unit comes with an infinitely adjustable locking screw. A safety restraint secures the boom to the fork truck for safe operation. Includes two (2) lifting hooks.	Yes	Vestil	Stocked
36	Ergonomic Solutions	S-2CB-118	<u>S-2CB-</u>	Counter balance design is ideal for die loading, machine feeding, and for loading and unloading trucks. High torque drive and lift motor handles heavy-duty jobs. Ergonomic handle features easy-to- operate throttle with infinite adjustment of forward and reverse speeds, lift/lower controls, proprietary safety-enhancing emergency reverse function, and horn. Includes an electromagnetic disc brake with automatic dead-man feature that activates when the user releases, the handle. Powered lift also includes batteries, an integral battery charger, and battery level gauge. Stacker rolls smoothly on poly-on-steel steer & load wheels. Adjustable forks	Yes	Import	Stocked
37	Industrial Carts & Dollies	FJB-150	<u>FJB-</u>	This Basement Floor Jack provides extra support for leveling and stabilizing floor beams and joists during construction and repairs. Telescopic style with removable pins lets you properly position the brace for better leveling. Includes locking pins and turning bar for easy height adjustment. Rugged all welded steel construction. Red oxide finish.	Yes	Import	Stocked

38	Packaging Equipment	SPL-4848	<u>SPL-</u>		The Steel Pallet with Galvanized Finish is heavy-duty, non reversible welded steel. Unit has a 2-way entry allowing fork truck access only. The galvanized finish is used for rust resistance.	Yes	Import	Stocked
39	Ergonomic Solutions	HBD-2-60	HBD-		The Electric/Hydraulic Box Dumper is designed for controlled dumping of material from boxes, crates, and other types of containers. It is designed for pallet truck loading and unloading. The retaining bar adjusts to accommodate a wide range of container heights. Each dump height has a hold down range and an internal power unit with a hand held control standard. It has a heavy-duty welded steel construction with protective mesh side screens included.	No	Vestil	Build to order
40	Gantry and Jib Cranes	FHS-2-10	<u>FHS-</u>	$\overline{\lambda}$	The rised neight steer gamy crane is designed for unappointing and positioning materials along the beams length. The solid steel construction will provide years of service, while the painted blue finish will keep the models protected from surface ware. The rigging locks in 1 of 4 positions; you can set the wheels and push the gantry crane forward, back, left or right. The unit is an economical and efficient way to lift and raise products, diminishing the need of additional personnel. The fixed height design allows for	Yes	Vestil	Stocked
41	Gantry and Jib Cranes	AHA-2-8-8	AHA-	XX	The Adjustable Height Aluminum Gantry Crane combines lightweight and rigid, sturdy construction into one unit. The all aluminum construction of this gantry crane makes it corrosion resistant and perfect for outdoor use. The lightweight I-Beam allows height adjustment without the need of a hoist or fork truck. All pined connections make it possible for single person set up and take down in just minutes. Included are two straps, allowing one person to transport the gantry crane in one neat package. Unit comes standard four (4) position locking swivel casters with roller basinge. Locks the rigiding in 1 of 4 nositions.	No	Vestil	Build to order
42	Drum Handling Equipment	LO-DC-PU	<u>LO-</u>	The second secon	Reduce injuries caused by manually lifting and moving drums. Transport drums or pails with the Lo-Profile Drum Caddy. To use: align unit in front of drum, remove handle, and grip drum with the handle. Tip drum up while guiding the caddy base under the drum. Re-attach handle and transport drum to desired location. Caddy rolls easily on casters. The removable handle doubles as a bung nut wrench and seal remover.	Yes	Import	Stocked
43	Ergonomic Solutions	EPT-2547-30	EPT-		The Fully Powered Electric Pallet Truck has an easy and quick operation. The unit raises and lowers loads with a push of a button. It can maneuver loads in warehouses and trailers. The reinforced welded forks have adjustable tie-rods that provide long service. The high-torque DC drive and lift motors handle heavy-duty jobs. Pallet truck includes integral battery charger, battery level gauge and key switch. The truck rolls smoothly on poly-on-steel, steer and load wheels. Ergonomic handle features easy to operate throttle with infinite adjustment of forward and reverse speeds, lift/lower controls, proprietary safety-enhancing emergency reverse function, and horn. When the Proprietary Safety-enhancing Emergency Reverse function is actuated, the emergency reverse belly switch instantly reverses direction and moves the unit forward (away from the operator) until the switch is released or after 1.5 seconds have elaosed. The built-in safety circuit will automatically disable the	Yes	Import	Stocked
44	Loading Dock Equipment	FM-2072	EM-		elaosed. The built-in safety circuit will automatically disable the The Edge-O-Dock leveler permanently attaches to face of dock. It is recommended for docks to be at least forty-eight (48) inches high. When the trailer departs, the lip drops autorically behind the face of the bumpers. Concrete recess is not required. It comes complete with bumpers and installation instructions. Standard Ramping is twenty-seven (29) inches, with a thirty-six (36-5/8) inch long ramping length available for smaller grade. A steel dock edge, or approach ramp is required for proper installation. The Mechanical Edge-O-Dock is operated by placing the actuation handle into the pocket of the inner lip and pulling down toward the floor. The operator then pushes the handle forward until the lip rests on the truck bed. As the trailer departs, the lip retracts behind the bumper face automatically.	Yes	Vestil	Stocked

45	Fork Truck Attachments	LM-OBT-6-24	<u>LM-OBT-</u>			Unique performance, convenience, and safety features are built into every Lift Master Boom. Fabricated from structural steel with welding to meet AWS creates a rugged and durable boom that will provide long term service. This unit features a locking detent. A safety restaint secures the boom to the fork truck for safe operation. Includes two (2) lifting hooks.	Yes	Vestil	Stocked
46	Ergonomic Solutions	AIR-1750	<u>AIR-</u>			The Air Hydraulic Cart features a two speed foot pump and hand held reciprocating air/oil power to raise the platform. It utilizes the two speed foot pump for minor height adjustments and the factory air/oil power for effortless lifting.	Yes	Import	Stocked
47	Ergonomic Solutions	CART-1000D-DC	CART-			The DC Powered Hydraulic Elevating Cart is ideal for quick lifting and ergonomic material handling. The battery-powered unit allows operators to raise and lower platform with the push of a button. The unit rolls on two rigid and two swivel polyurethane casters. It includes battery, on-board battery charger and battery charge indicator gauge. Features an internal safety velocity fuse in each cylinder.	Yes	Import	Stocked
48	Fork Truck Attachments	D-250-HD	<u>D-</u>		Wright McCullough Ind. Modern Equipment (MECO)	This Heavy Duty Self-Dumping Steel Hopper with Bumper Release automatically dumps when bumper release contacts the front of the dumpster. Hopper returns to an upright and locked position automatically after it dumps. Also includes a cable that may be operated from the seat of the fork truck to manually dump the hopper. The included safety restraint should be properly secured to a fork truck before dumping. (Length Dimension is measured at top of chute.)	Yes	Vestil	Stocked
49	Ergonomic Solutions	EHLT-4848-3-43-QS	EHLT-	X		The Electric Hydraulic Scissor Lift Table is used by all types of manufacturing and warehouse facilities. Safety features include: patented pinch point perimeter toe guard to protect pinch points while lowering of the table, fused push button control, internal safety velocity fuse to maintain platform height in an event of hose or fitting failuter, integral maintenance pro, adjustable upper travel limit switch to stop table at maximum height, and a displacement- style hydraulic cylinders for maximum strength. It also features a pressure plated pump, manifold system, displacement style hydraulic cylinder, and a state-of-the-art lifetime lubricated bearings. The standard 56 frame electric motor is a fully enclosed with ontional vultance available. Contact f tactron; if olafform	No	Vestil	Build to order
50	Fork Truck Attachments	D-CK4-SC6-2	<u>D-CK4-</u>			Transport loads with portable hoppers. The maximum weight capacity is the lowest weight capacity of either the hopper or the caster. Weight of hopper must be considered when calculating usable capacity. Hopper casters are bolted-on by utilizing the factory stamped holes in the fork tubes. The casters are shipped uninstalled to prevent freight damage.	Yes	Domestic	Stocked
51	Ergonomic Solutions	TM-20-DC	TM-			The Titt Master Titts and positions tilled tote boxes or baskets without the need of a fork truck or lift table using the newly designed heavy-duty tilt master. The tilter will function as transporters by moving completed products from work station to work station without waiting for a fork truck. It features a folding ergonomic handle for quick and easy maneuverability. This Lift has a thin profile to allow the user to get as close to the load as possible, a standard floor lock and rolls easily on the phenolic steering wheels. It is designed to be used with open bottom pallets or skids. The unit is pruvened by an electric DC meter that instructed encoder do not a standard floor lock and rolls easily on the phenolic steering wheels.	No	Vestil	Build to order

52	Protective Barriers	SPG-40-Y	<u>SPG-</u>			Customize your safety railings with a Self-Closing Steel Gate. Gate can be mounted from the left or right with the included mounting hardware. Mount to horizontal rails. Yellow powder coat finish. (Railing and base not included.) Meets OSHA requirements.	Yes	Import	Stocked
53	Industrial Carts & Dollies	E-TUG-20	E-TUG-	Big Joe	Electro Kinetic Technologie	The Electric Powered Tuggers are ideal for industrial facilities, hospitals, airports, and wholesale/retail stores. The unit is designed of a durable construction for constantly strong use on a daily basis. An infinite throttle position allows for unlimited forward and reverse adjustments for precise positioning. An integral battery charger and level gauge allow for convenient as needed charging and level awareness. Pin Hitch standard, optional attachments available.	No	Import	Build to order
54	Fork Truck Attachments	D-400-HD	<u>D.</u>	Wright McCullough Ind.	Modern Equipment (MECO)	The Self- Dumping Hopper is ideal for discarding material products. The blue powder coated steel construction is durable and long lasting through the toughest of environments. Additional features include; an automatic return to the upright position, full length fork tubes for easy portability, a safety chain restraint for secure transporting while on fork lift, and a manual pull cable for dumping from the driving position, as well as, a front hopper release.	No	Vestil	Build to order
55	Protective Barriers	BOL-42-5.5	BOL-	Eagle	Wildeck	A Steel Pipe Safety Bollard can be used both indoors and outdoors to protect work areas, racking and personnel. Molded plastic caps are removable and bollard may be filled with concrete. Base plate includes pre-drilled mounting holes. The unit has a yellow powder coat finish and a heavy-duty welded steel construction.	Yes	Vestil	Stocked
56	Packaging Equipment	PLP2-4840-BLACK	<u>PLP2-</u>	Orbis	Uline	Plastic Pallets are stackable for efficient storage. Made of high- density virgin polyethylene for long life. Plastic Pallets are maintenance free and safer to handle than wooden pallets. Features a four-way entry and serrated deck with holes for drainage. Plastic pallets are ideal for export, pharmaceutical, medical, and food applications.	Yes	Import	Stocked
57	Loading Dock Equipment	RWC-8-ERGO	RWC-			The Ergo-Handle Wheel Chock has an ergonomic design that makes it easy to move wheel chocks in and out of position under trailer wheels. It reduces the risk of back, knee, and foot injuries. The handle is constructed of steel and has a yellow powder coat finish. Hardware included. Assembly Required. D-Ring provided for attaching security chain. Chain not included.	Yes	Import	Stocked

58	Industrial Carts & Dollies	FL-ADJ-46	<u>FL-ADJ-</u>			This one of a kind Adjustable Height Floor Lock includes an adjustable height foot pad that will work on carts with different caster heights. The adjustable height feature provides uniform locking and safety unlocking force for better ergonomic operation. This feature also keeps the floor lock working properly as spring and pads wear over time. Height is adjustable by turning the bottom pad. The bottom pad includes suction-cups for extra grip.	Yes	Import	Stocked
59	Protective Barriers	MEZZ-200	MEZZ-	Fabenco	Wildeck	The Mezzanine Safety Gate provides an OSHA required handrail, mid-rail and kickplate for mezzanine without sacrificing load accessibility. To accommodate the maximum load height, when utilizing a standard pallet, load positioning within the gate is critical. For greatest amount of clearance and item placement flexibility, shorter loads are recommended. The gate rotates and design is balanced to allow for easy operation without use of springs.	Yes	Vestil	Stocked
60	Protective Barriers	YGR-TP42	YGR-			With Structural Guard Rail create a modular system to protect equipment, inventory, and individuals from damage or injury. Triple ridge corrugated rails are constructed from thick material, made for high impact resistance indoors or out. Provide easy accessibility with our Drop-In Style rails. Slide rail sections into post saddles for simple assembly. Each Drop-In Style rail section includes two (2) brackets. Bolt-On Style rails are designed for permanent installation. Includes mounting holes on four sides for use as a corner or center post.	Yes	Import	Stocked
61	Ergonomic Solutions	CART-1000-LD	<u>CART-</u>			The Hydraulic Elevating Cart minimizes worker bending and lifting through its ergonomic design and portability. Material can be easily loaded onto a cart from a table, lowered to a safe transporting height, and raised to unload at destination. The foot pump includes a soft-lowering down valve. The unit moves easily on four polyurethane casters; two swivel with brakes and two rigid. Features a single-speed foot pump. Features an internal safety velocity fuse in each cylinder.	Yes	Import	Stocked
62	Ergonomic Solutions	S-150-AA	<u>s.</u>			The Stacker with Powered Drive and Powered Lift is a fully powered electric stacker that transports loads throughout warehouse facilities quickly and with less effort. The high torque drive and lift motor handles heavy-duty jobs. The ergonomic handle features easy-to-operate throttle with infinite adjustment of forward and reverse speeds, lift/lower controls, proprietary safety- enhancing emergency reverse function, and hom. When the Proprietary Safety-enhancing Emergency Reverse function is actuated, the emergency reverse belly switch instantly reverses direction and moves the unit forward (away from the operator) until the switch is released or after five seconds have elapsed. The built- in safety circuit will automatically disable the entire unit if the emergency reverse belly switch is activated for more than five (5) seconds after which the unit must be re-set to return to normal operating conditions. This state-of-the-art safety device provides a	Yes	Import	Stocked
63	Fork Truck Attachments	P-HOP-1.5	<u>P-HOP-</u>			A Portable Steel Hopper makes handling waste and bulk material safer and more convenient. Fork truck entry openings are designed to move hopper over rough terrain. Foot operated caster lock is included. Unit tills with assistance from operator while seated on fork truck. Handle for transporting. The included safety restraint should be properly secured to a fork truck before dumping. Welded construction makes them durable. Blue baked-in powder-coated toughness with galvanized base.	Yes	Vestil	Stocked

64	Fork Truck Attachments	D-150-HD	<u>D.</u>		Wright McCullough Ind.	Modern Equipment (MECO)	This Heavy Duty Self-Dumping Steel Hopper with Bumper Release automatically dumps when bumper release contacts the front of the dumpster. Hopper returns to an upright and locked position automatically after it dumps. Also includes a cable that may be operated from the seat of the fork truck to manually dump the hopper. The included safety restraint should be properly secured to a fork truck before dumping. (Length Dimension is measured at top of chute.)	Yes	Vestil	Stocked
65	Ergonomic Solutions	A-LIFT-R-HP	A-LIFT-				The Hand Winch Lift Truck is compact and designed to lift material to and from shelves, move office equipment, and install ceiling/wall appliances. It's constructed of durable steel-and-aluminum. Operated by a hand-crank winch that features a reversible handle and hold-down device for securing the carriage during transport. The non-adjustable forks can be inverted to provide different height ranges.	Yes	Import	Stocked
66	Fork Truck Attachments	D-150-MD	<u>D-</u>		Wright McCullough Ind.	Modern Equipment (MECO)	This Medium Duty Self-Dumping Steel Hopper with Bumper Release automatically dumps when bumper release contacts the front of the dumpster. Hopper returns to an upright and locked position automatically after it dumps. Also includes a cable that may be operated from the seat of the fork truck to manually dump the hopper. The included safety restraint should be properly secured to a fork truck before dumping. (Length Dimension is measured at top of chute.)	Yes	Vestil	Stocked
67	Loading Dock Equipment	SJ-35	<u>SJ-</u>	1			Trailer Stabilizing Jacks are used to prevent up-ending semi-trailers when they are not connected to a tractor during loading and unloading operations. Also used to level trailers parked on sloped ground and to prevent landing gear from sinking into a soft surface. Flush-type zerk fitting for lubricating ACME screw. Powder coat safety yellow finish. Includes reflective collar for visibility at night.	Yes	Vestil	Stocked
68	Ergonomic Solutions	S-118-AA	<u>S-</u>				The Stacker with Powered Drive and Powered Lift is a fully powered electric stacker that transports loads throughout warehouse facilities quickly and with less effort. The high torque drive and lift motor handles heavy-duty jobs. The ergonomic handle features easy-to-operate throttle with infinite adjustment of forward and reverse speeds, lift/lower controls, proprietary safety- enhancing emergency reverse function, and hom. When the Proprietary Safety-enhancing Emergency Reverse function is actuated, the emergency reverse belly switch instantly reverses direction and moves the unit forward (away from the operator) until the switch is released or after five seconds have elapsed. The built- in safety circuit will automatically disable the entire unit if the emergency reverse belly switch is activated for more than five (5) seconds after which the unit must be re-set to return to normal operating conditions. This state-of-the-art safety device provides a	Yes	Import	Stocked
69	Ergonomic Solutions	EHLTT-4848-4-47	EHLTT-				operating conditions. This state-of-the-art safety device provides a I he Litt & I hi Scissor Litt performs both fitting and futing operations. There is a restraining chain and lip to keep the load in place during tilting. Safety features include: electric toe guard to protect worker from pinch points during lowering of table, velocity fuses to hold platform position in an event of a hose or fitting failure, four (4) push-button hand pendant control, upper limit switch to stop travel at maximum height reducing motor wear, and maintenance prop. The end tilt is standard with a side tilt available. There is optional accordion skirting available for both the lifting and filting pacing of the table.	No	Vestil	Build to order
70	Fork Truck Attachments	CRF-108	<u>CRF-</u>	-			The fork mounted rug ram is ideal for the warehouse and maintenance establishments. The construction is strong and durable throughout a lifetime of use. A chain is included for enhanced security while connecting to the transporting vehicle. The ram is finished to a smooth texture to minimize edges during transport.	Yes	Vestil	Stocked

71	Packaging Equipment	PLP2-4840-BLUE	<u>PLP2-</u>		Plastic Pallets are stackable for efficient storage. Made of high- density virgin polyethylene for long life. Plastic Pallets are maintenance free and safer to handle than wooden pallets. Features a four-way entry and serrated deck with holes for drainage. Plastic pallets are ideal for export, pharmaceutical, medical, and food applications.	Yes	Import	Stocked
72	Ergonomic Solutions	SST-45	<u>SST-</u>	X	The Spring Scissor Table is ideal for distributing and shipping facilities. The unit allows the user to transfer products from work space to work space, while holding an ergonomically friendly position. The frame is designed of a steel construction, which allows for strength and durability. The scissor mechanism raises the unit to the desired height, while the internal spring provides support when unit is being loaded and unloaded. The round top manually rotated for improved packaging and handling capabilities.	No	Import	Build to order
73	Fork Truck Attachments	HOP-LP	HOP-		This unique Low Profile Parts Hopper has been designed to function as a parts hopper that may be dumped with the assistance of a fork truck. The low profile design allows the hopper to be placed underneath machinery as a catch basin for parts. The newly designed hopper reduces the hazards, inconveniences, and time associated with collecting parts off the floor. Unit rolls smoothly on casters and includes a removable push handle. Once the material is dumped, the hopper will return to the locked position when lowered to the ground. The included safety restraint should be properly required to a fork truck holers dumping.	Yes	Vestil	Stocked
74	Gantry and Jib Cranes	AHA-4-10-10	AHA-	XX	Ind Roy Usable that and rigid, study construction into one unit. The all aluminum construction of this gantry crane makes it corrosion resistant and perfect for outdoor use. The lightweight Heam allows height adjustment without the need of a hoist or fork truck. All pined connections make it possible for single person set up and take down in just minutes. Included are two straps, allowing one person to transport the gantry crane in one neat package. Unit comes standard four (4) position locking swivel casters with roller bearings. Locks the rigging in 1 of 4 positions; you can set the wheels and push the gantry crane forward, back, left or right. There is an optional Total Locking Casters that lock the rigging in any	No	Vestil	Build to order
75	Ergonomic Solutions	EHLT-4872-4-43	EHLT-	X	The Electric Hydraülic Scissor Lift Table is used by all types of manufacturing and warehouse facilities. Safety features include: patented pinch point perimeter to e guard to protect pinch points while lowering of the table, fused push button control, internal safety velocity fuse to maintain platform height in an event of hose or fitting failure, integral maintenance prop. adjustable upper travel limit switch to stop table at maximum height, and a displacement- style hydraulic cylinders for maximum strength. It also features a pressure plated pump, manifold system, displacement style hydraulic cylinder, and a state-of-the-art lifetime lubricated bearings. The standard 56 frame electric motor is a fully enclosed with optional underse swallable. Contact factoru if natiform	No	Vestil	Build to order
76	Fork Truck Attachments	LM-OBT-4-24	<u>LM-OBT-</u>		Unique performance, convenience, and safety features are built into every Lift Master Boom. Fabricated from structural steel with welding to meet AWS creates a rugged and durable boom that will provide long term service. This unit features a locking detent. A safety restraint secures the boom to the fork truck for safe operation. Includes two (2) lifting hooks.	Yes	Vestil	Stocked
77	Gantry and Jib Cranes	OLA-4-42	<u>OLA-</u>	K	The Overhead Load Lifter is designed for lifting and moving pallets, skids and crates with an overhead lifting crane. Includes an adjustable bail for keeping the load level when moving. Includes three (3) height positions for use with different sized loads.	No	Vestil	Build to order

78	Ergonomic Solutions EHLT-4848	-4-43 <u>EHLT-</u>	The Electric Hydraulic Scissor Lift Table is used by all types of manufacturing and warehouse facilities. Safety features include: patented pinch point perimeter toe guard to protect pinch points while lowering of the table, fused push button control, internal safety velocity fuse to maintain platform height in an event of hose or fitting failure, integral maintenance prop, adjustable upper travel limit switch to stop table at maximum height, and a displacement- style hydraulic cylinders for maximum strength. It also features a pressure plated pump, manifold system, displacement style Hully Dowelied Stop Cranes (Dower hoist & power hydrodron) nor	No	Vestil	Build to order
79	Gantry and EPFC-CE Jib Cranes	-15 <u>EPFC-CB-</u>	Fully powered shop cranes (power hoist & power noist as power noist to power and the most of the most and lift motor handles heavy-duty jobs. Ergonomic handle features easy-to-operate throttle with infinite adjustment of forward and reverse speeds, lift/lower controls, proprietary safety-enhancing emergency reverse function, and horn. Includes an electromagnetic disc brake with automatic dead-man feature that activates when user releases the handle. Powered shop crane has two (2) 12V batteries, integral battery charger, and battery level gauge. Poly-on-steel steer and lead wheels. 3.4 hour operation at full charge. 8 hours when used	No	Import	Build to order
80	Facilities Maintenance STOR-96-G-	N-1RH <u>STOR-</u>	This Modular Storage Building is ideal construction facilities. The building is constructed of maintenance free galvanized corrugated paneling. The modular designed to be functional and is easily assembled. The unit can be transported with a lifting device.	No	Vestil	Build to order
81	Ergonomic PM4-27 Solutions	96 <u>PM4-</u>	The Formeatureu Failer Hock is an economical way no one person to move heavy pallet loads without the use of a fork truck! Includes two (2) articulating steering wheels and two (2) front load rollers. The ergonomic design requires only seventy-five (75) pounds of pulling force when fully loaded. Steering wheels include bearing dust covers for added life. Nose wheels are located on the front edge of each fork to assist in clean pallet entrance and exit. Reinforced triple-formed steel forks provide twice the strength of standard single-formed forks. The unit is equipped with internally mounted solid steel adjustable push rods. The spring loaded handle	Yes	Import	Stocked
82	Loading Dock E-4224 Equipment E-4224	н <u>Б</u> .	The Aluminum Economizer Dockplate is an economical way to speed up truck loading and unloading. Spans the opening between dock and trailer to allow pallet or hand trucks along with traffic to safely move in and out of the trailer. The dockplate is constructed of high strength, non-skid aluminum alloy tread plate. The lightweight design with bolt on zinc plated legs and handles on each side makes portability easy. Locking legs for OSHA Compliance. Not for use with fork trucks.	Yes	Vestil	Stocked
83	Storage Solutions SSRT-4	17 <u>SSRT-</u>	The Vertical Storage Rack is constructed for the distribution and manufacturing facilities. The unit is designed to be placed up against a wall for vertical storage of tubing and other materials. The unit has the ability to consolidate unusual lengths items. A secure fastener can keep items in the storage bay.	Yes	Vestil	Stocked
84	Gantry and EPFC-25 Jib Cranes	AA <u>EPFC-</u>	The Fully Powered Electric Floor Crane has an easy and quick operation. The unit raises and lowers bads with a push of a button. It can maneuver loads in warehouses and trailers. The Heavy duty rigid hook with safety latch provides long service. The high-torque DC drive and lift motors handle heavy-duty jobs. Floor crane includes integral battery charger, battery level gauge, and emergency battery disconnect. The truck rolls smoothly on poly-on- steel, steer and load wheels. Ergonomic handle features easy to operate throttle with infinite adjustment of forward and reverse speeds, controlled lift/lower controls, adjustable length legs, proprietary safety-enhancing mergency reverse function, and horn. When the Proprietary Safety-enhancing Emergency Reverse function is actuated, the emergency reverse belly switch instantly reverses direction and moves the unit forward (away from the operator) until the switch is released or after 1.5 seconds have elapsed. The built-in safety circuit will automatically disable the entire unit if the emergency reverse belly switch is activated for	Yes	Import	Stocked

85	Ergonomic Solutions	PM-2748-SCL-LP	<u>PM-</u>		The Pallet Truck with Digital Scale allows you to weigh your load on the spot for maximum efficiency. The frame uses heavy-duty steel construction for maximum strength and durability. The unit is very user friendly and is suitable for low height lifting. The built-in scale allows you to weigh your load while it is being handled. The scale is selectable in a variety of increments to adjust to the size of your load. It has keyboard calibration and functional setup with automatic zero capabilities. Digital filtering is used to help compensate for vibration and motion to make the pallet truck with digital scale smooth and accurate. The scale is powered by Powered Stacker with Power Dury. PDE accurate and Power Pork		Import	Stocked
86	Ergonomic Solutions	S-118-AA-FR	<u>S-</u>		Powered Stacker with Power Drive, Power Lift, and Power Fork Reach is ideal for distribution and shipping facilities. The stacker is equipped with extendable forks, which can be utilized to reach 25° and lift objects in a condensed area where room to maneuver is limited. The stacker is power driven with simple controls that allow for precise positioning of products. Features two (2) 12V batteries with on-board charger. To use, align forks in the desired position and extend the forks to reach the product safely. Once the unit is in place and the product is secured, the stacker can be driven to the profared underage.	No	Import	Build to order
87	Loading Dock Equipment	PLB/S-6	<u>PLB/S-</u>		The Prylever Bar is ideal for dock workers, riggers and freight handlers. The Prylever Bar allows the user to get under heavy objects for precise positioning. The unit has a powder coated steel construction with a thick nose plate and a beveled edge.	Yes	Vestil	Stocked
88	Ergonomic Solutions	EHLTT-H-3648-2-47	EHLTT-H-		The Lift & Tilt Scissor Lift performs both lifting and tilting operations. There is a restraining chain and lip to keep the load in place during tilting. Safety features include: electric toe guard to protect worker from pinch points during lowering of table, velocity fuses to hold platform position in an event of a hose or fitting failure, four (4) push-button hand pendant control, upper limit switch to stop travel at maximum height reducing motor wear, and maintenance prop. The end tilt is standard with a side tilt available. There is optional accordion skirting available for both the lifting and tilting out the table.		Vestil	Build to order
89	Ergonomic Solutions	CPRO-800LP	<u>CPRO-</u>	£	This portable work chair is not only convenient but easy to use. Simply unfold the rear legs and slide the contoured padded seat to the desired ergonomic height. The infinite adjustment guarantees the optimum work posture. The chair folds up for easy portability and storage.	Yes	Import	Stocked
90	Gantry and Jib Cranes	AHA-2-10-8	АНА-	XX	The Adjustable Height Aluminum Gantry Crane combines lightweight and rigid, sturdy construction into one unit. The all aluminum construction of this gantry crane makes it corrosion resistant and perfect for outdoor use. The lightweight I-Beam allows height adjustment without the need of a hoist or fork truck. All pined connections make it possible for single person set up and take down in just minutes. Included are two straps, allowing one person to transport the gantry crane in one neat package. Unit comes standard four (4) position locking swivel casters with roller	No	Vestil	Build to order
91	Ergonomic Solutions	EPT-2047-30	EPT-		The Fully Powered Electric Pallet Truck has an easy and quick operation. The unit raises and lowers loads with a push of a button. It can maneuver loads in warehouses and trailers. The reinforced welded forks have adjustable tie-rods that provide long service. The high-torgue DC drive and lift motors handle heavy-duty jobs. Pallet truck includes integral battery charger, battery level gauge and key switch. The truck rolls smoothly on poly-on-steel, steer and load wheels. Ergonomic handle features easy to operate throttle with infinite adjustment of forward and reverse speeds, lift/lower controls, proprietary safety-enhancing emergency reverse function, and horn. When the Proprietary Safety-enhancing Emergency Reverse function is actuated, the emergency reverse lelly switch instantly reverses direction and moves the unit forward (away from the operator) unit the switch is released or after 1.5 seconds have elapsed. The built-in safety circuit will automatically disable the entire unit if the emergency reverse belly switch is activated for more than 1.5 seconds after which the unit must be re-set to return	Yes	Import	Stocked

92	Fork Truck Attachments	D-300-MD	<u>D-</u>		This Medium Duty Self-Dumping Steel Hopper with Bumper Release automatically dumps when bumper release contacts the front of the dumpster. Hopper returns to an upright and locked position automatically after it dumps. Also includes a cable that may be operated from the seat of the fork truck to manually dump the hopper. The included safety restraint should be properly secured to a fork truck before dumping. (Length Dimension is measured at top of chute.)	Yes	VESTIL	Stocked
93	Storage Solutions	VRSOR-114	<u>VRSOR-</u>		Heavy Duty Roll-Out Shelving stores heavy dies, fixtures and machinery. Shelves roll out for convenient loading and retrieving. Can be easily loaded and unloaded with a crane, overhead hoist, forkfift or stacker. Individual shelf height are adjustable. Features steel shelves that can be extended 20°, one (1) at a time, and locked in the extended position for maximum safety. There are (2) top fixed non-adjustable shelves. All steel construction with powder coat finish.	Yes	Import	Stocked
94	Gantry and Jib Cranes	FHS-4-10	FHS-	XX	The fixed height steel gantry crane is designed for transporting and positioning materials along the beams length. The solid steel construction will provide years of service, while the painted blue finish will keep the models protected from surface ware. The rigging locks in 1 of 4 positions; you can set the wheels and push the gantry crane forward, back, left or right. The unit is an economical and efficient way to lift and raise products, diminishing the need of additional personnel. The fixed height design allows for constant use in a particular setting without the need to maneuver the augral behavior.	Yes	VESTIL	Stocked
95	Ergonomic Solutions	HBD-2-48	HBD-		The Electric/Hydraulic Box Dumper is designed for controlled dumping of material from boxes, crates, and other types of containers. It is designed for pallet truck loading and unloading. The retaining bar adjusts to accommodate a wide range of container heights. Each dump height has a hold down range and an internal power unit with a hand held control standard. It has a heavy-duty welded steel construction with protective mesh side screens included.	No	VESTIL	Build to order
96	Ergonomic Solutions	PST-5-60	<u>PST-</u>		Heavy Duty Portable Lift Scissor Tables can easily transport and elevate heavy loads. Featuring glass nylon filled casters (2 swivel and 2 rigid), floor lock, patented electric pirch point guards, and magnetic hand controls. Key-operated ON/OFF control for better security is built into the power unit. Heavy duty 12V DC powered unit with deep cycle battery, an on-board battery charger and battery charge indicator gauge comes standard.	No	VESTIL	Build to order
97	Ergonomic Solutions	A-LIFT-S-HP	<u>A-LIFT-</u>	The second second	The Hand Winch Lift Truck is compact and designed to lift material to and from shelves, move office equipment, and install ceiling/wall appliances. It's constructed of durable steel-and-aluminum. Operated by a hand-crank winch that features a reversible handle and hold-down device for securing the carriage during transport. The non-adjustable forks can be inverted to provide different height ranges.	Yes	Import	Stocked
98	Ergonomic Solutions	PS-4045	<u>PS-</u>		The Adjustable Pallet Stand is designed to manually adjust to three (3) different ergonomic working heights. The stand includes a three (3) position manual adjusting bar with spring assist to help raise and lower the deck. The Pallet Stand must be empty when adjusting the height.	Yes	VESTIL	Stocked
99	Storage Solutions	VSSR-15	<u>VSSR-</u>		The Standard Sheet Rack is designed for the manufacturing and shipping industries. The unit is constructed for the upright placement of goods. The rack has four bays for the location of products. The additional protection provides added support while keeping material above ground level. The unit comes standard with lag down points.	Yes	VESTIL	Stocked

100	HT-30)-2030-S				#N/A	No	Domestic	Build to order
101	Loading Dock Ol Equipment Ol	H-15 <u>OH</u>	· · · >			This #2 Double Loop Coil Chain with Hanger discourages theft and misplacement of wheel chocks, and facilitate safety in the dock area. The chain attaches to the hanger and is secured to the dock wall. Chain is fastened to the chock with cold shut.	Yes	Import	Stocked
102	AC	CC-FI				FACTORY INSTALLED ACCORDION SKIRT	No	Domestic	Dropship
103	Drum Handling BNW Equipment BNW	V-BX-W BNV				This multipurpose, spark resistant bronze alloy Drum Bung Nut Wrench not only opens and closes drum bungs or plugs, they also work as a bung wrench, ring wrench and faucet wrench all in one! Wrenches are universal in that they fit all types of industrial drum plugs and bungs in metal or plastic. These durable wrenches will no bend, break or chip. Eliminate the need for extra tools with these multifunctional drum wrenches! Patent pending.	Yes t	Import	Stocked
104	Protective BOL Barriers BOL	-42-4.5 <u>BO</u>	-	Eagle	Wildeck	A Steel Pipe Safety Bollard can be used both indoors and outdoors to protect work areas, racking and personnel. Molded plastic caps are removable and bollard may be filled with concrete. Base plate includes pre-drilled mounting holes. The unit has a yellow powder coat finish and a heavy-duty welded steel construction.	Yes	VESTIL	Stocked
105	Loading Dock ATWR Equipment ATWR	R-24-6-48 <u>ATW</u>	<u>a</u>			Elevate semi-trailers to loading docks for maximum serviceability during loading and unloading operations. Manufactured from heavy duty aluminum tread plate for positive traction. All welded aluminum construction. 30,000 lbs. uniform capacity per pair (¼" thick material). Wheel Risers are designed to raise the trailer for loading and unloading to facilitate compliance with OSHA/ANSI B56.1 part 3 sec 7 requirements for maximum grade of ascending or descending loaded fork trucks.	Yes	VESTIL	Stocked
106	Facilities Maintenance STOR-91	2-G-W-1RH <u>STO</u>	<u>R</u>			This Modular Storage Building is ideal for keeping valuable items secure. Constructed of maintenance free galvanized corrugated paneling. The modular design is easy to assemble. Once assembled Storage Building can be moved with a fork lift. This unit features a wooden floor to help keep products dry. Built-in rain gutters for water drainage is standard.	No	VESTIL	Build to order

107	Gantry and Jib Cranes	AHA-2-12-12	AHA-	XX	The Adjustable Height Aluminum Gantry Crane combines lightweight and rigid, sturdy construction into one unit. The all aluminum construction of this gantry crane makes it corrosion resistant and perfect for outdoor use. The lightweight I-Beam allows height adjustment without the need of a hoist or fork truck. No VESTIL All pined connections make it possible for single person set up and take down in just minutes. Included are two straps, allowing one person to transport the gantry crane in one neat package. Unit comes standard four (4) position locking swivel casters with roller	Build to order
108	Ergonomic Solutions	ALLW-2020-FW	ALLW-	₩ Ţ	The Lite Load Lift is ideal for lifting and transporting loads from delivery trucks to docks, or use to inventory storage systems. The unit is easy to operate with a hand winch operation and aluminum construction. The unit rolls smoothly on poly-on-poly rear wheels and semi-steel front wheels. Located on the handle are two rollers to ease loading into delivery trucks.	Stocked
109	Ergonomic Solutions	CART-24-10-DC	CART-		I he DC Powered Scissor Cart table provides an unparalleled support in lifting, palletizing, loading, and unloading applications. The cart is raised or lowered with a DC powered motor. The unit rolls smoothly on two rigid and two swivel phenolic casters with brakes. The internal DC powered electric motor and battery is included on DC units. The built-in battery charger is AC powered and is included. Push buttons to raise and lower fif are located on a hand control with a coil cord, which is standard. The platform is equipped with perimeter pinch-point guard for OSHA compliance. The push bandle is remyurble. Eastures an internal softwurdecity	Stocked
110	Fork Truck Attachments	WP-4848	WP-		This convenient fork truck Work Platform quickly and safely raises maintenance personnel where they are needed. Attaches to fork truck by inserting forks into fork pockets and securing platform to fork truck. Fork locks secure platform to forks. Dual handrails on three (3) sides. Expanded metal backing on fourth side. Includes checker floor plate platform and long strap with hook to attach platform to fork truck. A maximum of two (2) people can be in the work platform at one time.	Stocked
111	Gantry and Jib Cranes	AHA-2-10-10	AHA:	XX	In the Argiostable Height Andrhum Garny Crane combines lightweight and rigid, sturdy construction into one unit. The all aluminum construction of this gantry crane makes it corrosion resistant and perfect for outdoor use. The lightweight I-Beam allows height adjustment without the need of a hoist or fork truck. All pined connections make it possible for single person set up and take down in just minutes. Included are two straps, allowing one person to transport the gantry crane in one neat package. Unit comes standard four (4) position locking swivel casters with roller bearings. Locks the rigging in 1 of 4 positions; you can set the	Build to order
112	Ergonomic Solutions	SL-63-AA	<u>SL-</u>		The Stacker Powered Lift is a semi-electric stacker with a powered lift that will raise and lower loads quickly and easily. The manual push operation stacker is made using high quality material and parts. The Stacker is easily maneuvered using the standard pulling handle with adjustable forks and adjustable support legs. The stacker is highly efficient and durable while working with pallets or skids. It features an integral battery charger and battery level gauge.	Stocked
113	Ergonomic Solutions	EPT-2748-45	EPT-		I he Fully Powered Electric Pallet I ruck has an easy and quick operation. The unit raises and lowers loads with a push of a button. It can maneuver loads in warehouses and trailers. The reinforced welded forks have adjustable tile-rods that provide long service. The high-torque DC drive and lift motors handle heavy-duty jobs. Pallet ruck includes integral battery charger, battery level gauge, and emergency battery disconnect. The truck rolls smoothly on poly- on-steel, steer and load wheels. Ergonomic handle features easy to operate throttle with infinite adjustment of forward and reverse speeds, lift/lower controls, proprietary safety-enhancing erverse function, and horn. When the Proprietary Safety-enhancing Emergency Pawere function is actuated the commence	Stocked

114	Fork Truck Attachments	FE-4-72	EE-		Provide the extra support needed to lift long or large objects with a fork truck using a pair of Fork Extensions. Steel retaining strap prevents fork extensions from sliding off forks during use. OSHA regulations require that extensions are no more than one-hundred and fifty (150) percent of the existing fork length. Insert loop at the tip of the fork and slide it up at a forty-five (45) degree angle. Then, lay it down over the existing fork.	Yes	VESTIL	Stocked
115	Loading Dock Equipment	SKB-DLX	<u>SKB-</u>	L	The Deluxe Pallet Buster is a great addition to maintenance and construction facilities. The steel design is robust for daily use and harsh conditions. For best use, place the head of the buster under a plank of the pallet and simply push down on the handle. While the handle moves down, the head will lift up and release the pallet plank.	Yes	Import	Stocked
116	Ergonomic Solutions	L-270-DC-HD	Ŀ		The Tote Lifter is designed to lift open bottom skids, boxes, and baskets. Lifter is DC power with rocker switch to raise or lower. This DC powered unit includes an on-board battery charger. The side stabilizers lock lift in place when load is raised over a certain height.	Yes	Import	Stocked
117		ACC-CI			CUSTOMER INSTALLED ACCORDION SKIRT	No	Domestic	Dropship
118	Loading Dock Equipment	D-750-24	<u>D.</u>		The Dock Shelter is used with doors up to one-hundred twenty (120) inch width by one-hundred twenty (120) inch height. The dock shelter reduces oversized doors to match truck openings. The long wear fabric is highly resistant to abrasion and tearing. Fiberglass staves are sewn into the flaps. Seal is formed along the fronts and top of trailer when the vertical and top panels are pushed inward by the trailer. There has a recommended minimum trailer penetration for a good seal with a supporting structure that is made of wolmanized lumber. Shelter is protected by safety yellow steel guide protectors. When installed, the shelter will close the door opening down to ninety (90) inch width by ninety (90) inch height (battweng fings). Includes two (2) vallow steel wide protectors and	Yes	VESTIL	Stocked
119	Gantry and Jib Cranes	AHS-6-15-16	<u>AHS-</u>		The adjustable hierings turn C1 usature that hund numerics and The adjustable hiering and positioning materials along the beams length. The cranes beam height can be adjusted to better conform to the working conditions making it both ergonomically friendly and cost effective. Unit comes standard four (4) position locking swivel casters with roller bearings. Locks the rigging in 1 of 4 positions; you can set the wheels and push the gantry crane forward, back, left or right. Height is adjustable in 6° increments. Do not move units while loaded. Hoist and trolley can be ordered separately. A painted blue finish protects the unit from . Designed for semi- permanent or permanent applications.	Yes	VESTIL	Stocked

120	Ergonomic Solutions	CBFC-1000	<u>CBFC-</u>		This Counter Balanced Floor Crane has an adjustable boom to allow for maximum adjustment and versatility to lift a variety of loads. Boom is raised with a manual hydraulic hand pump. Boom also telescopes out for greater reach. The counterbalance design eliminates the need for front legs. This makes the unit easier to maneuver and allows the crane to reach tight, hard to reach areas. Counterbalance included. Welded steel construction.	No	VESTIL	Build to order
121	Fork Truck Attachments	LM-EBT-6-24	<u>LM-EBT-</u>		Unique performance, convenience, and safety features are built into every Lift Master Boom. Fabricated from structural steel with welding to meet AWS creates a rugged and durable boom that will provide long term service. This unit come with an infinitely adjustable locking screw. A safety restraint secures the boom to the fork truck for safe operation. Includes two (2) lifting hooks.	Yes	VESTIL	Stocked
122	Fork Truck Attachments	Р-НОР-0.5	<u>P-HOP-</u>		A Portable Steel Hopper makes handling waste and bulk material safer and more convenient. Fork truck entry openings are designed to move hopper over rough terrain. Foot operated caster lock is included. Unit tilts with assistance from operator while seated on fork truck. Handle for transporting. The included safety restraint should be properly secured to a fork truck before dumping. Welded construction makes them durable. Blue baked-in powder-coated toughness with galvanized base.	Yes	VESTIL	Stocked
123	Protective Barriers	PRAIL-102-G	<u>PRAIL-</u>		The Light Weight Crowd Control Interlocking Barrier is attractive and the functional design is ideal for directing personnel. Interlocking portable railing has many commercial and industrial applications. Easy to move to meet changing needs. Upright bars are vertically spaced. Each railing includes connectors to attach multiple units together to form long runs. Feet are removable so railing will lay flat for shipping and storage.	Yes	Import	Stocked
124	Ergonomic Solutions	EHLT-4872-4-43-QS	EHLT-	The second secon	The Electric Hydraulic Scissor Lift Table is used by all types of manufacturing and warehouse facilities. Safety features include: patented pinch point perimeter toe guard to protect pinch points while lowering of the table, fused push button control, internal safety velocity fuse to maintain platform height in an event of hose or fitting failure, integral maintenance prop, adjustable upper travel limit switch to stop table at maximum height, and a displacement- style hydraulic cylinders for maximum strength. It also features a pressure plated pump, manifold system, displacement style hydraulic cylinder, and a state-of-the-art lifetime lubricated bearings. The standard 56 frame electric motor is a fully enclosed with onlong lowfaces available. Contact factory if hatform	Yes	VESTIL	Stocked
125	Fork Truck Attachments	FE-5-72	FE-		Provide the extra support needed to lift long or large objects with a fork truck using a pair of Fork Extensions. Welded steel construction with cast steel tips. Steel retaining strap prevents fork extensions from sliding off forks during use. Powder coat yellow finish. OSHA regulations require that extensions are no more than one-hundred and fifty (150) percent of the existing fork length. Insert loop at the tip of the fork and slide it up at a forty-five (45) degree angle. Then, lay it down over the existing fork.	Yes	VESTIL	Stocked

126	Ergonomic Solutions	EHLT-2-43	EHLT-		#N/A	No	VESTIL	Build to order
127	Drum Handling Equipment	DRUM-HD	DRUM-	Ą	Transport drums with the Heavy-Duty Drum Dolly. This dolly will transport your heavier drums from location to location. Swivel casters with brakes standard.	Yes	Import	Stocked
128	Ergonomic Solutions	VHPS-2000-AA	<u>VHPS-</u>		The Manual Stacker is designed to meet the most challenging tasks. Ideal for use in various workstation and workplace applications. Maintenance free and easy to use. The full height push handle allows for easy steering and excellent visibility through a welded mesh guard with an optional removable platform available. It features a heavy-duty mast and a unique winch design for easier and safer lifting. The lift and lower is done by hand winch and a steel cable mechanism. The two (2) rigid and two (2) swivel wheels with brakes make it easy for maneuvering. The unit features both adjustable forks and adjustable legs.	Yes	Import	Stocked
129	Ergonomic Solutions	LLW-202058-FW	LLW-		The Lite Load Lift is ideal for lifting and transporting loads from delivery trucks to docks, or use to inventory storage systems. This Lift has an easy to operate hand winch and has an steel construction. The unit rolls smoothly on poly-on-poly rear wheels and semi-steel front wheels. Located on the handle are two (2) rollers to ease loading into delivery trucks.	Yes	VESTIL	Stocked
130	Loading Dock Equipment	PAL-21	PAL-	10000 00 00 00 00 00 00 00 00 00 00 00 0	The Pallet Puller is used to pull pallets to rear of trailers for easy fork truck access. Made of rugged steel construction. Heads are self-cleaning and unaffected by wood particles, paint or grease. The one (1) piece curved heads have integral spurs for gripping pallet stringers. The Pallet Puller is NOT designed for lifting.	Yes	Import	Stocked
131	Storage Solutions	SHEET-R-57	SHEET-		This Horizontal Sheet Rack is designed for storage of sheet goods and similar materials. Flat storage reduces warping of thin materials. Shelf design allows for generous storage of multiple thickness materials. Four (4) sided access when using four (4) foot by eight (8) foot sheet or smaller. Supplied with lag down points.	Yes	VESTIL	Stocked

132	Storage Solutions	VRSOR-54	<u>VRSOR-</u>		Heavy Duty Roll-Out Shelving stores heavy dies, fixtures and machinery. Shelves roll out for convenient loading and retrieving. Can be easily loaded and unloaded with a crane, overhead hoist, forklift or stacker. Individual shelf height are adjustable. Features steel shelves that can be extended 20°, one (1) at a time, and locked in the extended position for maximum safety. There are (2) top fixed non-adjustable shelves. All steel construction with powder coat finish.	Yes	Import	Stocked
133	Gantry and Jib Cranes	AHA-2-8-12	АНА-	XX	The Adjustable Height Aluminum Gantry Crane combines lightweight and rigid, sturdy construction into one unit. The all aluminum construction of this gantry crane makes it corrosion resistant and perfect for outdoor use. The lightweight I-Beam allows height adjustment without the need of a hoist or fork truck. All pined connections make it possible for single person set up and take down in just minutes. Included are two straps, allowing one person to transport the gantry crane in one neat package. Unit comes standard four (4) position locking swivel casters with roller bearings. Locks the rigging in 1 of 4 positions; you can set the wheels and push the gantry crane forward, back, left or right. There is an ontional Tabl Locking Casters that lock the rigging in any	No	VESTIL	Build to order
134	Ergonomic Solutions	AIR-2000	<u>AIR-</u>		The Air Hydraulic Cart features a two speed foot pump and hand held reciprocating air/oil power to raise the platform. It utilizes the two speed foot pump for minor height adjustments and the factory air/oil power for effortless lifting.	Yes	Import	Stocked
135	Protective Barriers	HRAIL-A-9072	<u>HRAIL-</u>		Add-on Section for Construction Safety Barrier is designed to temporarily secure your job site from theft, hazard liability, and dumping. Simply order starter unit then as many add-on units as necessary. Panel sections are made from steel tubing. Chain link fence is secured to barrier with steel ties.	Yes	Import	Stocked
136	Industrial Carts & Dollies	HDOC-1624-9	HDOC-		The Hardwood Dolly transports boxes, crates, or supplies. Carpet color may very. Unit maneuvers on casters. Optional Pull Strap or Hook available.	Yes	Import	Stocked
137	Ergonomic Solutions	SL-118-AA	<u>SL-</u>		The Stacker Powered Lift is a semi-electric stacker with a powered lift that will raise and lower loads quickly and easily. The manual push operation stacker is made using high quality material and parts. The Stacker is easily maneuvered using the standard pulling handle with adjustable forks and adjustable support legs. The stacker is highly efficient and durable while working with pallets or skids. It features an integral battery charger and battery level gauge.	Yes	Import	Stocked

138	Ergonomic Solutions	PST-PTDS	PST-		Optional Power Traction Drive System has a combination throttle/direction butterfly style controller and an adjustable yoke. The Traction Drive System also features an auto reverse emergency "Belly" switch.
139	Ergonomic Solutions	EHLT-2448-3-43-QS	EHLT-		The Electric Hydraulic Scissor Lift Table is used by all types of manufacturing and warehouse facilities. Safety features include: patented pinch point perimeter toe guard to protect pinch points while lowering of the table, fused push button control, internal safety velocity fuse to maintain platform height in an event of hose or fitting failure, integral maintenance prop, adjustable upper travel limit switch to stop table at maximum height, and a displacement style hydraulic cylinders for maximum strength. It also features a pressure plated pump, marifold system, displacement style hydraulic cylinder, and a state-of-the-art lifetime lubricated bearings. The standard 56 frame electric motor is a fully enclosed with outpend and and state-of-the-art lifetime.
140	Ergonomic Solutions	HYD-10	<u>HYD-</u>		The Hefti-Lift is a user friendly, portable hydraulic lift. The lift provides reliable, power lifting when moving and positioning loads. It includes a removable platform for operation requiring forks. The non-slip chain is used for accurate positioning while the Lift rolls easily on two rigid and two swivel poly-on-steel casters that includes a foot operated brake. The unit has an all welded construction with a chrome platform and uprights. Not for use with pallets.
141	Gantry and Jib Cranes	AHS-2-10-12	AHS-	\sum	The Industrial Steel Gantry Crane is designed for transporting and positioning materials along the beams length. The solid steel construction will provide years of service. The casters tock the rigging in 1 of 4 positions; you can set the wheels and push the gantry crane forward, back, left or right. There is an optional Total Locking Casters that lock the rigging in any position and locks the wheel from rotating. More economical and flexible than permanent cranes and features a quick setup design. Painted blue finish with warning and operating stickers and complete owner's manual. Designed for semi-permanent or permanent applications. Requires assistance from fork truck to set-up.
142	Drum Handling Equipment	HDC-905-IDC/230V	HDC-		The Hydraulic Drum Crusher/Compactor crushes steel drums and resets automatically to crush another drum. The included drum compacting feature allows you to compact contents inside the drum by simply removing the drum crushing platen. Crushing feature will work with any drum size up to fifty-five (55) gallons. Compacting feature will only work with fifty-five (55) gallons. Compacting feature will only work with fifty-five (55) gallon drums. This convenient design gives you two pieces of equipment in one. Safety features include a pressure relief valve, which prevents overload, and a door interlock system that will prevent the motor from running unless the door is closed. Built-in fork pockets aid in transporting. Drip pan is included to reduce unnecessary oil spills. Parelacement and additional drip name are available The Comnet Balanced Power Drive Lift is ideal for die loading,
143	Ergonomic Solutions	S-CB-62	<u>S-CB-</u>		The Counter-Balanced Power Drive Lift is ideal for die loading, machine feeding, and for loading and unloading trucks. The high torque drive and lift motor handles heavy-duty jobs. The ergonomic handle features an easy-to-operate throttle with infinite adjustment of forward and reverse speeds, lift/lower controls, proprietary safety-enhancing emergency reverse function, and horn. When the Proprietary Safety-enhancing Emergency Reverse function is actuated, the emergency reverse billy switch instantly reverses direction and moves the unit forward (away from the operator) until the switch is released or after five (5) seconds have elapsed. The built-in safety circuit will automatically disable the entire unit if the emergency reverse belly switch is activated for more than five (5)

144	Ergonomic Solutions	PMC-PM5-2748	PMC-PM5-		Easy to maneuver in tight spaces. Offers a combination of light frame and rollers with self-lubricating ball bearings. Handle is ergonomically designed for operator comfort, reducing lifting and rolling effort. Supplemental rollers allow an easier entrance and a quicker exit from the closed pallets. Features robotically welded frames for consistent strength. Individual fork width is 6".	frame and rollers with self-lubricating ball bearings. Handle is ergonomically designed for operator comfort, reducing lifting and rolling effort. Supplemental rollers allow an easier entrance and a quicker exit from the closed pallets. Features robotically welded	Stocked
145	Loading Dock Equipment	CJ-BEAM-PN	CJ-BEAM-		Trailer Stabilizing Jacks are used to prevent up-ending semi-trailers when they are not connected to a tractor during loading and unloading operations. Also used to level trailers parked on sloped ground and to prevent landing gear from sinking into a soft surface. Flush-type zerk fitting for lubricating ACME screw. Powder coat safety yellow finish. Includes reflective collar for visibility at night.	when they are not connected to a tractor during loading and unloading operations. Also used to level trailers parked on sloped ground and to prevent landing gear from sinking into a soft surface. Flush-type zerk fitting for lubricating ACME screw. Powder coat	Stocked
146	Ergonomic Solutions	PEL-88-A	PEL-		The DC Powered Quick Lift is a quiet, lightweight unit used for transport and positioning loads quickly with just the push of the button. The unit is battery operated with a high density polyethylene platform. It features a low profile design for maneuvering in narrow Yes VESTIL aisles and confined spaces. The poly casters consist of two swivel and two swivel-locking that are standard. The DC system runs with an AC on-board charger.	transport and positioning loads quickly with just the push of the button. The unit is battery operated with a high density polyethylene platform. It features a low profile design for maneuvering in narrow aisles and confined spaces. The poly casters consist of two swivel and two swivel-locking that are standard. The DC system runs with	Stocked
147	Gantry and Jib Cranes	AHA-4-15-12	AHA-	XX	The Adjustable Height Aluminum Gantry Crane combines lightweight and rigid, sturdy construction into one unit. The all aluminum construction of this gantry crane makes it corrosion resistant and perfect for outdoor use. The lightweight I-Beam allows height adjustment without the need of a hoist or fork truck. All pined connections make it possible for single person set up and take down in just minutes. Included are two straps, allowing one person to transport the gantry crane in one neat package. Unit comes standard foru (4) position locking swivel casters with roller bearings. Locks the rigging in 1 of 4 positions; you can set the wheels and push the gantry crane forward, back, left or right. There is an orthoral Total Locking of the finght. There	lightweight and rigid, sturdy construction into one unit. The all aluminum construction of this garitry crane makes it corrosion resistant and perfect for outdoor use. The lightweight I-Beam allows height adjustment without the need of a hoist or fork truck. All pined connections make it possible for single persons et up and take down in just minutes. Included are two straps, allowing one person to transport the garitry crane in one neat package. Unit comes standard four (4) position locking swivel casters with roller bearings. Locks the rigging in 1 of 4 positions; you can set the wheels and push the garitry crane forward, back, left or right. There	Build to order
148	Gantry and Jib Cranes	WTJ-20-4-DC	WTJ-		A Power Lift Jib Crane is designed for material handling applications on docks, in warehouses or in truck beds. This intermittent unit uses crane feature rotation hand brakes that offer unilimited positioning. The mast mounts permanently. Boom adjusts Yes VESTIL in one (1) foot increments and can be positioned at four (4) elevations. Folds for storage. Unit is designed for vertical lifting only. Do not use unit for lifting personnel or overhead lifting.	A Power Lift Jib Crane is designed for material handling applications on docks, in warehouses or in truck beds. This intermittent unit uses crane feature rotation hand brakes that offer unlimited positioning. The mast mounts permanently. Boom adjusts in one (1) foot increments and can be positioned at four (4) elevations. Folds for storage. Unit is designed for vertical lifting only. Do not use unit for lifting personnel or overhead lifting.	Stocked
149	Loading Dock Equipment	FM-2066	EM-		The Edge-O-Dock leveler permanently attaches to face of dock. It is recommended for docks to be at least forty-eight (48) inches high. When the trailer departs, the lip drops automatically behind the face of the bumpers. Concrete recess is not required. It comes complete with bumpers and installation instructions. Standard Ramping is twenty-seven (29) inches, with a thirty-six (36-5/8) inch long ramping length available for smaller grade. A steel dock edge, or approach ramp is required for proper installation. The Mechanical Edge-O-Dock is operated by placing the actuation handle into the pocket of the inner lip and pulling down toward the floor. The operator then pushes the handle forward until the lip rests on the truck bed. As the trailer departs, the lin certracts behind the	is recommended for docks to be at least forty-eight (48) inches high. When the trailer departs, the lip drops automatically behind the face of the bumpers. Concrete recess is not required. It comes complete with bumpers and installation instructions. Standard Ramping is twenty-seven (29) inches, with a thirty-six (43-63) inch long ramping length available for smaller grade. A steel dock edge, or approach ramp is required for proper installation. The Mechanical Edge-O-Dock is operated by placing the actuation handle into the pocket of the inner lip and pulling down toward the floor. The operator then pushes the handle forward until the lip rests	Stocked

				FE	A Portable Cantilever Cart is for storage of bar stock type items. Cart includes three (3) pairs of arms, secured to the cart with a bolt and nut. Arm height is adjustable in six (6) inch increments and can			
150	Storage Solutions	CANT-3060	CANT-	the second secon	be mounted at an incline or straight. The base includes built in fork pockets. Unit rolls on casters and is all steel construction with blue powder-coat finish.	Yes	VESTIL	Stocked
151	Protective Barriers	SPG-26-Y	<u>SPG-</u>		Customize your safety railings with a Self-Closing Steel Gate. Gate can be mounted from the left or right with the included mounting hardware. Mount to horizontal rails. Yellow powder coat finish. (Railing and base not included.) Meets OSHA requirements.	Yes	Import	Stocked
152	Fork Truck Attachments	D-75-HD	<u>D.</u>		This Heavy Duty Self-Dumping Steel Hopper with Bumper Release automatically dumps when bumper release contacts the front of the dumpster. Hopper returns to an upright and locked position automatically after it dumps. Also includes a cable that may be operated from the seat of the fork truck to manually dump the hopper. The included safety restraint should be properly secured to a fork truck before dumping. (Length Dimension is measured at top of chute.) Hopper is stackable if you stack the top hopper turned ninety (90) degrees from the bottom.	Yes	VESTIL	Stocked
153	Fork Truck Attachments	BBL-4	<u>BBL-</u>		The bag lifter is ideal for industrial and manufacturing settings. The unit is constructed of powder coated steel for durability and added strength. The lifter can be used with the center mounted hook point for balanced lifting capabilities with an overhead hoist or with a forklift by utilizing the attached fork pockets (retaining strap included). After choosing which lifting style is best, secure the loops of the bag to the four strap points for safe maneuvering and transporting.	Yes	VESTIL	Stocked
154	Fork Truck Attachments	CR-120-2	<u>CR-</u>		Transport rolls of carpet with this sturdy Rug Ram/Carpet Pole. High strength, rotatable, replaceable pole has tapered tip. This Carriage Mourted Rug Ram class II features a spring loaded locking pin to secure them to the carriage.	Yes	VESTIL	Stocked
155	Ergonomic Solutions	TM-40-DC	TM-		The T iff Master lifts and positions filled tote boxes or baskets without the need of a fork truck or lift table using the newly designed heavy-duty tilt master. The tilter will function as transporters by moving completed products from work station to work station without waiting for a fork truck. It features a folding ergonomic handle for quick and easy maneuverability. This Lift has a thin profile to allow the user to get as close to the load as possible, a standard floor lock and rolls easily on the phenolic steering wheels. It is designed to be used with open bottom pallets or skids. The unit is powered by an electric DC motor that includes, standard, an on- board battery charger, battery charge indicator and push-button hand control on a coil cord.	Yes	VESTIL	Stocked

· · · · · · · · ·							1	
156	Ergonomic Solutions	CART-660-M	<u>CART-</u>	X	The Mechanical Scissor Cart raises and lowers material quickly and easily. The cart rolls smoothly on two rigid and two swivel casters. Mechanical screw drive provides precise positioning with no downward drift. Features an internal safety velocity fuse in each cylinder.		Import	Stocked
157	Fork Truck Attachments	H-150-LD	μ		The Light Duty Low Profile 90° Self-Dumping Steel Hopper feature a full ninety (90) degree dump angle with a cushioned rubber bumper stop. The low profile design is essential for convenient loading. Dumping with a fork truck is quick and simple. A cable is pulled from the seat of the fork truck to dump the hopper. The unit returns to an upright and locked position when lowered to the ground. Fork pockets are 22° long and are capped on the end to allow for 90° dump. The included safety restraint/chain must be securely attached to the lift truck carriage without slack. Models with same overall width may be stacked. For example, Models H- 25 may be stacked with H-50°, the H-100° can be stacked with H- 116° e while the H-200 benerer can be stacked with chare H 116° e while the H-200 benerer can be stacked with chare H	Yes	VESTIL	Stocked
158	Gantry and Jib Cranes	AHA-4-12-12	AHA-	XX	The Adjustable Height Atuminum Gantry Crane combines lightweight and rigid, sturdy construction into one unit. The all aluminum construction of this gantry crane makes it corrosion resistant and perfect for outdoor use. The lightweight Hearn allows height adjustment without the need of a hoist or fork truck. All pined connections make it possible for single person set up and take down in just minutes. Included are two straps, allowing one person to transport the gantry crane in one neat package. Unit comes standard four (4) position locking swivel casters with roller bearings. Locks the rigging in 1 of 4 positions; you can set the wheels and push the gantry crane forward, back, left or right. There is an entional Total Locking Casters that lock the diror in any The Lefter Hydraulic Scissor UIT Table is used by all types of	NU	VESTIL	Build to order
159	Ergonomic Solutions	EHLT-4872-3-43-QS	EHLT-	X	The Electric Hydraulic Scissor Lift Table is used by all types of manufacturing and warehouse facilities. Safety features include: patented pinch point perimeter toe guard to protect pinch points while lowering of the table, fused push button control, internal safety velocity fuse to maintain platform height in an event of hose or fitting failure, integral maintenance prop, adjustable upper travel limit switch to stop table at maximum height, and a displacement- style hydraulic cylinders for maximum strength. It also features a pressure plated pump, manifold system, displacement style hydraulic cylinder, and a state-of-the-art lifetime lubricated bearings. The standard 56 frame electric motor is a fully enclosed with outpal unknown and the context factory if halform.	Yes	VESTIL	Stocked
160	Packaging Equipment	PLPS-4840	<u>PLPS-</u>		The Plastic Pallet/Skid has an innovative design that unites two (2) essential product features; capacity and versatility. Pallet/Skid entry provides 4-way entry, 2-way by pallet truck and 4-way by a fork truck. This Pallet/Skid features anti-slide grommets which prevent the pallets from sliding off the forks and each other during transit.		Import	Stocked
161	Ergonomic Solutions	CART-800-D-TS	<u>CART-</u>		The Hydraulic Elevating Cart minimizes worker bending and lifting through its ergonomic design and portability. Material can be easily loaded onto a cart from a table, lowered to a safe transporting height, and raised to unload at destination. The foot pump includes a soft-lowering down valve. The unit moves easily on four polyurethane casters; two swivel with brakes and two rigid. Features a two-speed foot pump. Features an internal safety velocity fuse in each cylinder.		Import	Stocked

162	Ergonomic ULTT-4848-4- Solutions	-YEL460-3 <u>ULTT-</u>		The Lift & Tilt Workstation Table allows platform to lift & tilt at the same time for easy operation. The platform end includes a high full width lip to support containers. The internal power unit includes electric motor, hydraulic pump, and control box. It includes a two- button hand held pendent control with optional voltages available. The welded steel construction has a yellow painted finish.	No	VESTIL	Build to order
163	Loading Dock D-150/68 Equipment	50-10 <u>D-</u>		The Dock Seal/Shelter Combination is used with a ninety-six (96) inch width by one-hundred Twenty (120) inch height door. The top (header) is constructed of wolmanized lumber and is built with a slope to allow for water run-off. It contains a high density foam mounted to treated lumber. The verticals are mounted on wooden boards allowing wall mounted down the length of the vertical pieces. Application with flush dock to building in conjunction with an Edge-O-Dock use a twenty (20) inch projection Dock Seal. Unit is non-returnable.	Yes	VESTIL	Stocked
164	Gantry and AHA-2- Jib Cranes	8-10 <u>AHA-</u>	XX	The Adjustable Height Aluminum Gantry Crane combines lightweight and rigid, sturdy construction into one unit. The all aluminum construction of this gantry crane makes it corrosion resistant and perfect for outdoor use. The lightweight I-Beam allows height adjustment without the need of a hoist or fork truck. All pined connections make it possible for single person set up and take down in just minutes. Included are two straps, allowing one person to transport the gantry crane in one neat package. Unit comes standard four (4) position locking swivel casters with roller bearings. Locks the rigging in 1 of 4 positions; you can set the wheels and push the gantry crane forward, back, left or right. There is an ontional Total Locking Casters that lock the rigging any	No	VESTIL	Build to order
165	Loading Dock EALU! Equipment	M-7 <u>EALUM-</u>		The Aluminum Wheel Chock is ideal for the maintenance and industrial facilities. The functional design allows the user to brace the wheels, preventing the unit from moving and jostling. The open construction provides an efficient way of transporting.	Yes	VESTIL	Stocked
166	Storage Solutions VHSF	8-4 <u>VHSR-</u>		With a Variable Height Sheet Rack store various sizes of sheet goods in the vertical position for easy viewing of stock. This sheet rack is perfect for use with multiple sizes of material. The bays are different heights to increase visibility of stored materials. This model is welded steel construction. Unit is supplied with lag down points.	Yes	VESTIL	Stocked
167	Loading Dock DRAFT Equipment	r-18 <u>Draft-</u>		The Dock Seal Draft Blocker is ideal for blocking drafts between dock seals and dock levelers. Design features include; a vinyl construction for durability, a heavy weighted base for effective sealing, top carrying handles for easy portability, foam filled interior for compressibility, and an air vent to shape blocker back into original form.	Yes	VESTIL	Stocked

168	Fork Truck Attachments	P-HOP-1	<u>P-HOP-</u>	A Portable Steel Hopper makes handling waste and bulk material safer and more convenient. Fork truck entry openings are designed to move hopper over rough terrain. Foot operated caster lock is included. Unit tilts with assistance from operated row wile seated on fork truck. Handle for transporting. The included safety restraint should be properly secured to a fork truck before dumping. Welded construction makes them durable. Blue baked-in powder-coated toughness with galvanized base.	Yes	VESTIL	Stocked
169	Gantry and Jib Cranes	WTJ-4	<u>WTJ-</u>	This Winch Operated Truck Jib Crane lifts items from ground to truck bed height, then rotate into cargo area. Includes telescopic boom design with manual hydraulic hand pump to pivot boom up and down. Manual cable winch to lift and lower loads. Unit comes with one grab hook, one chain slot lock, and one sling hook with latch. Unit is designed for vertical lifting only. Do not use unit for lifting personnel or overhead lifting.	Yes	Import	Stocked
170	Loading Dock Equipment	RR-68-20	<u>RR-</u>	The Mechanical Dockleveler is constructed of heavy duty checkered plate deck steel for long term support of the steel channel understructure. The dock leveler allows for easy truck loading and unloading. The leveler is engineered and designed for minimum maintenance and features a smooth pull chain operation. Includes two (2) laminated bumpers.	No	VESTIL	Build to order
171	Loading Dock Equipment	D-150-10	<u>D-</u>	The superior nylon reinforced vinyl facing has a higher tear strength than equivalent weight hypalon. The chemically sealed ends prevent moisture infiltration. It is mounted on and bonded on a durable wolmanized wood and contains a full height air escape tunnel. The unit consists of a three (3) piece construction with beyelde fronts and a through the wall installation kit that is included. Five (5°). Application with a flush dock to building in conjunction with an Edge- O-Dock use a twenty (20) inch projection Dock Seal. To ensure proper size complete the survey sheet.	Yes	VESTIL	Stocked
172	Ergonomic Solutions	PEL-100-A	PEL-	The DC Powered Quick Lift is a quiet, lightweight unit used for transport and positioning loads quickly with just the push of the button. The unit is battery operated with a high density polyethylene platform. It features a low profile design for maneuvering in narrow aisles and confined spaces. The poly casters consist of two swivel and two swivel-locking that are standard. The DC system runs with an AC on-board charger.	Yes	VESTIL	Stocked
173	Ergonomic Solutions	A-LIFT-S	A-LIFT-	The Hand Winch Lift Truck is compact and designed to lift material to and from shelves, move office equipment, and install ceiling/wall appliances. It's constructed of durable steel-and-aluminum. Operated by a hand-crank winch that features a reversible handle and hold-down device for securing the carriage during transport. The non-adjustable forks can be inverted to provide different height ranges.	Yes	Import	Stocked

174	Ergonomic Solutions	AIR-1500-D	<u>AIR-</u>		two speed foot pump for minor height adjustments and the factory air/oil power for effortless lifting.	Yes	Import	Stocked
175	Ergonomic Solutions	PM4-2772	<u>PM4-</u>		The Full Featured Pallet Truck is an economical way for one person to move heavy pallet loads without the use of a fork truckl includes two (2) articulating steering wheels and two (2) front load rollers. The ergonomic design requires only seventy-five (75) pounds of pulling force when fully loaded. Steering wheels include bearing dust covers for added life. Nose wheels are located on the front edge of each fork to assist in clean pallet entrance and exit. Reinforced triple-formed steel forks provide twice the strength of standard single-formed forks. The unit is equipped with internally mounted solid steel adjustable push rods. The spring loaded handle automatically returns to vertical position when not in use. Hydraulic	Yes	Import	Stocked
176	Industrial Carts & Dollies	MFM-4000	MFM-		These Furniture, Crate, and Vending Machine Movers make the transport of furniture, crates, and machinery easy. Simply slide nose plate under item to be moved, strap both dollies together, and lift. Movers have a manual hand pump hydraulic lift. Standard with swivel poly-on-steel casters and long straps. Priced and sold in pairs.	Yes	Import	Stocked
177	Gantry and Jib Cranes	AHA-4-8-10	AHA-	XX	I the Adjustable Height Aluminum Garnty Crane combines lightweight and rigid, sturdy construction into one unit. The all aluminum construction of this garnty crane makes it corrosion resistant and perfect for outdoor use. The lightweight I-Beam allows height adjustment without the need of a hoist or fork truck. All pined connections make it possible for single person set up and take down in just minutes. Included are two straps, allowing one person to transport the gantry crane in one neat package. Unit comes standard foru (4) position locking swivel casters with roller bearings. Locks the rigging in 1 of 4 positions; you can set the wheels and push the gantry crane forward, back, left or right. There is an optimal Tatle Locking Casters that lock the rigging in the	No	VESTIL	Build to order
178	Ergonomic Solutions	SL-150-AA	<u>SL-</u>		The Stacker Powered Lift is a semi-electric stacker with a powered lift that will raise and lower loads quickly and easily. The manual push operation stacker is made using high quality material and cost the Stacker is costik meanury word using the total conduct willing.	Yes	Import	Stocked
179	Industrial Carts & Dollies	FJB-16	FJB-	Ī	This Basement Floor Jack provides extra support for leveling and stabilizing floor beams and joists during construction and repairs. Telescopic style with removable pins lets you properly position the brace for better leveling. Includes locking pins and turning bar for easy height adjustment. Rugged all welded steel construction. Red oxide finish.	Yes	Import	Stocked

180	Ergonomic Solutions	PM5-2748-SS	<u>PM5-</u>	e a constant	The Specialized Pallet Truck is ideal for sanitary, pharmaceutical, medical, food, and wet environments. Pallet Truck is one-hundred percent (100%) type 304 stainless steel for long life in the most harsh environments.
181	Ergonomic Solutions	HBD-4-48	HBD-		The Electric/Hydraulic Box Dumper is designed for controlled dumping of material from boxes, crates, and other types of containers. It is designed for pallet truck bacding and unloading. The retaining bar adjusts to accommodate a wide range of container heights. Each dump height has a hold down range and an internal power unit with a hand held control standard. It has a heavy-duty welded steel construction with protective mesh side screens included.
182	Ergonomic Solutions	PM5-2748-6PKG	<u>PM5-</u>		The Full Featured Pallet Truck, in a six (6) pack, is an economical way for one person to move heavy pallet loads without the use of a fork truck! Includes two (2) articularing steering wheels and two (2) fork truck! Includes two (2) articularing steering wheels and two (2) front load rollers. The ergonomic design requires only seventy-five (75) pounds of pulling force when fully loaded. Steering wheels are located on the front edge of each fork to assist in clean pallet entrance and exit. Reinforced triple-formed steel forks provide twice the strength of standard single-formed steel forks provide twice the strength and and single-formed forks. The urit is equipped with internally mounted solid steel adjustable push rods. The spring loaded handle automatically returns to vertical position when not in use. Hydraulic heaving design facilitates easevacreas seal replacement. Chrome, Import Stocked
183	Protective Barriers	EXGATE-30	EXGATE-	Į	Expand-A-Gate is designed to set up quickly and easily wherever and whenever they are needed. Ideal for preventing potential accidents. Lightweight design allows personnel to quickly retrieve Yes Import Stocked the gate and limit access to unsafe areas. Smooth operating scissor action. Interlocking and nestable.
184	Fork Truck Attachments	D-300-LD	<u>D.</u>		This Light Duty Self-Dumping Steel Hopper with Bumper Release automatically dumps when bumper release contacts the front of the dumpster. Hopper returns to an upright and locked position automatically after it dumps. Also includes a cable that may be operated from the seat of the fork truck to manually dump the hopper. The included safety restraint should be properly secured to a fork truck before dumping. (Length Dimension is measured at top of chute.)
185	Ergonomic Solutions	FORK-J	FORK-	141	The Manual Hydraulic Fork Truck Jack is designed to raise fork trucks for maintenance. Features high-quality seals, chrome plated internal components, and rugged steel construction. This Jack is manually raised by a hand pump lever and the lift height provides room needed to perform a variety of repairs. The removable handle and the compact size make it easy to maneuver and transport. Includes two (2) jack stands with holding pins for adjustable heights.

186	Ergonomic Solutions	EHLT-4848-4-43-QS	EHLT-	The Electric Hydraulic Scissor Lift Table is used by all types of manufacturing and warehouse facilities. Safety features include: patented pinch point perimeter toe guard to protect pinch points while lowering of the table, fused push button control, internal safety velocity fuse to maintain platform height in an event of hose or fitting failure, integral maintenance prop, adjustable upper travel limit switch to stop table at maximum height, and a displacement- style hydraulic cylinders for maximum strength. It also features a pressure plated pump, manifold system, displacement style hydraulic cylinder, and a state-of-the-art lifetime lubricated bearings. The standard 56 frame electric motor is a fully enclosed with existent with grant and a state-of-the-art lifetime fully enclosed with existent with the state of	Yes	VESTIL	Stocked
187	Ergonomic Solutions	EPT-2748-45-SCL	EPT-	with perional valiance available. Contact factoruit batterm The Electric Patient Truck with Scale can verify inbound and outbound freight right on your patier truck and them move your loads with ease. The LCD scale and function keys (zero, tare, net/gross, print, LB/KG), displays weight in 1 pound increments within trucks rated capacity. The Scale display operates on AA batteries (best accuracy is 0.01 percent of maximum calibrated weigh). The Scale is not NTEP approved (not legal for trade). Scale head includes RS232 port for serial printing. An individual can raise and lower loads with a push of a button. The unit makes it easy to maneuver loads in warehouses and trailers. Reinforced weided forks with adjustable tie-rods provide long service. The high torque DC drive the factore bandles provide in approved furths a fully in-hordin. The State of the Powered Durity and Powered Durits a fully.	Yes	Import	Stocked
188	Ergonomic Solutions	S-62-AA	<u>S-</u>	The Stacker with Powered Drive and Powered Lift is a fully powered electric stacker that transports loads throughout warehouse facilities quickly and with less effort. The high torque drive and lift motor handles heavy-duty jobs. The ergonomic handle features easy-to-operate throttle with infinite adjustment of forward and reverse speeds, lift/lower controls, proprietary safety- enhancing emergency reverse function, and horn. When the Proprietary Safety-enhancing Emergency Reverse function is actuated, the emergency reverse belly switch instantly reverses direction and moves the unit forward (away from the operator) until the switch is released or after five seconds have elapsed. The built- in safety-circuit will automatically disable the entire unit if the	Yes	Import	Stocked
189	Packaging Equipment	PLP2-4840-ORANGE	<u>PLP2-</u>	Plastic Pallets are stackable for efficient storage. Made of high- density virgin polyethylene for long life. Plastic Pallets are maintenance free and safer to handle than wooden pallets. Features a four-way entry and serrated deck with holes for drainage. Plastic pallets are ideal for export, pharmaceutical, medical, and food applications.	Yes	Import	Stocked
190	Ergonomic Solutions	EHU-2	EHU-	The Low Profile Electric LIIT Tables with the unique, steel constructed, "U" design provides an open center that enables a pallel truck to place a load on the platform. This lift table features an external power pack equipped with a pressure relief valve that prevents overloading and a flow control valve that controls the lowering speed. The remote power pack comes complete with a cover to protect the motor from dust and debris. The UP and DOWN push button raises and lowers the unit and is located on the control box. Safety features include: toe guards, velocity fuse in cylinders, safety maintenance props, and an emergency stop button on the control box. The power supply has pedestal mounted push buttons.	Yes	Import	Stocked
191	Facilities Maintenance	CS-33-BL	<u>cs.</u>	The Car Stops protect people and property from drivers in dangerous areas. Constructed of solid black recycled rubber. One person installation. Can be moved for seal coating, snow removal, change of location. Resists marring by oil, road salt, sunlight, and chemicals. Resists rotting, termite damage and corrosion. No costly painting or maintenance. Hardware kits sold separately.	Yes	Import	Stocked

192	Packaging SWA-50 Equipment	<u>SWA-</u>		The Semi-Automatic Stretch Wrap Machine design offers bigger carousel sizes with carousel rotation that is controlled by a foot switch. The power input has variable AC motor that allows adjustable deck speed and includes soft-start/stop. The film-wrap tension is controlled with an adjustable, friction-brake assembly. Film placement is controlled manually by moving the carriage assembly up and down on the vertical mast. An easy-to-release, hand operated carriage-brake allows the carriage to move freely making film application fast and simple. The system will accept 10 (in.) to 20 (in.) material. The unit ships with mast disconnected- simply raise mast and clamp into place.	Yes	VESTIL	Stocked
193	Loading Dock EH-68-20 Equipment	EH:		The Electric Hydraulic Dock Leveler is releaf for high usage dock areas. The hydraulic design is state of the art and consists of a single button operation. The operator pushes and holds the "raise" button which activates the hydraulic pump and raises the dock. When the deck reaches the raised position the lip automatically extends. The operator releases the "raise" button and the deck descends to rest on the trailer. The control box includes a red emergency stop button standard. When the truck pulls away, the deck descends to full down position, trips the limit switch and returns automatically to the level cross traffic position. Includes telescopic steel toe guards on both sides, flush with platform edge and includes two (2) lominated bumpore	No	VESTIL	Build to order
194	Fork Truck CRF-120 Attachments	<u>CRF-</u>		The fork mounted rug ram is ideal for the warehouse and maintenance establishments. The construction is strong and durable throughout a lifetime of use. A chain is included for enhanced security while connecting to the transporting vehicle. The ram is finished to a smooth texture to minimize edges during transport.	Yes	VESTIL	Stocked
195	Fork CRF-144 Truck CRF-144 Attachments	<u>CRF-</u>		The fork mounted rug ram is ideal for the warehouse and maintenance establishments. The construction is strong and durable throughout a lifetime of use. A chain is included for enhanced security while connecting to the transporting vehicle. The ram is finished to a smooth texture to minimize edges during transport.	Yes	VESTIL	Stocked
196	Gantry and AHA-4-12-10 Jib Cranes	AHA-	XX	The Adjustable Height Aluminum Gantry Crane combines lightweight and rigid, sturdy construction into one unit. The all aluminum construction of this gantry crane makes it corrosion resistant and perfect for outdoor use. The lightweight I-Beam allows height adjustment without the need of a hoist or fork truck. All pined connections make it possible for single person set up and take down in just minutes. Included are two straps, allowing one person to transport the gantry crane in one neat package. Unit comes standard four (4) position locking swivel casters with roller bearings. Locks the rigging in 1 of 4 positions; you can set the wheels and push the gantry crane forward, back, left or right. There is an ontional Total Locking. Casters that lock the rigging any	NU	VESTIL	Build to order
197	Ergonomic A-LIFT-S-EHP Solutions	A-LIFT-		The Hand Winch Lift Truck is compact and designed to lift materia to and from shelves, move office equipment, and install ceiling/wal appliances. It's constructed of durable esteehand-aluminum. Operated by a hand-crank winch that features a reversible handle and hold-down device for securing the carriage during transport. The non-adjustable forks can be inverted to provide different heigh ranges.	Yes	Import	Stocked

198	Industrial Carts & Dollies	SPS2-2848	<u>SPS2-</u>		Combine the mobility of a cart with the versatility of a step ladder with this Stockpicker Truck. Convenient spring loaded steel step ladder holds the cart securely in place while a person is standing on the ladder. Crutch tip ladder prevents the cart from moving while stocking. Springs then return the ladder to the raised position once personnel exit the step. All shelves have the lip turned up to prevent items from falling off.	Yes	VESTIL	Stocked
199	Loading Dock Equipment	ATWR-18-8-54	ATWR-		Elevate semi-trailers to loading docks for maximum serviceability during loading and unloading operations. Manufactured from heavy- duty aluminum tread plate for positive traction. All welded aluminum construction. 30,000 lbs. uniform capacity per pair (%* thick material). Wheel Risers are designed to raise the trailer for loading and unloading to facilitate compliance with OSHA/ANSI B56.1 part 3 sec 7 requirements for maximum grade of ascending or descending loaded fork trucks.		VESTIL	Build to order
200	Fork Truck Attachments	H-150-MD	Η.		The Medium Duty Low Profile 90° Self-Dumping Steel Hopper feature a full ninety (90) degree dump angle with a cushioned rubber bumper stop. The low profile design is essential for convenient loading. Dumping with a fork truck is quick and simple. A cable is pulled from the seat of the fork truck to dump the hopper. The unit returns to an upright and locked position when lowered to the ground. Fork pockets are 22° long and are capped on the end to allow for 90° dump. The included safety restraint/chain must be securely attached to the lift truck carriage without slack. Models with same overall width may be stacked. For example, Models H- 25 may be stacked with H-50°s, the H-100°s can be stacked with other H- 150°s, while the H-2000 homper can only be stacked with other H-	Yes	VESTIL	Stocked

