

Deburring-Polishing MACHINES





COMPLETE METALWORKING SOLUTIONS
(800) 991-4225 www.ahbinc.com


customerservice@ahbinc.com

ISO Certified










The HMI Vision enables the visualization in a touch-screen monitor of the setup data and operation of the machine, and to store many complete working programmes.





Features and Benefits

- Top and bottom processing in one pass
 Deburring and polishing operations
 For plasma and oxy cut parts, laser, sheared, stamped, punched and water-jet cut parts

- stamped, punched and water-jet cut parts

 Low energy consumption

 Directional or non-directional finishing

 Easy to use and intuitive through our HMI Vision

 Uniform 360° edge rounding independent of direction of contour

 Adjustable grade of edge rounding

 Modular design, compact and heavy duty frame

 Available in 2,4 and 6 units

 For flat or formed parts

 Oxide removal up to 16 mm

- Oxide removal up to 16 mm
- Very gentle on surface when processing zinc-coated or foiled parts
 High capacity in slag removal on plasma and oxy burrs
 Very tolerant with differences in material thickness

1350 - 1650 from 1+1 to 3+3 0.3 - 6 mt/min

Techincal Data

- Working width:
 Available working units:
 Feed speed:
 Opening height:
 Electronic controls via HMI Vision







Location: Italy - Veneto



Airports

Venezia: 90 Km - 1h drive Treviso: 75 Km - 1,5 h drive Verona: 65 Km - 45 min drive Bologna: 160 Km - 2h drive

Train Station

Vicenza: 30 km - 30 min drive

Car Directions

To the Factories in Sandrigo Highway A31 - Exit Dueville - 3,5 km

To the Main Office in Schio Highway A31 - Exit Thiene-Schio - 13 Km



Headquarter of Schio

Via Venezia, 144 36015 Schio

Factory of Sandrigo 2 Via G.Galilei, 5

36066 Sandrigo

Factory of Sandrigo 3

Via Galvani, 3-5 36066 Sandrigo

Factory of Sandrigo 4


Via Galvani, 1 36066 Sandrigo














We reserve the right to change features without any notice

