



COMPLETE
METALWORKING
SOLUTIONS

(800) 991-4225 www.ahbinc.com ISO Certified customerservice@ahbinc.com

# **Product Directory**



Subsidiary of HIWIN Technologies Corp., Taichung, Taiwan.

Mechatronic Solutions Mechanical Solutions Industrial Robots

## **MECHANICAL SOLUTIONS** LINEAR

HIWIN'S MECHANICAL MOTION COMPONENTS ARE KNOWN AROUND THE WORLD FOR THEIR QUALITY.

## COMPONENTS



**Linear Guideways & Kits** 

## **Linear Guideways & Kits**

Complete line of series, sizes and dust protection options to choose from.



Ballsplines

## ■ Ballsplines

An upgrade from bushings, we offer four different types for application versatility and improved rigidity.



**Ballscrews & Supports** 

## ■ Ballscrews

Choose from high precision ground and rolled ballscrews with a variety of ballnut styles



**Ballscrews & Supports** 

## **■ Ballscrew** Supports

Various ballscrew support units to satisfy the mounting or loading requirements of any application.

### **BALLSCREW STAGES**



SDXK

## SDXK Series

Assembled in the USA using parts imported from Taiwan and elsewhere. Offers long strokes at a lower price point.



KK

## 

Combine our linear guideways and ballscrews into a plug and play stage. SK Series utilizes our Synchmotion quiet technology.





**Multi-Axis Ballscrew Stage** 

## **Multi-Axis Ballscrew Stage**

Choose from one of our standard multi-axis configurations or let us co-design your custom multi-axis system.



**Ballscrew Stage Cover** 

## **■ Ballscrew Stage Accessories**

Covers for ballscrew stages are offered for contamination protection along with bellows, motor adaptor flanges, etc.



## **COMPONENTS**

## Datorker® Strain > **Wave Gearing System**

A proven mechanical solution to gear reduction, we offer multiple sizes of four types.



**WTIPH Series** 

## Crossed Roller **Bearings**

Choose from inner and/or outer rotation in a variety of sizes.



**CRBE Series** 

## Grease >

Our different types of grease are available in different volumes. HIWIN knows long-lasting service is dependent on lubricating with the right grease for your environment.



Grease

## Grease Gun >

Offered in two different sizes, our grease guns come equipped with one normal grease nozzle but can be equipped with various nozzles offered in our kit.



**ASSOCIATED PRODUCTS** 

**Grease Guns** 

## **AC Servo Motors**

Complete your ballscrew stage with a 23-bit servo using an incremental or absolute encoder.



**AC Servo Motor** 

## **AC Servo Drives**

Our drives are suitable for AC Servo rotary and linear axes. These products include an easy to use interface with improved servo algorithms for easy tuning.



**AC Servo Drive** 

## **MECHATRONIC SOLUTIONS**

LINEAR

DESIGN ENGINEERS CAN SAVE DESIGN AND ASSEMBLY TIME BY SPEC'ING HIWIN MECHATRONIC SYSTEMS, MADE WITH OUR OWN COMPONENTS.

## COMPONENTS



**LMFA Series** 

## **Iron Core Linear Motor Series**

High force density; High acceleration; Ideal for point to point motion.



LMC Series

## Ironless **Linear Motor** Family

Lightweight; No cogging; Low velocity ripple. Ideal for scanning applications.

## **MODULE**



**LMSSA** 

## **LMSSA**

High precision linear motor stage. Available with ironcore or ironless motor options. Peak force of 1535N.



**LMXK** 

## **LMXK**

Ironcore linear stage for long strokes up to 3700mm. Peak force of 868N.





**Linear Motor Air Bearing Stage** 

## **<b>■LMABS**

Single-axis air bearing nano accuracy positioning stage for smooth motion and high geometric repeatability.



**Nanometer Precision Stage** 

## Nano Precision Stage

High rigidity cross roller bearing stage with a linear motor and ballscrew option.

**MULTI-AXIS** 



Gantry

## Gantry, XYZ ▶

Save design and installation time with ballscrew and linear motor stages in a multitude of combinations.



XYZ



**XY Theta** 

### **PLATFORM**



**Diamond Air Bearing System** 

## **Diamond Air Bearing Bearing System**

Counter-vibration for the smoothest motion on granite base technology.



MODULE

## **Torque Motor**▶

**Build rotating** elements with zero wear and higher acceleration than worm gears.



**AC Servo**▶ **Rotary Motor** 400 W - 2 KW; Single and Three Phase input voltage options.



**COMPONENTS** 

**TMRW Series** 

## **Direct Drive Rotary Table**

Internal or external rotation and hollow shaft. Standard, low or ultra-low profile.



**DMS Series** 

## Single-Axis **Torque Motor Rotary Table**

High speed and rigidity. High positioning accuracy



**EM1200W** 

RCV (250) Series

## **Multi-Axis Torque Motor Rotary Table**

Trunnion and tilting rotary tables for high speed, rigidity and position accuracy.



RAB (500) Series

## **Drives**

One-stop shop for your motion system with guaranteed compatibility.



Servo Drive E1

## **Excellent Smart** > Cube

For the most options in encoder and PTE, include the Excellent Smart Cube



**Excellent Smart Cube** 

## Multi-Axis▶ Motion Controller

Complete your motion system with HIWIN Controllers.



**HIMC Controller** 

## Positioning > Measurement **System**

Accurately measure linear position with our integrated compact easy to install design



T Type

**ASSOCIATED** 

**PRODUCTS** 

## **INDUSTRIAL ROBOTICS**

HIWIN CAN PROVIDE ROBOTS, GRIPPERS, CONTROLLERS AND VISION TECHNOLOGY. FREE SOFTWARE. MADE WITH HIWIN COMPONENTS FOR HIGH RELIABILITY.

### **ARTICULATED**



**RA605 Articulated** 

## RA605 Articulated

6-axis robot with absolute encoder. Nominal load 5kg. Maximum reach of 710mm - 909mm. IP65 Protection Rating.



RT605 Articulated

# ■RT605ArticulatedRobot

Cost-effective 6-axis robot. Nominal load 5kg. Maximum reach of 710 - 909mm. IP32 Protection Rating.

## **SCARA**



RS405 SCARA

## RS405 SCARA

High Speed. Nominal load of 2kg or 5kg. Reach radius of 400mm or 500mm.



**RS410 SCARA** 

## RS410 SCARA

Highly adaptable to a variety of applications. Nominal load of 5kg or 10kg. Reach radius of 600mm, 700mm or 800mm.

## END EFFECTORS



**XEG-32 Electric Gripper** 

# ▼ X Series Electric ▶ Gripper

Ready for real world requirements with simple assembly.
Requires Controller (included). Compatible with HIWIN and other leading robots.



**XEG-32-PR Electric Gripper** 




**XEG End Effector Controller** 

## **▼ Electric Controller**

Stepper controller based brain-box and communication hub for X gripper series.

## ASSOCIATED PRODUCTS



**HRSS HIWIN Robot Simulation Software** 

## **Software**

Free software downloads and updates with purchase. Teach pendant includes forward, back and left/right jog directions based on the operator position relative to the robot, and an emergency stop, with 3 position switch protects users and equipment while teaching.

## RA610 > **Articulated Robot**

Slender 6-axis robot with absolute encoder. Nominal load 7 - 12kg. Maximum reach of 1355mm - 1869mm.



**RA610 Articulated** 

## RA620 Articulated > Robot

6-axis robot with absolute encoder. Nominal load 20kg or 30kg. Maximum reach of 1621mm - 1739mm.



**RA620 Articulated** 

## RD403 DELTA Robot >

An IP65 rating and RD403-110-FD for food applications.



**RD403 DELTA** 

**END** 

**EFFECTORS** 

**DELTA** 

## Integrated S **Series Electric Gripper**

Built-in controller. 2 or 3 Pronged. Compatible with HIWIN and other robot brands.



**Integrated Electric Gripper S Series** 

**Integrated Electric Gripper S Series** 

## **Rotary Joints**

Passively transmit electric signals or air under infinite rotation, replacing and solving the wire deflection, space interference as well as wear and tear.



**ERJ-30** 

## **Robot Controller**

Match up HIWIN's IPC based controller with your choice of robot.



**RCA605** 

## **ASSOCIATED PRODUCTS**

## **HIWIN CORPORATION**

For 30 years, the HIWIN facility, located right outside Chicago has been here to support customers of any HIWIN product with an in-house engineering team. HIWIN manufacturing quality is unmatched, offering a variety of standard and customizable product options. We have a tremendous amount of inventory in our warehouse and that, backed up with competitive pricing, is what truly benefits our customers. We are willing to machine parts to any specified millimeter length with international quality standards including ISO, JIS, REACH, RoHS, CE and UL. Hundreds of items are in stock and ready to ship, and our engineering expertise can design a custom component or entire motion system to meet your requirements.



For more info about HIWIN Scan this QR





COMPLETE
METALWORKING
SOLUTIONS

(800) 991-4225 www.ahbinc.com ISO Certified customerservice@ahbinc.com