



WHOLE SHOP SUMMER Get an additional 10% Off When Purchasing a Package that Includes: Vertical Contour Band Saw Surface Grinder Horizontal Manual Band Saw Radial Drill Press Milling Machine Lathes



COMPLETE METALWORKING SOLUTIONS (800) 991-4225

> www.ahbinc.com ISO Certified

customerservice@ahbinc.com







VERTICAL CONTOUR BAND SAWS



LOADED WITH STANDARD **FEATURES OTHERS CONSIDER ACCESSORIES**

- Inverter Drive with Digitally **Displayed Band Speed**
- Blade Welder
- Blade Grinder
- Tungsten Faced Saw Guides
- Rip Fence
- Chip Blower
- Work Light
- Blade Shear







Model	SWV-1209	SWV-1614	SWV-2013
Max Cutting Capacity, Throat	11"	15.7"	19.7"
Max Cutting Capacity, Height	7.8"	13.8"	13"
Wheel Diameter	12.2"	13.8"	19.7"
Table Size	19.6 x 19.6"	23.6 x 19.7"	23.6 x 19.7"
Motor	1 hp	1 hp	2 hp
Blade Speed	118-1,132 ft/min	98-1,510 ft/min	118-1,902 ft/min
NEW LOWER PRICE	\$4,895	\$9,395	\$11,995

Promotion valid through August 31, 2024.



SOLUTIONS (800) 991-4225 www.ahbinc.com ISO Certified customerservice@ahbinc.com

COMPLETE





IN STOCK FOR IMMEDIATE DELIVERY!

SEMI-AUTOMATIC HORIZONTAL CUT OFF BAND SAW

SEMI-AUTOMATIC BAND SAW

SW-80

Round	8"	
Square	7"	
HP	1 hp	

- 7x11.4" Rectangular Capacity
- 1" Wide Saw Blade
- Flood Coolant System
- Adjustable Hydraulic Down Feed
- Carbide blade guides
- Manual Vise Clamping



SW-80 VIDEO



Promotion valid through August 31, 2024.

TOOLING & MACHINERY

COMPLETE METALWORKING SOLUTIONS (800) 991-4225

(800) 991-4225 www.ahbinc.com ISO Certified stomerservice@ahbinc.cor





IN STOCK FOR IMMEDIATE DELIVERY!

SEMI-AUTOMATIC HORIZONTAL CUT OFF BAND SAW

SEMI-AUTOMATIC BAND SAW

SW-100H

Round	10"
Square	9"
HP	2 hp

- Semi-Automatic Cutting Cycle
- 9x12" Rectangular Capacity
- 1" Wide Band
- 2 HP Drive Motor
- Hydraulic Vise
- Adjustable Hydraulic Down Feed
- Flood Coolant System



SW-100H VIDEO



Promotion valid through August 31, 2024.

TOOLING & MACHINERY

COMPLETE **METALWORKING** SOLUTIONS

SALE PRICE

(800) 991-4225 www.ahbinc.com ISO Certified erservice@ahbin





IN STOCK FOR QUICK DELIVERY!

Save \$1,000 Sharp Knee Type Vertical Mills Equipped with 2- or 3-Axis ACU-RITE DRO




ACU-RITE DRO 203 Series



Dynamic Zoom



Bolt Hole Patterns





Scan to View Sharp Vertical Knee Type Mills

Model	Table Size	X & Y Travel	Drive	Slide Ways	Taper
LMV-42	9 x 42"	30" X / 12" Y	3 HP Variable Speed	Dovetail	R-8
LMV-49-DVS	9 x 49"	37" X / 12" Y	3 HP Digital Variable Speed	Dovetail	R-8
LMV-50	9 x 50"	37" X / 12" Y	3 HP Variable Speed	Dovetail	R-8
TMV	9 x 54"	39" X / 16.3" Y	3 HP Variable Speed	Box	R-8
TMV-DVS	9 x 54"	39" X / 16.3" Y	3 HP Digital Variable Speed	Box	R-8
TMV-1	9 x 54"	39" X / 16.3" Y	5 HP Variable Speed	Box	NT-40

Promotion valid through August 31, 2024.

COMPLETE



SOLUTIONS (800) 991-4225 www.ahbinc.com ISO Certified customerservice@ahbind





IN STOCK FOR QUICK DELIVERY!

Sharp & ACU-RITE Team Up to Provide Constant Surface Speed on Manual Lathes

Increase Productivity / Improve Surface Finishes / Improve Part Accuracy / Optimize Cutting Tool Life



ACU-RITE DRO 300 Series



Features

 Lock Axis Feature establish tool offsets with the tool under load, resulting in reduced tool deflection

- · Instant radius / diameter conversion
- Taper calculator, Vectoring
- INCLUDES Thread Assist simplify cutting metric threads on lathes with English lead screws



Scan to View Sharp Precision Lathes

Model	Swing	Ctr Distance	Drive	Bore Hole	Cam Lock
1340VS	13"	40"	3 HP Variable Speed Inverter	1.6"	D-1.4
1440VS	14"	40"	3 HP Variable Speed Inverter	1.5"	D-1.4
1640LV	16"	40"	7.5 HP Variable Speed Inverter	3.1"	D-1.8
1660LV	16"	60"	7.5 HP Variable Speed Inverter	3.1"	D-1.8
1860LV	18"	60"	7.5 HP Variable Speed Inverter	3.1"	D-1.8
1880LV	18"	80"	7.5 HP Variable Speed Inverter	3.1"	D-1.8

Promotion valid through August 31, 2024.

COMPLETE METALWORKING SOLUTIONS

TOOLING & MACHINERY

(800) 991-4225 www.ahbinc.com ISO Certified ustomerservice@ahbinc.co







MANUAL SURFACE GRINDER

MANUAL SURFACE GRINDER

\frown	\frown	1	
		h	
()	1 -C		
$\overline{}$		<u> </u>	

Table Size	6 x 18.3"
Max Grind Size	6 x 18.5"
Center Height	15.7"
Spindle HP	2 hp

STANDARD FEATURES

- Grinding Wheel (8" x 0.63" x 1.25")
- 6x18 Kanetsu Permanent Magnetic Chuck
- Auto Lube System
- Wheel Adapter/Flange
- Wheel Balancing Arbor
- Work Light
- Diamond Dresser



SG-618 VIDEO

TOOLING & MACHINERY



Promotion valid through August 31, 2024.

COMPLETE METALWORKING SOLUTIONS

(800) 991-4225 www.ahbinc.com ISO Certified customerservice@ahbinc.com





IN STOCK FOR IMMEDIATE DELIVERY!

AUTOMATIC SURFACE GRINDER

AUTOMATIC SURFACE GRINDER

SG-820-2A

Table Size	8 x 20"
Max Grind Size	8.7 x 21.7"
Center Height	16"
Spindle HP	2 hp

STANDARD FEATURES

- Grinding Wheel (8" x 0.75" x 1.25")
- KANETSU Electro-Magnetic Chuck
 with Control
- Ball screw on cross axis
- Coolant System with Paper Filter (25 Gal.) & Splash Guard
- Automatic Crossfeed
- Accurate Slot-Grinding Capability
- Hydraulic System for Table Travel
- 2 HP Spindle Motor 3,420 rpm
- Hand Scraped and Turcit B Coated Way



Promotion valid through August 31, 2024.

\$29,800

COMPLETE METALWORKING SOLUTIONS (800) 991-4225

SALE PRICE

TOOLING & MACHINERY

www.ahbinc.com ISO Certified Istomerservice@ahbinc.co







RADIAL ARM DRILL

RADIAL ARM DRILL



- 8.29" column diameter
- MT#4 spindle, 3 HP motor
- 33.46" column to spindle center
- Drilling : 1.968" cast iron, 1.259" steel
- Boring : 4.125" cast iron, 2.75" steel
- Hardened and ground arm slide ways and gears
- Arm elevation controlled by electric motor
- Manually operated arm, head, clamping
- Counter balanced spindle (spring action) to increase durability





RD-820 VIDEO



Promotion valid through August 31, 2024.

COMPLETE METALWORKING SOLUTIONS

(800) 991-4225 www.ahbinc.com ISO Certified customerservice@ahbinc.cor





IN STOCK FOR IMMEDIATE DELIVERY!

RADIAL ARM DRILL

Sale Price

TOOLING & MACHINERY

RADIAL ARM DRILL

RD-1230

- 12" column diameter
- MT#4 spindle, 5 HP motor
- 48.5" column to spindle center
- Drilling: 2.18" cast iron, 1.62" steel
- Boring: 4.75" cast iron, 3.37" steel
- Hardened and ground arm slide ways and gears
- Double tube column design to increase rigidity
- Arm elevation controlled by electric motor
- · Manually operated arm, head, clamping
- Spindle depth setting with automatic kickout
- Auto reverse tapping function
- T-slots and drain channels on box table



RD-1230 VIDEO

Promotion valid through August 31, 2024.

COMPLETE METALWORKING SOLUTIONS

The.

(800) 991-4225 www.ahbinc.com ISO Certified ustomerservice@ahbinc.com