





EFFICIENCY AND PROFITABILITY TO YOUR SMALL BORING OPERATIONS AS SMALL AS Ø0.6 MM

New SH725 PVD grade provides a good combination of wear and fracture resistance, ensuring long tool life and wear prediction.



GET 1

corresponding sleeve

25 %
additional
discount!
Promo Code: TG212

Solid Carbide bars (Grade SH725):

J/TBTR/L...

J/TBPR...

J/TBUR...

J/TBCR...

J/TBBR...

J/TBIR... J/TBSR...

J/TBRR...

J/TBFR/L...

J/TBGR/L....

Sleeve:

JBBS...

JBBS-4N









INTERNAL GROOVING AND THREAD TURNING TOOL SERIES FOR BORES AS SMALL AS Ø5 MM (Ø0.197")

It offers unmatched precision and edge repeatability, thanks to its unique clamping system for rigid stability. **Featuring the latest PVD insert grade, SH7025,** for superior surface quality and process security.



GET 1

corresponding toolholder



Inserts (Grade SH7025):

MGR...

MTR...



MGR Grooving




MGR Profiling (Full R)



MTR Threading










DEEP FACE GROOVING OF UP TO 10 MM (0.393") DAXN AND UP TO 9 MM (0.354") GROOVE DEPTH IS POSSIBLE

Extremely rigid insert clamping ensures tool stability during deep face grooving operations. Sharp cutting edge, combined with SH7025, the latest PVD grade, provides long tool life and superior surface quality.









DOUBLE-ENDED SMALL-SIZE INTERNAL GROOVING INSERTS WITH EXCEPTIONAL FEATURES

Enhanced chatter resistance is achieved through optimized screw placement, which strengthens the insert clamping capability. Larger pockets facilitate more effective and smooth chip evacuation.



GET 1 corresponding head or toolholder

FREE of charge!

Inserts:

Head:

DGS*S

S-CTIRS-H...

DTR*S

Toolholder: CTIR**S



DGS*S

Lower cutting force and superior sharpness **CW** = 0.079", 0.118"



DTR*S

Full radius type **CW** = 0.079", 0.118"







HIGH PRECISION GROOVING AND THREADING **TOOL SERIES FOR CNC AUTOMATIC LATHES**

Perfect for grooving and threading bar stocks of 0.472" (12 mm) or smaller diameters



GET 1 toolholder



BUY 10 inserts

1 CHP toolholder or 1 CHP head

50 % additional discount!

VGP08/10 (for Grooving) CW = 0.013" - 0.039"

Insert:

VGT10F (for Threading) Pitch = 0.4 - 2 mmTPI = 12 - 64Cutting edge angle = 55° , 60°

VGP08/10











Toolholder:

SVER/L... QC-SVER/L-CHP...

SVER/L-CHP...









INNOVATIVE TURNING TOOL SERIES FOR CNC AUTOMATIC LATHES AND CAM-DRIVEN LATHES

Ideal for machining small parts of 0.472" (12 mm) or smaller diameters









HIGH FEED MILLING CUTTERS ENABLING LONG OVERHANG APPLICATIONS AND EXTENDED TOOL LIFE

Optimal depth of cut can be selected in machining various work materials



GET 1Cutter

50 %additional
discount!
Promo Code: TG218

Limited up to diameter 5" (125 mm)

Inserts (Grades: AH3135, AH3225, AH120, AH130 AH8015):

SWMT09/15**ZER SWMT09/15**UER

Cutter bodies:

Bore type: TXSW09/15

 $DCX = \emptyset 1.5" - \emptyset 5"$

Shank type: **EXSW09**

 $DCX = \emptyset1" - \emptyset1.25"$

Modular type: **HXSW09**

 $DCX = \emptyset 25 - \emptyset 32 \text{ mm}$



SWMT09/15**ZER


Max. depth of cut
- SWMT09**ZER: 0.059"
- SWMT15**ZER: 0.098"



SWMT09/15**UER

Max. depth of cut
- SWMT09**UER: 0.039"
- SWMT15**UER: 0.078"









ULTIMATE HIGH FEED MILLING CUTTER SERIES FOR MAXIMUM PRODUCTIVITY

Small diameter high-feed milling cutter for expanded application coverage, featuring cutter bodies as small as ø0.375"





Insert (Grades: AH3225, AH130, AH8015):

LNMU02

Cutter bodies:

Shank type:

EXN02R... (Short type)

EXN02R**L (Long type)

 $DCX = \emptyset 0.375" - \emptyset 1.000"$

ø8 – ø25 mm

Modular type:

HXN02-M/S

 $DCX = \emptyset 0.375" - \emptyset 0.750"$ **NEW Inch Offering** ø8 – ø25 mm





TUNG-TRI

Valid from July 1st to December 15th, 2024



COMPLETE SOLUTION FOR SHOULDER
MILLING WITH OUTSTANDING PERFORMANCE
AND COST-EFFECTIVE INSERTS

Economical shoulder milling cutter with 3 cutting edged insert with wide range of sizes, grades and diameters

BUY 10 inserts per pocket up to max 50 inserts

GET 1 Cutter

Limited up to diameter 5" (125 mm)

Insert (Grade: T1215, KS05F, T3225, AH8015, AH3135, AH3225, AH120): TO*T04/06/10/15 - MJ/MM/AJ/NMJ

Cutter bodies:

Bore type: **TPA06/10/15**

 $DC = \emptyset 1.5" - \emptyset 5"$, $\emptyset 32 \text{ mm} - \emptyset 125 \text{ mm}$

Shank type: **EPA04/06/10/15**

 $DC = \emptyset 0.5" - \emptyset 2"$, $\emptyset 8 \text{ mm} - \emptyset 50 \text{ mm}$

Modular type: HPA06/10-M

 $DCX = \emptyset 16 - \emptyset 32 \text{ mm}$





TO*T04 TO*T06APMX 3.5 mm APMX 0.236"



TO*T10 APMX 0.394"



TO*T15 APMX 0.590"



DRILLMEISTER

Valid from July 1st to December 15th, 2024



EXCHANGEABLE HEAD DRILL SYSTEM FOR SUPERIOR DRILLING PERFORMANCE AND **LONG TOOL LIFE**

Quick drill tip change for reduced machine downtime.

Tool inventory and management costs are significantly reduced as there is no need for regrinding.



1 drill body

up to 8xD

50 % additional discount! Promo Codes Below



Drill dia .: ø0.236" - ø1.020" ø6 mm - ø25.9 mm head ideal for various drilling applications



Drill dia .: ø0.236" - ø1.020" ø6 mm - ø25.9 mm General purpose drilling High precision drilling head with double-margined drill periphery and selfcentering chisel edge

Drill heads (Grades: AH9130, KS15F):

DMP, DMC, DMF, DMH, DMN

Drill bodies:

TID-F (1.5xD, 3xD, 5xD, 8xD) TID-R (3.5xD, 6xD, 8xD) TID-R-E (2xD) TIDC (3xD, 5xD) TID-M (2xD, 3xD) TID-S (2xD) TID-L-A-M

1.5xD - 2xD: Promo Code: TG222

3xD - 8xD: Promo Code: TG223

Modular Type Promo Code: TG224



Drill dia.: ø0.236" - ø1.020" ø6 mm - ø25.9 mm 180° flat edges for counterboring and flat bottoms



Drill dia .: ø0.236" - ø1.020" ø6 mm - ø25.9 mm General purpose head with Drill head with sharp edges enhanced cutting edge



DMN

Drill dia .: ø0.268" - ø0.768" ø6.8 mm - ø19.5 mm for non-ferrous materials







DRILLMEISTER

Valid from July 1st to December 15th, 2024



DRILL BODIES LINEUP



TIDC
Drill dia.:
(ø0.335" - ø0.783")
ø8.5 - ø19.9 mm
3xD and 5xD



TID-F Drill dia.: ø0.394" - ø1.020" ø6 mm - ø25.9 mm 1.5xD, 3xD, 5xD, 8xD




Drill dia.: (ø0.236" - ø0.787") ø6 mm - ø19.9 mm 2xD, 3.5xD, 6xD, 8xD

MODULAR DRILL BODIES LINEUP




MEMO



YOUR GATEWAY TO TUNGALOY SUCCESS REPORTS!

We invite you to visit the updated TSR platform and discover how Tungaloy's products have successfully met diverse challenges and delivered outstanding results. These reports can provide insights and inspiration for your own applications and projects, offering detailed solutions to succeed in various industrial fields.

Find applications that fit your current needs, elevate your productivity, and solve your production bottlenecks.



Leading in Innovation



3726 N Ventura Dr. Arlington Heights, IL, 60004 (888)-554-8394 tungaloy.com/us

FREE UPS RED Next Day Shipping Conditions:

Eligibility: Free UPS Red shipping is available for promotional orders shipped directly from the Tungaloy-NTK America warehouse to the end user within the continental U.S. **Deadline:** Only orders placed before **September 30th** are valid for free shipping. **Stock Requirements:** Promotional items must be in stock in the Tungaloy-NTK America warehouse, and the order must ship complete to qualify for the free shipping

offer.

Order Contents: Orders must include promotional items only to qualify for free shipping.

Promo Code: Please use the specified Promo Code when placing orders.

Free shipping is available exclusively for orders processed through our customer service team before September 30th. To take advantage of this offer, please contact our customer service representatives at 800-991-4225.





tungaloy.com/us

follow us at:

facebook.com/TungaloyNTK instagram.com/tungaloyntkamerica linkedin.com/company/tungaloyntkamerica tiktok.com/@tungaloyntkamerica

To see Tungaloy products in action visit:



www.youtube.com/tungaloycorporation

Distributed by:





