ShopFlow SOLUTIONS.com

AHB

TOOLING & MACHINERY

COMPLETE METALWORKING SOLUTIONS

(800) 991-4225   www.ahbinc.com
ISO Certified   customerservice@ahbinc.com

INDUSTRIAL STORAGE EQUIPMENT

ABOUT

Welcome to ShopFlow Solutions, a premier manufacturer of workspace solution products for every area of your business. Our products are designed to aid manufacturing, distribution and service companies who are interested in streamlining their production flow, maximizing labor efficiency and increasing worker comfort. Organize, store, and protect tools, hardware, machine tools, assembly components, CNC tool assemblies, MRO supplies and more. Consolidate storage space and create a highly productive shop floor quickly and inexpensively. Ideal solutions for LEAN & 5S implementations.

Contact us today 1.800.274.4123

CONTENTS

Modular Cabinets

CNC Tool Storage

DRAWER COMPARTMENT BINS

Item Number	Cabinet Series	Drawer Height	Total Bins	Number of Bins		
				ASA	ASB	ASC
SML-075MM	ML	3" (75mm)	28	16	8	4
SML-100MM		4" (100mm)	28			
SMD-075MM	MD	3" (75mm)	32	16	8	8
SMD-100MM		4" (100mm)	32			
STD-075MM	TD	3" (75mm)	40	20	10	10
STD-100MM		4" (100mm)	40			
SWL-075MM	WL	3" (75mm)	42	24	12	6
SWL-100MM		4" (100mm)	42			
SWD-075MM	WD	3" (75mm)	48	24	12	12
SWD-100MM		4" (100mm)	48			

Molded from thick-wall ABS material, bins are extremely durable, resistant to oils, acids, water and extreme temperatures.

Designed to offer the utmost flexibility and optimum use of space when partitioning your cabinet drawers.

Compartment Bin Dimensions

Drawer Bin	Dimensions (inch)		
Item Number	W	D	H
PCD-ASA75	3	3	2
PCD-ASA100	3	3	3
PCD-ASB75	6	3	2
PCD-ASB100	6	3	3
PCD-ASC75	6	6	2
PCD-ASC100	6	6	3

ASA75 **ASA100**

ASB75 **ASB100**

ASC75 **ASC100**

Create a Visual Management System

Perfect for LEAN Manufacturing and 5S Programs

Standard Compartment Configurations by Cabinet Series

WD Series

TD Series

MD Series

WL Series

ML Series

CABINET FEATURES

Built to Last

ShopFlow cabinets are designed for heavy-duty industrial use. Manufactured from 16-gauge coated steel, each cabinet provides the highest level of protection for your valuable tools, components and machine parts.

We have selected the most popular styles and sizes for your convenience and made them available to ship from stock. However, if you have a particular application that requires alternative specifications (cabinet dimensions, number or size of drawers, etc.), please contact us. There are many more custom options available to meet your exacting needs.

**Heavy-duty 16 gauge coated steel with double-rail bearing glides**

Thick rubberized work surface top with steel rim

Anti-tip safety design allows one drawer to be opened at a time

Thick-gauge steel pallet base allows use with fork lift

Drawers include adjustable steel dividers and partitions

Every drawer provides 100% opening access and more than 400 lbs. capacity

Master key lock comes standard with every cabinet

DRAWER FEATURES

Tough, Flexible and Smooth

The guts of the ShopFlow cabinet is, of course, the heavy-duty drawer. ShopFlow cabinet drawers are built to offer maximum design flexibility and carry a huge payload.

Drawers are available in nine standard heights featuring a double-track rail system that allows **100% opening access** to contents and carries tremendous weight capacity. Plus, the special "glide-eze" double-rail design uses bearings to insure smooth action opening and closing even under heavy weight applications.

**100% Opening Access
440 lb. Capacity**

Steel drawer dividers and partitions are standard; Adjustable in 5/8" increments

Drawer Dimensions (Available Height)

Side/Back Panel Height	2	2 15/16	3 15/16	4 15/16	5 7/8	7 7/8	9 13/16	11 13/16	15 3/4
	(50mm)	(75mm)	(100mm)	(125mm)	(150mm)	(200mm)	(250mm)	(300mm)	(400mm)
Drawer Height	1 5/16	2 1/16	3 1/16	3 1/16	5	5	5	5	5
	(33mm)	(52mm)	(77mm)	(77mm)	(127mm)	(127mm)	(127mm)	(127mm)	(127mm)
Available Height (Single Rail)	1 3/7	2 3/8	3 3/8	4 3/8	5 3/8	7 3/8	9 5/16	11 1/4	/
	(36mm)	(61mm)	(86mm)	(111mm)	(136mm)	(186mm)	(236mm)	(286mm)	/
Available Height (Double Rail)	/	2 1/8	3 1/8	4 1/8	5 1/16	7 1/16	9	11	14 15/16
	/	(54mm)	(79mm)	(104mm)	(129mm)	(179mm)	(229mm)	(279mm)	(379mm)

Drawer Dimensions (Width x Depth)

Cabinet Dimensions	inch	16 x 22	22 x 22	22 x 28	28 x 22	28 x 28	34 x 22	34 x 28	40 x 22	40 x 28
	(mm)	(411 x 572)	(564 x 572)	(564 x 725)	(717 x 572)	(717 x 725)	(870 x 572)	(870 x 725)	(1023 x 572)	(1023 x 725)
Drawer Dimensions	inch	12 x 18	18 x 18	18 x 24	24 x 18	24 x 24	30 x 18	30 x 24	36 x 18	36 x 24
	(mm)	(306 x 459)	(459 x 459)	(459 x 612)	(612 x 459)	(612 x 612)	(765 x 459)	(765 x 612)	(918 x 459)	(918 x 612)

2" (50mm)
3" (75mm)
4" (100mm)
5" (125mm)
6" (150mm)
8" (200mm)
10" (250mm)
12" (300mm)
16" (400mm)

MODULAR CABINETS

28"W x 22"D x 41"H
717W x 572D x 1042H (mm)

STC-ML1000BA
5 Drawer

Drawer Height
- 5" (125mm)
- 5" (125mm)
- 8" (200mm)
- 8" (200mm)
- 10" (250mm)

STC-ML1000EA
7 Drawer

Drawer Height
- 3" (75mm)
- 3" (75mm)
- 4" (100mm)
- 4" (100mm)
- 6" (150mm)
- 6" (150mm)
- 10" (250mm)

STC-ML1000DA
6 Drawer

Drawer Height
- 4" (100mm)
- 5" (125mm)
- 5" (125mm)
- 6" (150mm)
- 6" (150mm)
- 10" (250mm)

STC-ML1000EB
7 Drawer

Drawer Height
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 6" (150mm)

STC-ML1000DB
6 Drawer

Drawer Height
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)

Thick rubberized work surface top with steel retainer

Thick-gauge steel pallet base allows use with fork lift

Anti-tip safety design allows one open drawer at a time

28"W x 22"D x 59"H
717W x 572D x 1500H (mm)

STC-ML1450EA

7 Drawer

Drawer Height

6"	(150mm)
6"	(150mm)
6"	(150mm)
8"	(200mm)
8"	(200mm)
10"	(250mm)
10"	(250mm)

STC-ML1450JB

9 Drawer

Drawer Height

6"	(150mm)
6"	(150mm)
6"	(150mm)
6"	(150mm)
6"	(150mm)
6"	(150mm)
6"	(150mm)
6"	(150mm)
6"	(150mm)

STC-ML1450FA

8 Drawer

Drawer Height

5"	(125mm)
5"	(125mm)
6"	(150mm)
6"	(150mm)
6"	(150mm)
8"	(200mm)
8"	(200mm)
10"	(250mm)

STC-ML1450LA

10 Drawer

Drawer Height

3"	(75mm)
3"	(75mm)
4"	(100mm)
4"	(100mm)
4"	(100mm)
6"	(150mm)
6"	(150mm)
6"	(150mm)
8"	(200mm)
10"	(250mm)

STC-ML1450JA

9 Drawer

Drawer Height

5"	(125mm)
5"	(125mm)
5"	(125mm)
5"	(125mm)
6"	(150mm)
6"	(150mm)
6"	(150mm)
8"	(200mm)
8"	(200mm)

STC-ML1450LB

10 Drawer

Drawer Height

5"	(125mm)
5"	(125mm)
5"	(125mm)
5"	(125mm)
5"	(125mm)
5"	(125mm)
6"	(150mm)
6"	(150mm)
6"	(150mm)
6"	(150mm)

MODULAR CABINETS

28"W x 28"D x 41"H
717W x 725D x 1042H (mm)

STC-MD1000BA
5 Drawer

Drawer Height
- 5" (125mm)
- 5" (125mm)
- 8" (200mm)
- 8" (200mm)
- 10" (250mm)

STC-MD1000DA
6 Drawer

Drawer Height
- 4" (100mm)
- 5" (125mm)
- 5" (125mm)
- 6" (150mm)
- 6" (150mm)
- 10" (250mm)

STC-MD1000DB
6 Drawer

Drawer Height
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)

STC-MD1000EA
7 Drawer

Drawer Height
- 3" (75mm)
- 3" (75mm)
- 4" (100mm)
- 4" (100mm)
- 6" (150mm)
- 6" (150mm)
- 10" (250mm)

STC-MD1000EB
7 Drawer

Drawer Height
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 6" (150mm)

STC-MD1000FA
8 Drawer

Drawer Height
- 3" (75mm)
- 3" (75mm)
- 4" (100mm)
- 4" (100mm)
- 4" (100mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)

STC-MD1000FB
8 Drawer

Drawer Height
- 4" (100mm)
- 4" (100mm)
- 4" (100mm)
- 4" (100mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)

Master key lock *440 bl. capacity*

28"W x 28"D x 59"H
717W x 725D x 1500H (mm)

STC-MD1450EA

7 Drawer

Drawer Height
- 6"   (150mm)
- 6"   (150mm)
- 6"   (150mm)
- 8"   (200mm)
- 8"   (200mm)
- 10" (250mm)
- 10" (250mm)

STC-MD1450JB

9 Drawer

Drawer Height
- 6"   (150mm)
- 6"   (150mm)
- 6"   (150mm)
- 6"   (150mm)
- 6"   (150mm)
- 6"   (150mm)
- 6"   (150mm)
- 6"   (150mm)
- 6"   (150mm)

STC-MD1450FA

8 Drawer

Drawer Height
- 5"   (125mm)
- 5"   (125mm)
- 6"   (150mm)
- 6"   (150mm)
- 6"   (150mm)
- 8"   (200mm)
- 8"   (200mm)
- 10" (250mm)

STC-MD1450LA

10 Drawer

Drawer Height
- 3"   (75mm)
- 3"   (75mm)
- 4"   (100mm)
- 4"   (100mm)
- 4"   (100mm)
- 6"   (150mm)
- 6"   (150mm)
- 6"   (150mm)
- 8"   (200mm)
- 10" (250mm)

STC-MD1450JA

9 Drawer

Drawer Height
- 5"   (125mm)
- 5"   (125mm)
- 5"   (125mm)
- 5"   (125mm)
- 6"   (150mm)
- 6"   (150mm)
- 6"   (150mm)
- 8"   (200mm)
- 8"   (200mm)

STC-MD1450LB

10 Drawer

Drawer Height
- 5"   (125mm)
- 5"   (125mm)
- 5"   (125mm)
- 5"   (125mm)
- 5"   (125mm)
- 5"   (125mm)
- 6"   (150mm)
- 6"   (150mm)
- 6"   (150mm)
- 6"   (150mm)

Call if you need a size or drawer configuration not shown

800.274.4123

MODULAR CABINETS

34"w x 28"D x 41"H
870w x 725D x 1042H (mm)

STC-TD1000BA
5 Drawer

Drawer Height
- 6" (150mm)
- 6" (150mm)
- 8" (200mm)
- 8" (200mm)
- 8" (200mm)

STC-TD1000DA
6 Drawer

Drawer Height
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 8" (200mm)
- 8" (200mm)

STC-TD1000DB
6 Drawer

Drawer Height
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)

STC-TD1000EA
7 Drawer

Drawer Height
- 3" (75mm)
- 3" (75mm)
- 4" (100mm)
- 4" (100mm)
- 6" (150mm)
- 6" (150mm)
- 10" (250mm)

STC-TD1000EB
7 Drawer

Drawer Height
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 6" (150mm)

STC-TD1000FA
8 Drawer

Drawer Height
- 3" (75mm)
- 3" (75mm)
- 4" (100mm)
- 4" (100mm)
- 4" (100mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)

STC-TD1000FB
8 Drawer

Drawer Height
- 4" (100mm)
- 4" (100mm)
- 4" (100mm)
- 4" (100mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)

Adjustable dividers

Labelling strip

34"W x 28"D x 59"H
870W x 725D x 1500H (mm)

STC-TD1450EA

7 Drawer

Drawer Height
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 8" (200mm)
- 8" (200mm)
- 10" (250mm)
- 10" (250mm)

STC-TD1450JB

9 Drawer

Drawer Height
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)

STC-TD1450FA

8 Drawer

Drawer Height
- 5" (125mm)
- 5" (125mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 8" (200mm)
- 8" (200mm)
- 10" (250mm)

STC-TD1450LA

10 Drawer

Drawer Height
- 3" (75mm)
- 3" (75mm)
- 4" (100mm)
- 4" (100mm)
- 4" (100mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 8" (200mm)
- 10" (250mm)

STC-TD1450JA

9 Drawer

Drawer Height
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 8" (200mm)
- 8" (200mm)

STC-TD1450LB

10 Drawer

Drawer Height
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)

MODULAR CABINETS

40"W x 22"D x 41"H
1023W x 572D x 1042H (mm)

STC-WL1000BA
5 Drawer

Drawer Height
- 6" (150mm)
- 6" (150mm)
- 8" (200mm)
- 8" (200mm)
- 8" (200mm)

STC-WL1000DA
6 Drawer

Drawer Height
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 8" (200mm)
- 8" (200mm)

STC-WL1000DB
6 Drawer

Drawer Height
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)

STC-WL1000EA
7 Drawer

Drawer Height
- 3" (75mm)
- 3" (75mm)
- 4" (100mm)
- 4" (100mm)
- 6" (150mm)
- 6" (150mm)
- 10" (250mm)

STC-WL1000EB
7 Drawer

Drawer Height
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 6" (150mm)

STC-WL1000FA
8 Drawer

Drawer Height
- 3" (75mm)
- 3" (75mm)
- 4" (100mm)
- 4" (100mm)
- 4" (100mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)

STC-WL1000FB
8 Drawer

Drawer Height
- 4" (100mm)
- 4" (100mm)
- 4" (100mm)
- 4" (100mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)

Drawer dividers and partitions ship standard in every cabinet; Adjustable in 5/8" increments

40"W x 22"D x 59"H
1023W x 572D x 1500H (mm)

STC-WL1450EA

7 Drawer

Drawer Height
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 8" (200mm)
- 8" (200mm)
- 10" (250mm)
- 10" (250mm)

STC-WL1450JB

9 Drawer

Drawer Height
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)

STC-WL1450FA

8 Drawer

Drawer Height
- 5" (125mm)
- 5" (125mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 8" (200mm)
- 8" (200mm)
- 10" (250mm)

STC-WL1450LA

10 Drawer

Drawer Height
- 3" (75mm)
- 3" (75mm)
- 4" (100mm)
- 4" (100mm)
- 4" (100mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 8" (200mm)
- 10" (250mm)

STC-WL1450JA

9 Drawer

Drawer Height
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 8" (200mm)
- 8" (200mm)

STC-WL1450LB

10 Drawer

Drawer Height
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)

MODULAR CABINETS

40"W x 28"D x 41"H
1023W x 725D x 1042H (mm)

STC-WD1000BA
5 Drawer

Drawer Height
6"	(150mm)
6"	(150mm)
8"	(200mm)
8"	(200mm)
8"	(200mm)

STC-WD1000EB
7 Drawer

Drawer Height
5"	(125mm)
5"	(125mm)
5"	(125mm)
5"	(125mm)
5"	(125mm)
5"	(125mm)
6"	(150mm)

STC-WD1000DA
6 Drawer

Drawer Height
5"	(125mm)
5"	(125mm)
5"	(125mm)
5"	(125mm)
8"	(200mm)
8"	(200mm)

STC-WD1000FA
8 Drawer

Drawer Height
3"	(75mm)
3"	(75mm)
4"	(100mm)
4"	(100mm)
4"	(100mm)
6"	(150mm)
6"	(150mm)
6"	(150mm)

STC-WD1000DB
6 Drawer

Drawer Height
6"	(150mm)
6"	(150mm)
6"	(150mm)
6"	(150mm)
6"	(150mm)
6"	(150mm)

STC-WD1000FB
8 Drawer

Drawer Height
4"	(100mm)
4"	(100mm)
4"	(100mm)
4"	(100mm)
5"	(125mm)
5"	(125mm)
5"	(125mm)
5"	(125mm)

STC-WD1000EA
7 Drawer

Drawer Height
3"	(75mm)
3"	(75mm)
4"	(100mm)
4"	(100mm)
6"	(150mm)
6"	(150mm)
10"	(250mm)

Thick ABS organizer bins in 3 sizes

40"W x 28"D x 59"H
1023W x 725D x 1500H (mm)

STC-WD1450EA
7 Drawer

Drawer Height
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 8" (200mm)
- 8" (200mm)
- 10" (250mm)
- 10" (250mm)

STC-WD1450FA
8 Drawer

Drawer Height
- 5" (125mm)
- 5" (125mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 8" (200mm)
- 8" (200mm)
- 10" (250mm)

STC-WD1450JA
9 Drawer

Drawer Height
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 8" (200mm)
- 8" (200mm)

STC-WD1450JB
9 Drawer

Drawer Height
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)

STC-WD1450LA
10 Drawer

Drawer Height
- 3" (75mm)
- 3" (75mm)
- 4" (100mm)
- 4" (100mm)
- 4" (100mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 8" (200mm)
- 10" (250mm)

STC-WD1450LB
10 Drawer

Drawer Height
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 5" (125mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)
- 6" (150mm)

CNC STORAGE CABINETS

THC-MD1000

THC-MD1020

THT Series Holder Trays

CNC Tool Cabinet Specifications

Capacity: Holds up to 40 tool assemblies

Cabinet prices <u>include</u> insert trays

Standard color: Gray and Blue

Quantity/carton: 1 unit

28" Wide X 28" Deep (717mmW x 725mmD)			
Item Number	**Height**	**Drawer Qty.**	**Drawer Height**
THC-MD1000 5 Drawer	41" (1042mm)	2 2 1	4" (100mm) 6" (150mm) 16" (400mm)
THC-MD1020 3 Drawer	41" (1042mm)	1 1 1	4" (100mm) 16" (400mm) 16" (400mm)

Thick rubberized work surface top with steel rim

Steel pallet base allows use with fork lift

KEY FEATURES

16-gauge coated steel construction that features master key lock and removable insert trays

Drawers are double rail allowing 100% opening access and supports 400 lbs.

Insert trays accommodate standard **BT, CAT, and HSK** series tool holders

| Insert Tray Number	Number of Trays		Total Inserts	
	MD1000	**MD1020**	**MD1000**	**MD1020**
THT-61BT30	4	8	20	40
THT-61BT40	4	8	20	40
THT-61BT50	4	8	16	32
THT-61HSK40	4	8	20	40
THT-61HSK63	4	8	20	40
THT-61HSK80	4	8	16	32
THT-61HSK100	4	8	16	32

CNC Tool Cabinet Specifications

Capacity of 6 rows, each containing up to 5 tool inserts

Cabinet prices include insert trays

Standard color: Blue

Quantity/carton: 1 unit

Cabinet	Dimensions (inch)			Dimensions (mm)			Rows
Item Number	W	D	H	W	D	H	
THC-DBT-OT	29	21	71	738	526	1800	6
THC-CBT-OT	29	21	71	738	526	1800	6

DBT Cabinet

Features locking door to prevent damage, theft and keeps valuable tool assemblies clean

Stands nearly 6 ft. high, constructed of thick-gauge coated steel

DBT-OT

CBT Cabinet

Free-standing heavy-duty cabinet stands nearly 6 ft. high, formed from thick-gauge coated steel

Open design is ideal for organizing tool assemblies while providing visual management

Heavy-duty 16-Gauge Coated Steel

CBT-OT

Cabinets use THT series tool holder trays:
- Trays measure 25"L
- Adjustable trays are removable and can be positioned in varying angles

Tool Holder Inserts

CNC STORAGE CADDIES

CNC Tool Caddie Specifications

Interchangeable trays carry up to 5 inserts each

Caddie prices include insert trays

Standard color: Blue

Quantity/carton: 1 unit

Caddie	Chassis Dimensions (inch)			Chassis Dimensions (mm)			Rows
Item Number	W	D	H	W	D	H	Per Caddie
THC-NCT-A	43	24	35	1100	600	880	5
THC-NCT-B	43	24	35	1100	600	880	6

NCT-A

KEY FEATURES

Thick-gauge coated steel construction designed for heavy-duty industrial applications

Features generous work surface area allows use as a mobile work station

Generous storage area to house set-up tools and components

Adjustable insert trays are easily removed and can be positioned at **0°, 15°, and 30° angles**

NCT-B

Hard-wearing large diameter casters ensures effortless maneuverability

Tool insert trays available for **BT, CAT,** and **HSK** tool holders

Store up to 30 Tool Assemblies

CNC INSERT TRAYS

CNC Tool Holder Trays Specifications

Trays carry up to 5 tool inserts

Tray color:	Blue
Insert color:	Red/Black
Quantity/carton:	1 tray

Tool Tray	Tray Dimensions (inch)		Tray Dimensions (mm)		Number of Inserts
Item Number	L	D	L	D	Per Tray
THT-61BT30	25	5 1/2	638	140	5
THT-61BT40	25	5 1/2	638	140	5
THT-61BT50	25	5 1/2	638	140	4
THT-61HSK40	25	5 1/2	638	140	5
THT-61HSK63	25	5 1/2	638	140	5
THT-61HSK80	25	5 1/2	638	140	4
THT-61HSK100	25	5 1/2	638	140	4

BT Insert

HSK Insert

**Trays Are Interchangeable with All Cabinets and Caddies**

Tray
- Remove and carry
- Interchangeable design
- Thick-gauge coated steel

Insert
- High-strength ABS material
- "Snap-In" feature
- Adjustable within tray

Insert Dimensional Drawings

Insert trays can be purchased separately

Insert	A		B		C		D		E	
Holder	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
BT30	3 3/8	87	3 1/4	81	1 1/4	32	3/4	18.5	1 7/8	47
BT40/CAT40	3 3/8	87	3 1/4	81	1 3/4	45	1 1/4	31.5	1 7/8	47
BT50/CAT50	4 3/4	120	4	102	2 3/4	70	2	52	62	62

Insert	A		B		C		D		E	
Holder	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
HSK40	3 3/8	87	3 1/4	81	1 1/4	32	1 1/4	30.5	1 3/8	33.5
HSK63	3 3/8	87	3 1/4	81	2	49	1 7/8	47	1 7/8	47
HSK80	4 3/4	120	4	102	2 3/8	61	2 1/4	57	2 1/4	57
HSK100	4 3/4	120	4	102	3	76.5	2 7/8	72.5	2	51

ShopFlow Solutions
15009 Manchester Rd., Suite 253
Ballwin, MO 63011
800.274.4123
info@shopflowsolutions.com