## Safety Data Sheet

Issue Date: 14-Sep-2016	Revision Date: 14-Nov-2016		
	1. IDENTIFICATION		
Product Identifier			
Product Name	SJ-STL		
Other means of identification			
SDS #	TST-001		
Synonyms	Staurolite.		
	CAS #: 12182-56-8		
	HTS #: 261790		
Recommended use of the chemica	Il and restrictions on use		
Recommended Use	Blasting media.		
Details of the supplier of the safety	y data sheet		
Supplier Address			
APE Companies 3009 Pasadena Fwy, Suite 100			
Pasadena, TX 77503			
Ph: 281.930.0808			
Emergency Telephone Number			
Emergency Telenhous (04 hr)	INIECTEAC 1 252 222 2500 (International)		
Emergency Telephone (24 hr)	INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)		
Emergency Telephone (24 nr)			
Appearance Dry, dark brown grains	1-800-535-5053 (North America) 2. HAZARDS IDENTIFICATION		Odor Odorless
	1-800-535-5053 (North America) 2. HAZARDS IDENTIFICATION		Odor Odorless
Appearance Dry, dark brown grains	1-800-535-5053 (North America) 2. HAZARDS IDENTIFICATION	Category 1A	Odor Odorless
Appearance Dry, dark brown grains	1-800-535-5053 (North America) 2. HAZARDS IDENTIFICATION	Category 1A	Odor Odorless
Appearance Dry, dark brown grains	1-800-535-5053 (North America) 2. HAZARDS IDENTIFICATION	Category 1A	Odor Odorless
Appearance Dry, dark brown grains Classification Carcinogenicity	1-800-535-5053 (North America) 2. HAZARDS IDENTIFICATION	Category 1A	Odor Odorless
Appearance Dry, dark brown grains Classification Carcinogenicity Signal Word Danger	1-800-535-5053 (North America) 2. HAZARDS IDENTIFICATION	Category 1A	Odor Odorless
Appearance Dry, dark brown grains Classification Carcinogenicity Signal Word	1-800-535-5053 (North America) 2. HAZARDS IDENTIFICATION	Category 1A	Odor Odorless
Appearance Dry, dark brown grains Classification Carcinogenicity Signal Word Danger Hazard statements	1-800-535-5053 (North America) 2. HAZARDS IDENTIFICATION	Category 1A	Odor Odorless
Appearance Dry, dark brown grains Classification Carcinogenicity Signal Word Danger Hazard statements	1-800-535-5053 (North America) 2. HAZARDS IDENTIFICATION	Category 1A	Odor Odorless
Appearance Dry, dark brown grains Classification Carcinogenicity Signal Word Danger Hazard statements	1-800-535-5053 (North America) 2. HAZARDS IDENTIFICATION	Category 1A	Odor Odorless
Appearance Dry, dark brown grains Classification Carcinogenicity Signal Word Danger Hazard statements	1-800-535-5053 (North America) 2. HAZARDS IDENTIFICATION	Category 1A	Odor Odorless
Appearance Dry, dark brown grains Classification Carcinogenicity Signal Word Danger Hazard statements	1-800-535-5053 (North America) 2. HAZARDS IDENTIFICATION	Category 1A	Odor Odorless
Appearance Dry, dark brown grains <u>Classification</u> <u>Carcinogenicity</u> <u>Signal Word</u> <u>Danger</u> <u>Hazard statements</u> May cause cancer	1-800-535-5053 (North America)          2. HAZARDS IDENTIFICATION         Physical state Solid	Category 1A	Odor Odorless
Appearance Dry, dark brown grains <u>Classification</u> <u>Carcinogenicity</u> <u>Signal Word</u> <u>Danger</u> <u>Hazard statements</u> May cause cancer <u>May cause cancer</u> <u>Precautionary Statements - Preven</u>	1-800-535-5053 (North America)          2. HAZARDS IDENTIFICATION         Physical state Solid	Category 1A	Odor Odorless
Appearance Dry, dark brown grains <u>Classification</u> <u>Carcinogenicity</u> <u>Signal Word</u> <u>Danger</u> <u>Hazard statements</u> May cause cancer <u>May cause cancer</u> <u>Precautionary Statements - Preven</u> Obtain special instructions before using the second se	1-800-535-5053 (North America)          2. HAZARDS IDENTIFICATION         Physical state Solid	Category 1A	Odor Odorless

### Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

### **Precautionary Statements - Storage**

Store locked up

### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Synonyms

Staurolite.

Chemical Name	CAS No.	Weight-%
Titanium(IV) Oxide	13463-67-7	5-15
Zirconium silicate	14940-68-2	1-2
Aluminum silicate	1302-76-7	0-2
Quartz	14808-60-7	0.1-1

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

### **4. FIRST AID MEASURES**

### **First Aid Measures**

General Advice	Provide this SDS to medical personnel for treatment.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub eyes. If eye irritation persists: Get medical advice/attention.
Skin Contact	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.
Inhalation	Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician / poison center if individual's condition declines or if symptoms persist. Blow nose to remove particulates from nasal passages.
Ingestion	Rinse mouth. Do not induce vomiting without medical advice. If conscious give 2 glasses of water to dilute. Get medical attention.

### Most important symptoms and effects

Symptoms Can be irritating if inhaled at high concentration. May cause symptoms such as coughing or sneezing.

### Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

### **5. FIRE-FIGHTING MEASURES**

### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable Extinguishing Media Not determined.

### Specific Hazards Arising from the Chemical

Product is not flammable or combustible.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
Environmental precautions	
Environmental precautions	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.
Methods and material for containn	nent and cleaning up

# Methods for ContainmentPrevent further leakage or spillage if safe to do so.Methods for Clean-UpVacuum up if possible, otherwise sweep up and re-cycle. If the spilled product is not<br/>suitable for re-use, damp down, collect and where possible return to manufacturer for<br/>reprocessing. Otherwise dispose of to an approved landfill site and cover with clean fill in<br/>accordance with Federal, Provincial, State and Local regulations. For waste disposal, see<br/>section 13 of the SDS.

### 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on Safe Handling Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Avoid breathing dusts. Wear protective gloves/protective clothing. Wash face, hands and any exposed skin thoroughly after handling.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Store locked up.

Incompatible Materials Strong oxidizing agents.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH		
Titanium(IV) Oxide 13463-67-7	TWA: 10 mg/m <sup>3</sup> TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 10 mg/m <sup>3</sup> total dust		IDLH: 5000 mg/m <sup>3</sup>		
Aluminum silicate 1302-76-7	TWA: 1 mg/m <sup>3</sup> respirable particulate matter	-	-		
Zirconium silicate 14940-68-2	STEL: 10 mg/m <sup>3</sup> Zr TWA: 5 mg/m <sup>3</sup> Zr	TWA: 5 mg/m³ Zr (vacated) TWA: 5 mg/m³ Zr (vacated) STEL: 10 mg/m³ Zr	IDLH: 25 mg/m <sup>3</sup> Zr TWA: 5 mg/m <sup>3</sup> except Zirconium tetrachloride Zr STEL: 10 mg/m <sup>3</sup> Zr		
Quartz 14808-60-7	TWA: 0.025 mg/m <sup>3</sup> respirable particulate matter	<ul> <li>(vacated) TWA: 0.1 mg/m<sup>3</sup> respirable dust</li> <li>: (30)/(%SiO2 + 2) mg/m<sup>3</sup> TWA total dust</li> <li>: (250)/(%SiO2 + 5) mppcf TWA respirable fraction</li> <li>: (10)/(%SiO2 + 2) mg/m<sup>3</sup> TWA respirable fraction</li> </ul>	IDLH: 50 mg/m <sup>3</sup> respirable dust TWA: 0.05 mg/m <sup>3</sup> respirable dust		
Other Information	range (>10um diameter) and p	urer, the grain size of the produ precludes it from being an inhal ure grains, and in the dry state f	ation hazard. Handling and		
Appropriate engineering controls					
Engineering Controls	eyewash stations and safety s requirements will depend on h sufficient to maintain dust leve conveyor and hopper discharg using Staurolite concentrate for extraction ventilation that mee	omply with the occupational ex howers are close to the workst andling methods and the amou- ls below exposure limits. Points ges should be equipped with an or sand blasting, use in a blastir ts OSHA 29 CFR part 1910.94. dust contamination of surround isure standards.	ation location. Ventilation Int in use, but should be s of dust generation, such as a effective extraction system. If ng chamber with mechanical Where sand blasting occurs		
Individual protection measures, suc	ch as personal protective equi	ipment			
Eye/Face Protection	Wear safety glasses with side shields (or goggles). Refer to 29 CFR 1910.133 for eye and face protection regulations.				
Skin and Body Protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Refer to 29 CFR 1910.138 for appropriate skin and body protection.				
Respiratory Protection	If necessary, wear a MSHA/NIOSH-approved respirator. When sand blasting, use a type CE abrasive blast supplied air respirator covering head, neck and shoulders a per CFR 1910.94 (a)(5). Refer to 29 CFR 1910.134 for respiratory protection requirements.				

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state	Solid	Odor	Oderlage
Appearance Color	Dry, dark brown grains Dark brown	Odorless Not determined	
COIOI	Dark brown	Not determined	
Property	Values_	Remarks • Method	
pH	N/A		
Melting Point/Freezing Point	1380 °C / 2516 °F		
Boiling Point/Boiling Range	Not determined		
Flash Point	Not determined		
Evaporation Rate	Not determined		
Flammability (Solid, Gas)	Not determined		
Flammability Limits in Air			
Upper Flammability Limits	Not determined		
Lower Flammability Limit	Not determined		
Vapor Pressure	Not volatile		
Vapor Density	Not determined		
Relative Density	3.7-3.8		
Water Solubility	Insoluble		
Solubility in other solvents	Not determined		
Partition Coefficient	Not determined		
Auto-ignition Temperature	Not self-igniting		
Decomposition Temperature	Not determined		
Kinematic Viscosity	Not determined		
Dynamic Viscosity	Not determined		
Explosive Properties	Not determined		
Oxidizing Properties	Not determined		
Other Information			
Molecular weight	1279.87		
Bulk Density	1980-2040 kg/m <sup>3</sup>		

### **10. STABILITY AND REACTIVITY**

### Reactivity

Not reactive under normal conditions.

### **Chemical Stability**

Stable under recommended storage conditions.

### **Possibility of Hazardous Reactions**

None under normal processing.

### **Conditions to Avoid**

Keep out of reach of children. Dust formation.

### **Incompatible Materials**

Strong oxidizing agents.

Hazardous Decomposition Products None known based on information supplied.

### **11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Product Information	
Eye Contact	May cause mechanical eye irritation.
Skin Contact	Avoid contact with skin and clothing.
Inhalation	May cause irritation to the mucous membranes and upper respiratory tract.
Ingestion	Do not taste or swallow.

### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium(IV) Oxide 13463-67-7	> 10000 mg/kg (Rat)	-	-
Quartz 14808-60-7	= 500 mg/kg (Rat)	-	-

### Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

May cause cancer.

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium(IV) Oxide 13463-67-7		Group 2B		Х
Quartz 14808-60-7	A2	Group 1	Known	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists) A2 - Suspected Human Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present

Other Adverse Effects As is common with many minerals, Staurolite Concentrate contains very low levels (below 0.05% by weight) of naturally occurring radioactive elements of the uranium and thorium series. Internal exposure via inhaled dust is the main exposure. Close proximity to large quantities (bulk or stockpiles) of Staurolite concentrate over long periods (2000 hours per year) may result in direct exposure. This Staurolite concentrate is exempt from the NRC regulations for source material per 10 CFR40 because it is below the 0.05% uranium and thorium.

### **12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

### Persistence/Degradability

Not determined.

### Bioaccumulation Not determined.

-----

### <u>Mobility</u>

Not determined

### Other Adverse Effects

Not determined

### **13. DISPOSAL CONSIDERATIONS**

### Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations. If approved, may be transferred to an approved landfill site. NOTE: many states are developing new regulations for disposal of waste containing Natural Occurring Radioactive Materials (NORM) above background levels. Consult and comply with current regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.
	14. TRANSPORT INFORMATION
<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
<u>DOT</u>	Not regulated
IATA	Not regulated
IMDG	Not regulated

### **15. REGULATORY INFORMATION**

### International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Staurolite					Х		Х	
Titanium(IV) Oxide	Х	Х	Х	Present	Х	Present	Х	Х
Zirconium silicate	Х	Х	Х	Present	Х	Present	Х	Х
Aluminum silicate		Х	Х		Х	Present		Х
Quartz	Х	Х	Х	Present	Х	Present	Х	Х

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances **AICS** - Australian Inventory of Chemical Substances

### US Federal Regulations

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

### SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### US State Regulations

### California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65	
Titanium(IV) Oxide - 13463-67-7	Carcinogen	
Quartz - 14808-60-7	Carcinogen	

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Titanium(IV) Oxide 13463-67-7	Х	X	Х
Quartz 14808-60-7	Х	X	Х

### **16. OTHER INFORMATION**

<u>NFPA</u> <u>HMIS</u>	Health Hazards Not determined Health Hazards Not determined	Flammability Not determined Flammability Not determined	Instability Not determined Physical hazards Not determined	Special Hazards Not determined Personal Protection Not determined
Issue Date: Revision Date:	14-Sep-2016 14-Nov-2016		Not determined	Not determined

New format

**Disclaimer** 

**Revision Note:** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet