

Product Profile



Closed Loop Chiller

Model #CLS-24000CLC-KIT – CLS-120000CLC-KIT



Description

The Ebbco Closed Loop Chillers are designed to cool the hydraulics on the high pressure intensifier pumps. This allows our clients to eliminate the discharge of hydraulic cooling water to drain. Each Ebbco Closed Chiller comes complete with Installation Kit and Glycol for Start up.

System Features & Benefits

- Manual Bypass
- Cleanable Air Filters
- Glycol Solution MUST be used
- Ambient Conditions ranging from 50° - 95°F
- Standard with galvanized sheet metal
- Digital Temperature Controller
- Variable Frequency Drive (for Fan Control)



Specifications

Closed Loop Chiller

Model # CLS-24000-CLC-KIT – CLS-120000-CLC-KIT

Specifications

Model No.	Electrical (VAC/PH/Hz)	BTU/Hr 65 °F (LFT)*	Pump Flow @35 psi		Rated Load (FLA)	Reservoir US gal
			HP	GPM		
CLS-24000-CLC-KIT	230/3/60	24,000	1.0	10	20	10
	460/3/60				10	
CLS-36000-CLC-KIT	230/3/60	36,000	2.0	10	26	36
	460/3/60				13	
CLS-60000-CLC-KIT	230/3/60	60,000	2.0	15	35	36
	460/3/60				17.5	
CLS-90000-CLC-KIT	460/3/60	90,000	2.0	23	24	60
CLS-120000-CLC-KIT	460/3/60	120,000	2.0	30	33	60

Dimensions

CLC Model	Length (in)	Width (in)	Height (in)	Inlet & Outlet Piping (in) NPT	Dry Wt. (lbs)
CLS-24000-CLC-KIT	31	28	50	1	460
CLS-36000-CLC-KIT	37	34	70	1.25	540
CLS-60000-CLC-KIT	37	34	70	1.25	570
CLS-90000-CLC-KIT	57	37	70	1.25	570
CLS-120000-CLC-KIT	57	37	70	1.25	1350

